


2024/05/06 1015Z

NTGJ SADIT **UL348** TAF NTAA

913.43 nm / 1691.67 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NTGJ	-	-23.08050	0 ft	-	Totegegie
APT	-	-134.89000	0 m	-	
SADIT	-	-22.45000	13,600 ft	38	-
FIX	-	-135.00000	4,145 m	-	-
SELVU	UL348	-20.98330	35,000 ft	292	-
FIX	AWY-HI	-140.00000	10,668 m	-	-
SAMEP	UL348	-19.31670	35,000 ft	299	-
FIX	AWY-HI	-145.00000	10,668 m	-	-
TATIA	UL348	-18.28190	25,800 ft	162	-
FIX	AWY-HI	-147.64600	7,864 m	-	-
TAF	UL348	-17.54710	100 ft	120	TAHITI
VOR	AWY-HI	-149.60200	30 m	-	
NTAA	-	-17.55370	0 ft	0	Tahiti Faa'a Intl
APT	-	-149.60700	0 m	-	

## NTAA

Region: FRENCH POLYNESIA  
Timezone: PACIFIC/TAHITI  
Runways: 1

Elevation: 5 ft / 2 m  
Location: -17.553700 -149.607000  
Magnetic Var: 12.883 E

## METAR

NTAA 061000Z AUTO VRB02KT 9999 FEW060 28/22 Q1013 NOSIG

## TAF

TAF NTAA 060500Z 0606/0712 VRB05KT 9999 FEW023 TEMPO 0618/0704 05020G30KT

## Frequencies

REC - 128.80 MHz - ATIS  
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND  
APP - 121.30 MHz - TAHITI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m