


2024/06/03 0551Z

EPSY UVR0B EPWA

79.12 nm / 146.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPSY	-	53.47970	0 ft	-	SZYMARY
APT	-	20.93650	0 m		
UVR0B	-	52.56690	5,100 ft	54	-
FIX	-	21.02170	1,554 m		
EPWA	-	52.16510	0 ft	24	Warsaw Frederic Chopin
APT	-	20.96700	0 m		

EPSY

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 1

Elevation: 463 ft / 141 m
Location: 53.481900 20.937700
Magnetic Var: 6.874 E

METAR

EPSY 030530Z 31005KT 270V350 9999 BKN013 17/15 Q1011

TAF

UNKNOWN

Frequencies

TWR - 118.02 MHz - MAZURY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	149 ft	8,194 ft	18.42	ASPHALT	0 ft	0 ft
	45 m	2,498 m	11.55		0 m	0 m
19	149 ft	8,194 ft	198.43	ASPHALT	0 ft	0 ft
	45 m	2,498 m	191.56		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	SZY	108.10 MHz	18 nm	18.43	-	463 ft
				33 km	11.56		463 m
01	GS	SZY	108.10 MHz	10 nm	18.43	3.00	463 ft
				19 km	11.56		463 m

EPWA

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 2

Elevation: 362 ft / 110 m
Location: 52.165100 20.967000
Magnetic Var: 6.631 E

METAR

EPWA 030530Z 31007KT 9000 BKN006 16/15 Q1012 NOSIG

TAF

TAF EPWA 030230Z 0303/0403 26005KT CAVOK TEMPO 0303/0307 4500 BR BKN006 TEMPO 0309/0324 SHRA SCT030CB PROB40 TEMPO

Frequencies

REC - 120.45 MHz - ATIS	TWR - 118.30 MHz - OKECIE TOWER
GND - 121.90 MHz - OKECIE GROUND	CLD - 121.60 MHz - CLEARANCE DELIVERY
APP - 128.80 MHz - WARSAW APPROACH	APP - 125.05 MHz - WARSAW APPROACH
REC - 118.77 MHz - OLSZTYN INFORMATION	REC - 119.45 MHz - WARSAW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	164 ft	9,166 ft	114.57	ASPHALT	0 ft	492 ft
	50 m	2,794 m	107.94		0 m	150 m
29	164 ft	9,166 ft	294.60	ASPHALT	1,617 ft	102 ft
	50 m	2,794 m	287.97		493 m	31 m
15	197 ft	12,093 ft	151.80	ASPHALT	0 ft	144 ft
	60 m	3,686 m	145.17		0 m	44 m
33	197 ft	12,093 ft	331.82	ASPHALT	2,159 ft	148 ft
	60 m	3,686 m	325.19		658 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	WAS	109.90 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
33	DME	WA	110.30 MHz	18 nm	-	-	394 ft
				33 km	-		394 m
11	LOC-ILS	WAS	109.90 MHz	18 nm	114.59	-	362 ft
				33 km	107.96		362 m
33	LOC-ILS	WA	110.30 MHz	18 nm	331.82	-	362 ft
				33 km	325.19		362 m
11	GS	WAS	109.90 MHz	10 nm	114.59	3.00	362 ft
				19 km	107.96		362 m
33	GS	WA	110.30 MHz	10 nm	331.82	3.00	362 ft
				19 km	325.19		362 m