


2024/06/02 1217Z

EGFF UTUXA EGNM

160.51 nm / 297.27 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGFF APT	-	51.39660 -3.34332	0 ft 0 m	-	Cardiff
UTUXA FIX	-	53.00830 -2.22028	11,800 ft 3,597 m	105	-
EGNM APT	-	53.86600 -1.66078	0 ft 0 m	55	Leeds Bradford Airport

EGFF

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 220 ft / 67 m
Location: 51.396600 -3.343320
Magnetic Var: 0.604 W

METAR

EGFF 021150Z AUTO 27010KT 9999 NCD 18/12 Q1029

TAF

TAF EGFF 021055Z 0212/0312 25008KT 9999 SCT045 PROB30 TEMPO 0304/0308 BKN014

Frequencies

REC - 119.50 MHz - CARDIFF APPROACH
REC - 132.48 MHz - CARDIFF INFORMATION
TWR - 133.10 MHz - CARDIFF TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,701 ft	116.82	ASPHALT	712 ft	0 ft
	45 m	2,347 m	117.42		217 m	0 m
30	148 ft	7,701 ft	296.84	ASPHALT	489 ft	98 ft
	45 m	2,347 m	297.45		149 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	ICDF	110.70 MHz	18 nm	-	-	281 ft
				33 km	-		281 m
30	DME	ICWA	110.70 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
12	LOC-ILS	ICDF	110.70 MHz	18 nm	116.83	-	220 ft
				33 km	117.43		220 m
30	LOC-ILS	ICWA	110.70 MHz	18 nm	296.83	-	220 ft
				33 km	297.43		220 m
12	GS	ICDF	110.70 MHz	10 nm	116.83	3.00	220 ft
				19 km	117.43		220 m
30	GS	ICWA	110.70 MHz	10 nm	296.83	3.00	220 ft
				19 km	297.43		220 m

EGNM

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 681 ft / 208 m
Location: 53.866000 -1.660770
Magnetic Var: 0.278 W

METAR

EGNM 021150Z 26012KT 9999 SCT024 16/10 Q1027

TAF

TAF EGNM 021055Z 0212/0312 29009KT 9999 SCT030 TEMPO 0300/0310 8000 -RA BKN012 PROB30 TEMPO 0301/0308 BKN008

Frequencies

REC - 118.05 MHz - LEEDS BRADFORD ATIS
TWR - 121.80 MHz - LEEDS BRADFORD TOWER
APP - 134.55 MHz - LEEDS BRADFORD APPROACH
TWR - 120.30 MHz - LEEDS BRADFORD TOWER
DEP - 125.35 MHz - LEEDS BRADFORD DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	7,390 ft	137.80	CONCRETE	1,027 ft	39 ft
	46 m	2,252 m	138.08		313 m	12 m
32	151 ft	7,390 ft	317.81	CONCRETE	899 ft	43 ft
	46 m	2,252 m	318.09		274 m	13 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	ILBF	110.90 MHz	18 nm	-	-	681 ft
				33 km	-		681 m
32	DME	ILF	110.90 MHz	18 nm	-	-	687 ft
				33 km	-		687 m
14	LOC-ILS	ILBF	110.90 MHz	18 nm	137.81	-	681 ft
				33 km	138.09		681 m
32	LOC-ILS	ILF	110.90 MHz	18 nm	317.81	-	681 ft
				33 km	318.09		681 m
14	GS	ILBF	110.90 MHz	10 nm	137.81	3.50	681 ft
				19 km	138.09		681 m
32	GS	ILF	110.90 MHz	10 nm	317.81	3.00	681 ft
				19 km	318.09		681 m