


2024/05/29 0246Z

EDDF ABLUM **T200** OSKAT **U221** TADUV **T202** MILGU OLBK **Y236** POGAB **Q200** LUROS EPP0

345.67 nm / 640.19 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDF	-	50.03260	0 ft	-	Frankfurt
APT	-	8.54067	0 m		
ABLUM	-	51.01060	35,000 ft	103	-
FIX	-	10.76310	10,668 m		
LASTO	T200	51.12900	35,000 ft	14	-
FIX	AWY-HI	11.11070	10,668 m		
SOPLA	T200	51.27720	35,000 ft	18	-
FIX	AWY-HI	11.55310	10,668 m		
OSKAT	T200	51.41440	35,000 ft	17	-
FIX	AWY-HI	11.96940	10,668 m		
TADUV	UZ21	51.42990	35,000 ft	21	-
FIX	AWY-HI	12.54820	10,668 m		
MILGU	T202	51.57190	32,000 ft	19	-
FIX	AWY-HI	13.02970	9,754 m		
OLBIK	-	51.66250	29,200 ft	12	-
FIX	-	13.34110	8,900 m		
POGAB	Y236	51.84530	23,600 ft	26	-
FIX	AWY-HI	13.98390	7,193 m		
LUROS	Q200	51.89860	21,900 ft	7	-
FIX	AWY-HI	14.17440	6,675 m		
EPP0	-	52.42160	0 ft	102	Poznan-Henryk Wieniawski
APT	-	16.82360	0 m		

## EDDF

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 4

Elevation: 362 ft / 110 m  
Location: 50.032600 8.540670  
Magnetic Var: 3.180 E

## METAR

EDDF 290220Z AUTO 18008KT 140V200 9999 FEW022 BKN034 BKN043 14/12 Q1015 RERA NOSIG

## TAF

TAF TAF EDDF 282300Z 2900/3006 19005KT 9999 SCT040 BECMG 2900/2903 BKN040 TEMPO 2904/2908 RA BECMG 2906/2909 2201

## Frequencies

REC - 118.02 MHz - ATIS ARRIVAL  
GND - 121.80 MHz - GROUND  
GND - 121.70 MHz - APRON RAMP/TAXI  
GND - 121.85 MHz - APRON RAMP/TAXI  
TWR - 118.77 MHz - TOWER  
TWR - 124.85 MHz - TOWER  
TWR - 136.50 MHz - TOWER  
APP - 127.27 MHz - FRANKFURT DIRECT  
APP - 125.35 MHz - LANGEN RADAR  
APP - 120.80 MHz - LANGEN RADAR  
APP - 136.12 MHz - LANGEN RADAR

REC - 118.72 MHz - ATIS DEPARTURE  
GND - 121.65 MHz - APRON RAMP/TAXI  
GND - 121.95 MHz - APRON RAMP/TAXI  
GND - 121.75 MHz - APRON RAMP/TAXI  
TWR - 119.90 MHz - TOWER  
TWR - 127.32 MHz - TOWER  
CLD - 121.90 MHz - CLEARANCE DELIVERY  
APP - 118.50 MHz - FRANKFURT DIRECT  
APP - 126.55 MHz - LANGEN RADAR  
APP - 120.15 MHz - LANGEN RADAR  
APP - 119.02 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.38		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.41		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.39		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.43		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.41		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.45		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.46		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.46		0 m	37 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.41		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.40		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.43		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.41		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.43		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.40		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.41		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.40		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.43		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.41		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.43		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.40		362 m

## EPP0

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 1

Elevation: 308 ft / 94 m  
Location: 52.421600 16.823600  
Magnetic Var: 5.584 E

## METAR

EPP0 290230Z VRB01KT 0250 R28/P2000U FG SCT002 SCT014 12/12 Q1017

## TAF

TAF EPP0 282330Z 2900/2924 VRB02KT 9999 SCT010 TEMPO 2900/2903 BKN009 BECMG 2901/2903 1400 BR TEMPO 2902/2905 0200

## Frequencies

TWR - 119.97 MHz - POZNAN TOWER  
APP - 127.22 MHz - POZNAN APPROACH  
REC - 126.30 MHz - ATIS

TWR - 121.80 MHz - POZNAN TOWER  
TWR - 129.02 MHz - POZNAN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	8,223 ft	107.59	ASPHALT	0 ft	0 ft
	50 m	2,506 m	102.01		0 m	0 m
28	164 ft	8,223 ft	287.62	ASPHALT	0 ft	0 ft
	50 m	2,506 m	282.03		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	POZ	110.30 MHz	18 nm	287.60	-	308 ft
				33 km	282.02		308 m
28	GS	POZ	110.30 MHz	10 nm	287.60	3.00	308 ft
				19 km	282.02		308 m