


2024/06/04 0204Z

WICC DKI W12E BIKAL B469 BIDAQ G461 PLB A585 MDN WIMM

848.79 nm / 1571.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WICC APT	-	-6.90063 107.57600	0 ft 0 m	-	Bandung Husein Sastranegara
DKI VOR	-	-5.96119 107.03600	23,200 ft 7,071 m	64	JAKARTA
BIKAL FIX	W12E AWY-HI	-4.87884 106.46800	35,000 ft 10,668 m	73	-
BIDAK FIX	B469 AWY-HI	-4.04127 106.03200	35,000 ft 10,668 m	56	-
BORAS FIX	G461 AWY-HI	-3.61065 105.52100	35,000 ft 10,668 m	40	-
PLB VOR	G461 AWY-HI	-2.87859 104.65300	35,000 ft 10,668 m	68	PALEMBANG
JATAM FIX	A585 AWY-HI	-1.07232 102.89400	35,000 ft 10,668 m	151	-
PKU VOR	A585 AWY-HI	0.42558 101.44200	35,000 ft 10,668 m	125	PEKANBARU
MDN VOR	A585 AWY-HI	3.50455 98.60770	3,700 ft 1,128 m	251	MEDAN
WIMM APT	-	3.63782 98.87060	0 ft 0 m	17	Kualanamu Int'l

WIMM

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 22 ft / 7 m
Location: 3.637820 98.870600
Magnetic Var: 0.142 W

METAR

WIMM 040130Z 26002KT 8000 FEW018 29/25 Q1011 NOSIG

TAF

TAF WIMM 032300Z 0400/0500 05008KT 8000 SCT017 TEMPO 0400/0402 21003KT 4000 BR BECMG 0412/0414 VRB03KT 4000 HZ

Frequencies

REC - 126.30 MHz - MEDAN ATIS
GND - 130.30 MHz - KUALANAMU GROUND

TWR - 118.60 MHz - KUALANAMU TOWER
APP - 119.70 MHz - MEDAN DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	12,315 ft	44.84	ASPHALT	0 ft	197 ft
	60 m	3,754 m	44.98		0 m	60 m
23	197 ft	12,315 ft	224.84	ASPHALT	0 ft	197 ft
	60 m	3,754 m	224.99		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IMDN	110.10 MHz	18 nm	47.68	-	90 ft
				33 km	47.82		90 m
05	LOC-ILS	IDES	109.30 MHz	18 nm	44.84	-	22 ft
				33 km	44.98		22 m
23	LOC-ILS	IDEL	110.90 MHz	18 nm	224.84	-	22 ft
				33 km	224.98		22 m
05	GS	IDES	109.30 MHz	10 nm	44.84	3.00	22 ft
				19 km	44.98		22 m
23	GS	IDEL	110.90 MHz	10 nm	224.84	3.00	22 ft
				19 km	224.98		22 m
05	GS	IMDN	110.10 MHz	10 nm	47.09	3.00	90 ft
				19 km	47.23		90 m