

ULLI

St. Petersburg Pulkovo Intl


KPTT

PRATT INDUSTRIAL

2024/05/19 1719Z

ULLI RATLA **Y367** OTVEG **P854** DIVEG **N3** GISOX 6800N0600E 6900N0300E 6900N0200E 6900N0100E 6900N0000E
6900N0-100W 6900N0-200W 6900N0-300W 6900N0-400W 7000N0-700W 7000N0-800W 7000N0-900W 7000N0-1000W
7000N0-1100W 7000N0-1200W 7000N0-1300W 7000N0-1400W 7000N0-1500W 7000N0-1600W 7000N0-1700W
7000N0-1800W 7000N0-1900W 7000N0-2000W 7000N0-2100W 7000N0-2200W 7000N0-2300W 7000N0-2400W
7000N0-2500W 7000N0-2600W 7000N0-2700W 7000N0-2800W 7000N0-2900W 7000N0-3000W 7000N0-3100W
7000N0-3200W 7000N0-3300W 7000N0-3400W 7000N0-3500W 7000N0-3600W 7000N0-3700W 7000N0-3800W
7000N0-3900W 6900N0-4200W 6900N0-4300W 6900N0-4400W 6900N0-4500W 6900N0-4600W 6900N0-4700W
6900N0-4800W 6900N0-4900W KUNUK ANDRE SIMON DOSIT **W27** NYGAR **UT589** HB 6600N0-5700W AVPUT **N906A**
DUTUM 6300N0-6700W TEFFO **SCAH** PIKMO MERKA YTL **AR15** YXL **V367** INL **V161** GPZ **V218** GEP **J21** OVR **V307**
PWE **V553** URAVY KPTT

4630.65 nm / 8575.96 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft

- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ULLI	-	59.80030	0 ft	-	St. Petersburg Pulkovo Intl
APT	-	30.26250	0 m		
RATLA	-	60.85830	30,500 ft	85	-
FIX	-	28.33830	9,296 m		
OTVEG	Y367	62.28720	35,000 ft	183	-
FIX	AWY-HI	22.64750	10,668 m		
LIKSO	P854	62.44830	35,000 ft	11	-
FIX	AWY-HI	22.44920	10,668 m		
GUBTU	P854	62.64860	35,000 ft	13	-
FIX	AWY-HI	22.19920	10,668 m		
DIVEG	P854	62.91220	35,000 ft	20	-
FIX	AWY-HI	21.72140	10,668 m		
RASRU	N3	63.23360	35,000 ft	27	-
FIX	AWY-HI	21.00060	10,668 m		
VALAK	N3	63.41860	35,000 ft	15	-
FIX	AWY-HI	20.57420	10,668 m		
MOTIG	N3	63.93000	35,000 ft	46	-
FIX	AWY-HI	19.26780	10,668 m		
TUDGI	N3	64.14690	35,000 ft	20	-
FIX	AWY-HI	18.67890	10,668 m		
VESER	N3	65.18890	35,000 ft	99	-
FIX	AWY-HI	15.67970	10,668 m		
TIXOR	N3	65.33690	35,000 ft	14	-
FIX	AWY-HI	15.21690	10,668 m		
NEBUR	N3	65.55780	35,000 ft	22	-
FIX	AWY-HI	14.50850	10,668 m		
GISOX	N3	67.03880	35,000 ft	158	-
FIX	AWY-HI	9.05941	10,668 m		
6800N0600E	-	68.00000	35,000 ft	90	-
LATLON	-	6.00000	10,668 m		
6900N0300E	-	69.00000	35,000 ft	89	-
LATLON	-	3.00000	10,668 m		
6900N0200E	-	69.00000	35,000 ft	21	-
LATLON	-	2.00000	10,668 m		
6900N0100E	-	69.00000	35,000 ft	21	-
LATLON	-	1.00000	10,668 m		
6900N0000E	-	69.00000	35,000 ft	21	-
LATLON	-	0.00000	10,668 m		
6900N0-100W	-	69.00000	35,000 ft	21	-
LATLON	-	-1.00000	10,668 m		
6900N0-200W	-	69.00000	35,000 ft	21	-
LATLON	-	-2.00000	10,668 m		
6900N0-300W	-	69.00000	35,000 ft	21	-
LATLON	-	-3.00000	10,668 m		
6900N0-400W	-	69.00000	35,000 ft	21	-
LATLON	-	-4.00000	10,668 m		
7000N0-700W	-	70.00000	35,000 ft	87	-
LATLON	-	-7.00000	10,668 m		
7000N0-800W	-	70.00000	35,000 ft	20	-
LATLON	-	-8.00000	10,668 m		
7000N0-900W	-	70.00000	35,000 ft	20	-
LATLON	-	-9.00000	10,668 m		
7000N0-1000W	-	70.00000	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-10.00000	10,668 m		
7000N0-1100W	-	70.00000	35,000 ft	20	-
LATLON	-	-11.00000	10,668 m		
7000N0-1200W	-	70.00000	35,000 ft	20	-
LATLON	-	-12.00000	10,668 m		
7000N0-1300W	-	70.00000	35,000 ft	20	-
LATLON	-	-13.00000	10,668 m		
7000N0-1400W	-	70.00000	35,000 ft	20	-
LATLON	-	-14.00000	10,668 m		
7000N0-1500W	-	70.00000	35,000 ft	20	-
LATLON	-	-15.00000	10,668 m		
7000N0-1600W	-	70.00000	35,000 ft	20	-
LATLON	-	-16.00000	10,668 m		
7000N0-1700W	-	70.00000	35,000 ft	20	-
LATLON	-	-17.00000	10,668 m		
7000N0-1800W	-	70.00000	35,000 ft	20	-
LATLON	-	-18.00000	10,668 m		
7000N0-1900W	-	70.00000	35,000 ft	20	-
LATLON	-	-19.00000	10,668 m		
7000N0-2000W	-	70.00000	35,000 ft	20	-
LATLON	-	-20.00000	10,668 m		
7000N0-2100W	-	70.00000	35,000 ft	20	-
LATLON	-	-21.00000	10,668 m		
7000N0-2200W	-	70.00000	35,000 ft	20	-
LATLON	-	-22.00000	10,668 m		
7000N0-2300W	-	70.00000	35,000 ft	20	-
LATLON	-	-23.00000	10,668 m		
7000N0-2400W	-	70.00000	35,000 ft	20	-
LATLON	-	-24.00000	10,668 m		
7000N0-2500W	-	70.00000	35,000 ft	20	-
LATLON	-	-25.00000	10,668 m		
7000N0-2600W	-	70.00000	35,000 ft	20	-
LATLON	-	-26.00000	10,668 m		
7000N0-2700W	-	70.00000	35,000 ft	20	-
LATLON	-	-27.00000	10,668 m		
7000N0-2800W	-	70.00000	35,000 ft	20	-
LATLON	-	-28.00000	10,668 m		
7000N0-2900W	-	70.00000	35,000 ft	20	-
LATLON	-	-29.00000	10,668 m		
7000N0-3000W	-	70.00000	35,000 ft	20	-
LATLON	-	-30.00000	10,668 m		
7000N0-3100W	-	70.00000	35,000 ft	20	-
LATLON	-	-31.00000	10,668 m		
7000N0-3200W	-	70.00000	35,000 ft	20	-
LATLON	-	-32.00000	10,668 m		
7000N0-3300W	-	70.00000	35,000 ft	20	-
LATLON	-	-33.00000	10,668 m		
7000N0-3400W	-	70.00000	35,000 ft	20	-
LATLON	-	-34.00000	10,668 m		
7000N0-3500W	-	70.00000	35,000 ft	20	-
LATLON	-	-35.00000	10,668 m		
7000N0-3600W	-	70.00000	35,000 ft	20	-
LATLON	-	-36.00000	10,668 m		
7000N0-3700W	-	70.00000	35,000 ft	20	-
LATLON	-	-37.00000	10,668 m		
7000N0-3800W	-	70.00000	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-38.00000	10,668 m		
7000N0-3900W	-	70.00000	35,000 ft	20	-
LATLON	-	-39.00000	10,668 m		
6900N0-4200W	-	69.00000	35,000 ft	87	-
LATLON	-	-42.00000	10,668 m		
6900N0-4300W	-	69.00000	35,000 ft	21	-
LATLON	-	-43.00000	10,668 m		
6900N0-4400W	-	69.00000	35,000 ft	21	-
LATLON	-	-44.00000	10,668 m		
6900N0-4500W	-	69.00000	35,000 ft	21	-
LATLON	-	-45.00000	10,668 m		
6900N0-4600W	-	69.00000	35,000 ft	21	-
LATLON	-	-46.00000	10,668 m		
6900N0-4700W	-	69.00000	35,000 ft	21	-
LATLON	-	-47.00000	10,668 m		
6900N0-4800W	-	69.00000	35,000 ft	21	-
LATLON	-	-48.00000	10,668 m		
6900N0-4900W	-	69.00000	35,000 ft	21	-
LATLON	-	-49.00000	10,668 m		
KUNUK	-	68.50670	35,000 ft	50	-
FIX	-	-50.87280	10,668 m		
ANDRE	-	68.50250	35,000 ft	3	-
FIX	-	-51.02420	10,668 m		
SIMON	-	68.49420	35,000 ft	4	-
FIX	-	-51.22170	10,668 m		
DOSIT	-	68.39280	35,000 ft	20	-
FIX	-	-52.12220	10,668 m		
NYGAR	W27	68.23220	35,000 ft	10	-
FIX	AWY-LO	-52.31140	10,668 m		
HB	UT589	66.93580	35,000 ft	84	HOLSTEINSBORG
NDB	AWY-HI	-53.69920	10,668 m		
6600N0-5700W	-	66.00000	35,000 ft	97	-
LATLON	-	-57.00000	10,668 m		
AVPUT	-	65.03330	35,000 ft	94	-
FIX	-	-60.00000	10,668 m		
NALDI	N906A	64.50000	35,000 ft	83	-
FIX	AWY-HI	-63.00000	10,668 m		
DUTUM	N906A	63.86670	35,000 ft	111	-
FIX	AWY-HI	-67.00000	10,668 m		
6300N0-6700W	-	63.00000	35,000 ft	52	-
LATLON	-	-67.00000	10,668 m		
TEFFO	-	62.80000	35,000 ft	12	-
FIX	-	-67.00000	10,668 m		
KELMU	SCAH	59.16920	35,000 ft	435	-
FIX	AWY-HI	-80.00000	10,668 m		
PIKMO	SCAH	54.63360	35,000 ft	425	-
FIX	AWY-HI	-90.00000	10,668 m		
MERKA	-	54.09890	35,000 ft	32	-
FIX	-	-90.00000	10,668 m		
YTL	-	53.81580	35,000 ft	17	BIG TROUT LAKE
NDB	-	-89.91290	10,668 m		
YXL	AR15	50.11830	35,000 ft	233	SIOUX LOOKOUT
NDB	AWY-LO	-91.89780	10,668 m		
CUTTL	V367	48.84850	35,000 ft	90	-
FIX	AWY-LO	-93.13960	10,668 m		
JGRLN	V367	48.60820	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-93.36590	10,668 m		
INL	V367	48.56580	35,000 ft	2	INTERNATIONAL FALLS
VOR	AWY-LO	-93.40570	10,668 m		
JIBDU	V161	48.36610	35,000 ft	12	-
FIX	AWY-LO	-93.41780	10,668 m		
WANRI	V161	48.33280	35,000 ft	2	-
FIX	AWY-LO	-93.41980	10,668 m		
BEBEL	V161	48.24960	35,000 ft	5	-
FIX	AWY-LO	-93.42480	10,668 m		
SQEAK	V161	47.86970	35,000 ft	22	-
FIX	AWY-LO	-93.44740	10,668 m		
WIMJY	V161	47.39210	35,000 ft	28	-
FIX	AWY-LO	-93.47530	10,668 m		
GPZ	V161	47.16340	35,000 ft	13	GRAND RAPIDS
VOR	AWY-LO	-93.48890	10,668 m		
NEBBS	V218	46.90170	35,000 ft	15	-
FIX	AWY-LO	-93.47310	10,668 m		
LINDR	V218	46.16180	35,000 ft	44	-
FIX	AWY-LO	-93.43020	10,668 m		
CIVOL	V218	45.78890	35,000 ft	22	-
FIX	AWY-LO	-93.40900	10,668 m		
DOCKN	V218	45.46210	35,000 ft	19	-
FIX	AWY-LO	-93.39070	10,668 m		
UDILE	V218	45.42380	35,000 ft	2	-
FIX	AWY-LO	-93.38860	10,668 m		
GEP	V218	45.14570	35,000 ft	16	GOPHER (MINNEAPOLIS)
VOR	AWY-LO	-93.37320	10,668 m		
HARPI	J21	44.29630	35,000 ft	55	-
FIX	AWY-HI	-93.90700	10,668 m		
ONTIJ	J21	43.29760	35,000 ft	65	-
FIX	AWY-HI	-94.51290	10,668 m		
GOOLD	J21	42.95860	35,000 ft	22	-
FIX	AWY-HI	-94.71420	10,668 m		
SIMJI	J21	42.82600	35,000 ft	8	-
FIX	AWY-HI	-94.79200	10,668 m		
EYHUX	J21	42.43560	35,000 ft	25	-
FIX	AWY-HI	-95.01940	10,668 m		
TODDO	J21	41.84230	35,000 ft	38	-
FIX	AWY-HI	-95.35870	10,668 m		
OVR	J21	41.16720	35,000 ft	43	OMAHA
VOR	AWY-HI	-95.73690	10,668 m		
IPALY	V307	40.93280	35,000 ft	15	-
FIX	AWY-LO	-95.85190	10,668 m		
PWE	V307	40.20040	35,000 ft	46	PAWNEE CITY
VOR	AWY-LO	-96.20630	10,668 m		
HURDO	V553	39.63140	31,300 ft	45	-
FIX	AWY-LO	-96.84650	9,540 m		
ENUBE	V553	39.55530	30,000 ft	6	-
FIX	AWY-LO	-96.93110	9,144 m		
URAVY	V553	39.14240	23,000 ft	32	-
FIX	AWY-LO	-97.38530	7,010 m		
KPTT	-	37.70160	0 ft	107	PRATT INDUSTRIAL
APT	-	-98.74690	0 m		

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.658 E

METAR

ULLI 191700Z 31003MPS CAVOK 20/07 Q1011 R28R/090060 NOSIG

TAF

TAF ULLI 191351Z 1915/2015 30006G11MPS 9999 SCT040 BECMG 1916/1918 26003MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.74		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.85		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.88		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.77		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.77		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.88		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.88		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.77		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.77		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.88		79 m