

HUEN

Entebbe Intl

M12


2024/05/06 0435Z

HUEN FACT

2186.47 nm / 4049.34 km

FACT

Cape Town International



Notes

Decoded

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HUEN	-	0.05123	0 ft	-	-
APT	-	32.43912	0 m		
FACT	-	-33.96149	0 ft	2186	-
APT	-	18.59772	0 m		

HUEN

Region: UGANDA
Timezone: AFRICA/KAMPALA
Runways: 1

Elevation: 3,782 ft / 1,153 m
Location: 0.039225 32.438500
Magnetic Var: 1.943 E

METAR

HUEN 060400Z 15010KT 9999 FEW020 FEW022CB 24/19 Q1017 NOSIG

TAF

TAF HUEN 052300Z 0600/0706 16010KT 9999 FEW023 FEW025CB BECMG 0607/0611 18015KT 9000 RA SCT020 FEW025CB

Frequencies

TWR - 118.10 MHz - ENTEBBE TOWER
APP - 119.10 MHz - ENTEBBE APPROACH

REC - 120.20 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	12,013 ft	172.10	ASPHALT	0 ft	0 ft
	45 m	3,662 m	170.15		0 m	0 m
35	148 ft	12,013 ft	352.10	ASPHALT	0 ft	0 ft
	45 m	3,662 m	350.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IEL	110.70 MHz	18 nm	-	-	3,780 ft
				33 km	-		3,780 m
17	LOC-ILS	IEL	110.70 MHz	18 nm	171.62	-	3,754 ft
				33 km	169.68		3,754 m
17	GS	IEL	110.70 MHz	10 nm	171.12	3.00	3,780 ft
				19 km	169.18		3,780 m

FACT

Region: SOUTH AFRICA

Timezone: AFRICA/JOHANNESBURG

Runways: 2

Elevation: 147 ft / 45 m

Location: -33.970300 18.604200

Magnetic Var: 26.077 W

METAR

FACT 060400Z 01017KT 9999 SCT035 15/12 Q1011 NOSIG

TAF

TAF FACT 052200Z 0600/0706 35015KT 9999 BKN025 TX22/0612Z TN14/0604Z FM061300 35016KT CAVOK PROB30 TEMPO 0704/0706

Frequencies

REC - 127.00 MHz - ATIS

TWR - 118.10 MHz - CAPE TOWN TOWER

GND - 121.90 MHz - CAPE TOWN GROUND

APP - 119.70 MHz - ARSA RDR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	5,586 ft	135.31	ASPHALT	0 ft	164 ft
	46 m	1,703 m	161.38		0 m	50 m
34	151 ft	5,586 ft	315.30	ASPHALT	0 ft	0 ft
	46 m	1,703 m	341.38		0 m	0 m
01	200 ft	10,512 ft	345.30	ASPHALT	0 ft	200 ft
	61 m	3,204 m	11.37		0 m	61 m
19	200 ft	10,512 ft	165.30	ASPHALT	0 ft	194 ft
	61 m	3,204 m	191.38		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	CTI	110.30 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
19	DME	KSI	109.10 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
01	LOC-ILS	CTI	110.30 MHz	18 nm	345.30	-	147 ft
				33 km	11.38		147 m
19	LOC-ILS	KSI	109.10 MHz	18 nm	165.30	-	147 ft
				33 km	191.38		147 m
01	GS	CTI	110.30 MHz	10 nm	345.30	3.00	147 ft
				19 km	11.38		147 m
19	GS	KSI	109.10 MHz	10 nm	165.30	3.20	147 ft
				19 km	191.38		147 m