


2024/06/04 1228Z

RCSS RCQC

138.65 nm / 256.78 km



Notes

Requested: RCSS RCQC

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCSS	-	25.06960	0 ft	-	Songshan
APT	-	121.55300	0 m	-	
RCQC	-	23.56860	0 ft	138	Penghu
APT	-	119.62800	0 m	-	

Region: REPUBLIC OF CHINA (TAIWAN)  
Timezone: ASIA/TAIPEI  
Runways: 1

Elevation: 18 ft / 5 m  
Location: 25.069600 121.553000  
Magnetic Var: 5.036 W

RCSS 041200Z 08010KT 9999 FEW020 SCT045 BKN070 26/20 Q1012 NOSIG RMK A2989

TAF RCSS 041100Z 0412/0512 09010KT 9999 FEW015 BKN032 TEMPO 0416/0422 10005KT 7000 -RA FEW010 BKN017 TEMPO 0503/0512 10005KT 7000 -RA FEW010 BKN017

REC - 127.40 MHz - ATIS	REC - 431.00 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SONGSHAN GROUND
TWR - 118.10 MHz - SONGSHAN TOWER	APP - 119.70 MHz - TAIPEI APPROACH
APP - 119.60 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH	APP - 129.60 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH	APP - 120.40 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft 60 m	8,555 ft 2,607 m	92.21 97.25	ASPHALT	0 ft 0 m	197 ft 60 m
28	197 ft 60 m	8,555 ft 2,607 m	272.22 277.26	ASPHALT	0 ft 0 m	764 ft 233 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm	–	–	18 ft
				33 km	–		18 m
28	DME	ITLU	108.10 MHz	18 nm	–	–	18 ft
				33 km	–		18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm	92.22	–	18 ft
				33 km	97.26		18 m
10	GS	ITSG	108.90 MHz	10 nm	92.22	3.00	18 ft
				19 km	97.26		18 m

## RCQC

Region: REPUBLIC OF CHINA (TAIWAN)  
Timezone: ASIA/TAIPEI  
Runways: 1

Elevation: 103 ft / 31 m  
Location: 23.568600 119.628000  
Magnetic Var: 4.447 W

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 127.05 MHz - MAGONG ATIS  
GND - 121.90 MHz - MAGONG GND  
TWR - 236.60 MHz - MAGONG TWR  
APP - 128.10 MHz - KAOHSIUNG APP  
APP - 234.80 MHz - KAOHSIUNG APP

GND - 126.30 MHz - MAGONG GND  
TWR - 118.30 MHz - MAGONG TWR  
TWR - 275.80 MHz - MAGONG TWR  
APP - 129.90 MHz - KAOHSIUNG APP  
APP - 299.60 MHz - KAOHSIUNG APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,880 ft	18.12	CONCRETE	0 ft	915 ft
	45 m	3,011 m	22.57		0 m	279 m
20	148 ft	9,880 ft	198.13	CONCRETE	0 ft	997 ft
	45 m	3,011 m	202.57		0 m	304 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IMKG	109.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
02	LOC-ILS	IMKG	109.10 MHz	18 nm	18.13	-	103 ft
				33 km	22.58		103 m
20	LOC-ILS	IMZG	108.10 MHz	18 nm	198.13	-	103 ft
				33 km	202.58		103 m
02	GS	IMKG	109.10 MHz	10 nm	18.13	3.00	103 ft
				19 km	22.58		103 m
20	GS	IMZG	108.10 MHz	10 nm	198.13	3.00	103 ft
				19 km	202.58		103 m