

EGGW

London Luton


LFML

Marseille Provence

2024/06/03 0519Z

EGGW XIDIL **UM605** PETAX **UZ296** VELOL **J150** VEPET **J151** MOBRO MOPAR PON TSU RESMI **UM728** KOTIS **A3** NEV
R31 AGREV LFML

561.56 nm / 1040.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGW APT	-	51.87460 -0.36843	0 ft 0 m	-	London Luton
XIDIL FIX	-	50.35170 0.64139	35,300 ft 10,759 m	99	-
PETAX FIX	UM605 AWY-HI	50.18670 0.84806	39,000 ft 11,887 m	12	-
VELOL FIX	UZ296 AWY-HI	49.93860 1.28667	39,000 ft 11,887 m	22	-
VEPET FIX	J150 AWY-LO	49.71030 1.50111	39,000 ft 11,887 m	16	-
MOBRO FIX	J151 AWY-LO	49.45540 1.60644	39,000 ft 11,887 m	15	-
MOPAR FIX	-	49.29170 1.75728	39,000 ft 11,887 m	11	-
PON VOR	-	49.09610 2.03589	39,000 ft 11,887 m	16	PONTOISE CORMEILLES
TSU VOR	-	48.75370 2.10236	39,000 ft 11,887 m	20	TOUSSUS LE NOBLE
RESMI FIX	-	48.56860 2.19194	39,000 ft 11,887 m	11	-
KOTAP FIX	UM728 AWY-HI	48.28330 2.30000	39,000 ft 11,887 m	17	-
KETEX FIX	UM728 AWY-HI	48.13330 2.35972	39,000 ft 11,887 m	9	-
KUSEK FIX	UM728 AWY-HI	47.70610 2.57111	39,000 ft 11,887 m	27	-
KOTIS FIX	UM728 AWY-HI	47.23000 2.80250	39,000 ft 11,887 m	30	-
NEV VOR	A3 AWY-LO	47.15300 2.92936	39,000 ft 11,887 m	6	NEVERS
MENOX FIX	R31 AWY-LO	46.57190 3.22000	39,000 ft 11,887 m	36	-
TMA21 FIX	R31 AWY-LO	46.33330 3.33539	39,000 ft 11,887 m	15	-
TIS VOR	R31 AWY-LO	45.88180 3.55358	35,100 ft 10,698 m	28	THIERS
PIMAK FIX	R31 AWY-LO	45.39170 4.01472	27,500 ft 8,382 m	35	-
VEROT FIX	R31 AWY-LO	45.21640 4.17722	24,800 ft 7,559 m	12	-
AGREV FIX	R31 AWY-LO	45.06420 4.31750	22,500 ft 6,858 m	10	-
LFML APT	-	43.43580 5.21342	0 ft 0 m	105	Marseille Provence

EGGW

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 524 ft / 160 m
Location: 51.874600 -0.368432
Magnetic Var: 0.383 E

METAR

EGGW 030450Z AUTO 31009KT 9999 OVC032 12/11 Q1022

TAF

TAF EGGW 022255Z 0300/0324 32005KT 9999 SCT032

Frequencies

REC - 120.57 MHz - LUTON INFORMATION
TWR - 126.72 MHz - LUTON TOWER
APP - 128.75 MHz - LUTON APPROACH
GND - 121.75 MHz - LUTON GROUND
APP - 129.55 MHz - LUTON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,067 ft	74.35	ASPHALT	0 ft	197 ft
	46 m	2,154 m	73.97		0 m	60 m
25	150 ft	7,067 ft	254.37	ASPHALT	279 ft	0 ft
	46 m	2,154 m	253.99		85 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ILTN	109.15 MHz	18 nm	74.36	-	526 ft
				33 km	73.98		526 m
25	LOC-ILS	ILJ	109.15 MHz	18 nm	254.36	-	526 ft
				33 km	253.98		526 m
07	GS	ILTN	109.15 MHz	10 nm	74.36	3.00	526 ft
				19 km	73.98		526 m
25	GS	ILJ	109.15 MHz	10 nm	254.36	3.00	526 ft
				19 km	253.98		526 m

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.290 E

METAR

LFML 030500Z AUTO 03003KT 340V090 9999 BKN016 16/14 Q1015 NOSIG

TAF

TAF LFML 030200Z 0303/0409 34005KT CAVOK TX27/0313Z TN14/0304Z BECMG 0311/0313 30015KT PROB30 TEMPO 0313/0317 300

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.76		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.78		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.60		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.76		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.61		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.76		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.76		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.61		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.76		10 m