


2024/05/06 0240Z

BIKF 6400N0-2800W SOSIT **UT593** DA **W47** KU 6400N0-5300W 6400N0-5400W 6400N0-5500W 6400N0-5600W
6400N0-5700W 6400N0-5800W CLAVY **N898A** MUSVA NALDI **N906A** DUTUM CYFB

1265.71 nm / 2344.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98160	0 ft	-	Keflavik
APT	-	-22.61460	0 m		
6400N0-2800W	-	64.00000	35,000 ft	141	-
LATLON	-	-28.00000	10,668 m		
SOSIT	-	64.81670	35,000 ft	71	-
FIX	-	-30.00000	10,668 m		
SABAG	UT593	65.26670	35,000 ft	136	-
FIX	AWY-HI	-35.28330	10,668 m		
DA	UT593	65.57010	35,000 ft	51	KULUSUK
NDB	AWY-HI	-37.20710	10,668 m		
ASTAN	W47	65.41780	35,000 ft	70	-
FIX	AWY-LO	-39.99560	10,668 m		
SOBVI	W47	65.18190	35,000 ft	97	-
FIX	AWY-LO	-43.82890	10,668 m		
ASVID	W47	64.63030	35,000 ft	120	-
FIX	AWY-LO	-48.37890	10,668 m		
KU	W47	64.07000	35,000 ft	100	KOOK ISLANDS
NDB	AWY-LO	-52.01310	10,668 m		
6400N0-5300W	-	64.00000	35,000 ft	26	-
LATLON	-	-53.00000	10,668 m		
6400N0-5400W	-	64.00000	35,000 ft	26	-
LATLON	-	-54.00000	10,668 m		
6400N0-5500W	-	64.00000	35,000 ft	26	-
LATLON	-	-55.00000	10,668 m		
6400N0-5600W	-	64.00000	35,000 ft	26	-
LATLON	-	-56.00000	10,668 m		
6400N0-5700W	-	64.00000	35,000 ft	26	-
LATLON	-	-57.00000	10,668 m		
6400N0-5800W	-	64.00000	35,000 ft	26	-
LATLON	-	-58.00000	10,668 m		
CLAVY	-	64.23330	35,000 ft	29	-
FIX	-	-59.00000	10,668 m		
MUSVA	N898A	64.00000	35,000 ft	105	-
FIX	AWY-HI	-63.00000	10,668 m		
NALDI	-	64.50000	32,700 ft	30	-
FIX	-	-63.00000	9,967 m		
DUTUM	N906A	63.86670	8,900 ft	111	-
FIX	AWY-HI	-67.00000	2,713 m		
CYFB	-	63.75660	0 ft	41	Iqaluit
APT	-	-68.55610	0 m		

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.373 W

METAR

BIKF 060230Z 17014KT 9999 VCSH FEW011CB BKN026 03/01 Q1004

TAF

TAF BIKF 060104Z 0603/0703 18020KT 9999 -SHRA SCT020CB BKN030 TX08/0615Z TN02/0606Z TEMPO 0603/0703 3000 SHRA BKN

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.39		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.39		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.33		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.38		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.38		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.35		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.38		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.35		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.38		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.35		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.38		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.35		169 m

CYFB

Region: CANADA
Timezone: AMERICA/IQALUIT
Runways: 1

Elevation: 110 ft / 34 m
Location: 63.756600 -68.556200
Magnetic Var: 25.123 W

METAR

CYFB 060200Z 13006KT 30SM OVC013 M03/M06 A3004 RMK SC8 SLP176

TAF

TAF CYFB 052340Z 0600/0624 15010KT P6SM OVC015 BECMG 0600/0602 15008KT FM060300 15005KT P6SM OVC012 TEMPO 0603/0606 15003KT P6SM OVC012

Frequencies

REC - 122.20 MHz - FSS
COM - 126.70 MHz - IQALUIT UNICOM

REC - 126.70 MHz - FSS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	8,571 ft	135.65	ASPHALT	0 ft	200 ft
	60 m	2,612 m	160.78		0 m	61 m
34	197 ft	8,571 ft	315.69	ASPHALT	0 ft	207 ft
	60 m	2,612 m	340.81		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IFB	109.90 MHz	18 nm	315.67	-	110 ft
				33 km	340.79		110 m
34	GS	IFB	109.90 MHz	10 nm	315.67	2.50	110 ft
				19 km	340.79		110 m