

DIAP

Abidjan Felix Houphouet Boigny Intl


GOOY

Dakar - Leopold Sedar Senghor Intl

2024/05/05 0515Z

DIAP ARLIX **UR979** YF GOOY

983.07 nm / 1820.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
DIAP	-	5.26126	0 ft	-		Abidjan Felix Houphouet Boigny Intl
APT	-	-3.92586	0 m			
ARLIX	-	6.15056	31,600 ft	88	-	
FIX	-	-5.11000	9,632 m			
POKSO	UR979	6.75639	35,000 ft	61	-	
FIX	AWY-HI	-5.94750	10,668 m			
ERMIT	UR979	8.36667	35,000 ft	169	-	
FIX	AWY-HI	-8.28333	10,668 m			
NANAN	UR979	9.05000	35,000 ft	72	-	
FIX	AWY-HI	-9.28333	10,668 m			
ARBAL	UR979	10.09090	35,000 ft	106	-	
FIX	AWY-HI	-10.73770	10,668 m			
BUNAP	UR979	10.27630	35,000 ft	19	-	
FIX	AWY-HI	-10.99860	10,668 m			
KOLIP	UR979	10.66670	35,000 ft	40	-	
FIX	AWY-HI	-11.55000	10,668 m			
LUGMI	UR979	11.25000	35,000 ft	59	-	
FIX	AWY-HI	-12.36670	10,668 m			
NASLO	UR979	11.78330	35,000 ft	56	-	
FIX	AWY-HI	-13.15000	10,668 m			
BADIA	UR979	12.26670	35,000 ft	46	-	
FIX	AWY-HI	-13.76000	10,668 m			
KOMAB	UR979	12.74670	35,000 ft	50	-	
FIX	AWY-HI	-14.46720	10,668 m			
ERIDI	UR979	13.19330	35,000 ft	47	-	
FIX	AWY-HI	-15.13030	10,668 m			
YF	UR979	14.72890	200 ft	165		DME-ILS
DME	AWY-HI	-17.47850	61 m			
GOOY	-	14.74010	0 ft	0		Dakar - Leopold Sedar Senghor Intl
APT	-	-17.49040	0 m			

DIAP

Region: CÔTE D'IVOIRE
Timezone: AFRICA/ABIDJAN
Runways: 1

Elevation: 20 ft / 6 m
Location: 5.261240 -3.925880
Magnetic Var: 3.999 W

METAR

DIAP 050500Z 17004KT 9999 FEW011 SCT021 29/26 Q1008 NOSIG

TAF

TAF DIAP 042300Z 0500/0606 18006KT 9999 SCT012 PROB30 TEMPO 0502/0507 4000 TSRA BKN010 FEW020CB BKN030 PROB40 TEMPO 0606/0608 4000 TSRA BKN010 FEW020CB BKN030

Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION TWR - 118.10 MHz - ABIDJAN TOWER
APP - 121.10 MHz - ABIDJAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,891 ft	22.34	ASPHALT	0 ft	187 ft
	45 m	3,015 m	26.34		0 m	57 m
21	148 ft	9,891 ft	202.34	ASPHALT	0 ft	328 ft
	45 m	3,015 m	206.34		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
21	LOC-ILS	AN	110.30 MHz	18 nm	202.34	-	20 ft
				33 km	206.34		20 m
21	GS	AN	110.30 MHz	10 nm	202.34	3.00	20 ft
				19 km	206.34		20 m

GOOY

Region: SENEGAL
Timezone: AFRICA/DAKAR
Runways: 2

Elevation: 84 ft / 26 m
Location: 14.740100 -17.490400
Magnetic Var: 6.626 W

METAR

GOOY 050500Z 34012KT CAVOK 22/21 Q1008

TAF

TAF GOOY 042300Z 0500/0606 36010KT CAVOK= TAF GOBD 042300Z 0500/0606 36016KT CAVOK

Frequencies

TWR - 118.10 MHz - DAKAR TWR
APP - 120.50 MHz - DAKAR CON

REC - 121.30 MHz - DAKAR ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,483 ft	172.61	ASPHALT	525 ft	220 ft
	45 m	3,500 m	179.24		160 m	67 m
36	148 ft	11,483 ft	352.61	ASPHALT	0 ft	213 ft
	45 m	3,500 m	359.24		0 m	65 m
03	98 ft	4,916 ft	22.33	ASPHALT	0 ft	98 ft
	30 m	1,498 m	28.96		0 m	30 m
21	98 ft	4,916 ft	202.33	ASPHALT	0 ft	1,591 ft
	30 m	1,498 m	208.96		0 m	485 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	YF	110.30 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
36	LOC-ILS	YF	110.30 MHz	18 nm	352.33	-	65 ft
				33 km	358.95		65 m
36	GS	YF	110.30 MHz	10 nm	353.14	3.01	73 ft
				19 km	359.77		73 m