

LEJR

Jerez


LEMD

Adolfo Suarez Madrid-Barajas

2024/05/14 1154Z

LEJR SVL **UN10** HIJ **UZ230** RUSEM LEMD

255.01 nm / 472.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEJR	-	36.74460	0 ft	-	Jerez
APT	-	-6.06010	0 m		
SVL	-	37.42760	15,500 ft	43	SEVILLE
VOR	-	-5.76222	4,724 m		
HIJ	UN10	38.50810	29,800 ft	72	HINOJOSA DEL DUQUE
VOR	AWY-HI	-5.09969	9,083 m		
RUSEM	UZ230	39.00000	23,000 ft	31	-
FIX	AWY-HI	-4.84694	7,010 m		
LEMD	-	40.49530	0 ft	107	Adolfo Suarez Madrid-Barajas
APT	-	-3.56020	0 m		

LEJR

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 93 ft / 28 m
Location: 36.744600 -6.060110
Magnetic Var: 0.598 W

METAR

LEJR 141130Z 32009KT 280V030 9999 FEW035 22/09 Q1013

TAF

TAF LEJR 140800Z 1409/1509 33009KT CAVOK TX24/1414Z TN11/1508Z BECMG 1412/1414 27013KT PROB40 TEMPO 1414/1418 270

Frequencies

TWR - 118.55 MHz - JEREZ TOWER
REC - 125.65 MHz - ATIS

APP - 128.50 MHz - JEREZ APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,567 ft	21.36	ASPHALT	0 ft	197 ft
	45 m	2,306 m	21.96		0 m	60 m
20	148 ft	7,567 ft	201.36	ASPHALT	0 ft	197 ft
	45 m	2,306 m	201.96		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	IJR	108.90 MHz	18 nm	-	-	93 ft
				33 km	-		93 m
20	LOC-ILS	IJR	108.90 MHz	18 nm	201.33	-	92 ft
				33 km	201.93		92 m
20	GS	IJR	108.90 MHz	10 nm	201.33	3.00	92 ft
				19 km	201.93		92 m

LEMD

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 4

Elevation: 1,998 ft / 609 m
Location: 40.495300 -3.560200
Magnetic Var: 0.080 E

METAR

LEMD 141130Z 25009KT 210V340 9999 SCT055 19/04 Q1009 NOSIG

TAF

TAF AMD LEMD 140939Z 1409/1512 VRB05KT CAVOK TX22/1415Z TN08/1506Z BECMG 1410/1412 29010KT TEMPO 1410/1420 29015G

Frequencies

REC - 130.85 MHz - ATIS DEPARTURE	REC - 118.25 MHz - ATIS ARRIVAL
TWR - 120.65 MHz - BARAJAS TOWER	TWR - 120.15 MHz - BARAJAS TOWER
TWR - 119.50 MHz - BARAJAS TOWER	TWR - 118.15 MHz - BARAJAS TOWER
GND - 121.75 MHz - BARAJAS GROUND	GND - 123.15 MHz - BARAJAS GROUND
GND - 121.70 MHz - BARAJAS APRON	GND - 123.25 MHz - BARAJAS APRON
GND - 121.85 MHz - BARAJAS APRON	GND - 123.00 MHz - BARAJAS APRON
CLD - 130.35 MHz - CLEARANCE DELIVERY	CLD - 130.00 MHz - CLEARANCE DELIVERY
APP - 127.50 MHz - MADRID APPROACH	APP - 136.10 MHz - MADRID APPROACH
APP - 134.00 MHz - MADRID APPROACH	APP - 130.80 MHz - MADRID APPROACH
APP - 127.10 MHz - MADRID APPROACH	APP - 124.00 MHz - MADRID APPROACH
APP - 118.75 MHz - MADRID APPROACH	APP - 118.40 MHz - MADRID APPROACH
DEP - 131.17 MHz - MADRID DEPARTURE	DEP - 124.22 MHz - MADRID DEPARTURE
APP - 134.95 MHz - MADRID DIRECT	APP - 128.70 MHz - MADRID DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	197 ft	13,097 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,992 m	142.23		0 m	0 m
32L	197 ft	13,097 ft	322.32	ASPHALT	3,041 ft	0 ft
	60 m	3,992 m	322.25		927 m	0 m
18R	197 ft	13,723 ft	179.75	ASPHALT	2,644 ft	0 ft
	60 m	4,183 m	179.67		806 m	0 m
36L	197 ft	13,723 ft	359.75	ASPHALT	0 ft	0 ft
	60 m	4,183 m	359.67		0 m	0 m
14L	197 ft	11,494 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,504 m	142.24		0 m	0 m
32R	197 ft	11,494 ft	322.33	ASPHALT	1,627 ft	0 ft
	60 m	3,504 m	322.25		496 m	0 m
18L	197 ft	11,494 ft	179.76	ASPHALT	1,621 ft	0 ft
	60 m	3,503 m	179.68		494 m	0 m
36R	197 ft	11,494 ft	359.76	ASPHALT	0 ft	0 ft
	60 m	3,503 m	359.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IML	111.50 MHz	18 nm	-	-	1,916 ft
				33 km	-		1,916 m
18R	DME	IMR	110.70 MHz	18 nm	-	-	1,986 ft
				33 km	-		1,986 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	DME	MAA	109.90 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
32R	DME	MBB	109.10 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
18L	LOC-ILS	IML	111.50 MHz	18 nm	179.76	-	1,998 ft
				33 km	179.68		1,998 m
18R	LOC-ILS	IMR	110.70 MHz	18 nm	179.75	-	1,998 ft
				33 km	179.67		1,998 m
32L	LOC-ILS	MAA	109.90 MHz	18 nm	322.32	-	1,998 ft
				33 km	322.24		1,998 m
32R	LOC-ILS	MBB	109.10 MHz	18 nm	322.33	-	1,998 ft
				33 km	322.25		1,998 m
18L	GS	IML	111.50 MHz	10 nm	179.76	3.00	1,998 ft
				19 km	179.68		1,998 m
18R	GS	IMR	110.70 MHz	10 nm	179.75	3.00	1,978 ft
				19 km	179.67		1,978 m
32L	GS	MAA	109.90 MHz	10 nm	322.32	3.00	1,998 ft
				19 km	322.24		1,998 m
32R	GS	MBB	109.10 MHz	10 nm	322.33	3.00	1,998 ft
				19 km	322.25		1,998 m