


2024/05/16 0054Z

EGCC DTY EGLL

130.96 nm / 242.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGCC	-	53.34714	0 ft	-	Manchester Intl
APT	-	-2.28395	0 m		
DTY	-	52.18028	9,400 ft	81	DAVENTRY VOR-DME
VOR	-	-1.11389	2,865 m		
EGLL	-	51.47122	0 ft	48	London Heathrow
APT	-	-0.46098	0 m		

EGCC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 257 ft / 78 m
Location: 53.347400 -2.283480
Magnetic Var: 0.456 W

METAR

EGCC 160020Z AUTO 06003KT 9999 NCD 11/10 Q1006

TAF

TAF EGCC 152257Z 1600/1706 09005KT 9999 SCT045 PROB30 TEMPO 1604/1612 5000 -RADZ BR BECMG 1609/1612 03010KT TEMPO

Frequencies

REC - 113.55 MHz - ATIS ARRIVAL	REC - 121.90 MHz - ATIS DEPARTURE
TWR - 119.40 MHz - MANCHESTER TOWER	TWR - 118.60 MHz - MANCHESTER TOWER
GND - 121.85 MHz - MANCHESTER GROUND	GND - 121.75 MHz - MANCHESTER GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 135.00 MHz - MANCHESTER APPROACH
APP - 118.50 MHz - MANCHESTER APPROACH	APP - 121.35 MHz - MANCHESTER DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	151 ft	9,980 ft	51.00	ASPHALT	1,401 ft	0 ft
	46 m	3,042 m	51.45		427 m	0 m
23R	151 ft	9,980 ft	231.03	ASPHALT	597 ft	200 ft
	46 m	3,042 m	231.48		182 m	61 m
05R	144 ft	10,519 ft	50.98	ASPHALT	0 ft	0 ft
	44 m	3,206 m	51.43		0 m	0 m
23L	144 ft	10,519 ft	231.00	ASPHALT	1,093 ft	0 ft
	44 m	3,206 m	231.46		333 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	IMM	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05R	DME	IMC	111.55 MHz	18 nm	-	-	212 ft
				33 km	-		212 m
23R	DME	INN	109.50 MHz	18 nm	-	-	294 ft
				33 km	-		294 m
05L	LOC-ILS	IMM	109.50 MHz	18 nm	51.03	-	257 ft
				33 km	51.49		257 m
05R	LOC-ILS	IMC	111.55 MHz	18 nm	51.01	-	257 ft
				33 km	51.46		257 m
23R	LOC-ILS	INN	109.50 MHz	18 nm	230.98	-	257 ft
				33 km	231.43		257 m
05L	GS	IMM	109.50 MHz	10 nm	51.01	3.00	257 ft
				19 km	51.47		257 m
05R	GS	IMC	111.55 MHz	10 nm	51.97	3.00	257 ft
				19 km	52.43		257 m
23R	GS	INN	109.50 MHz	10 nm	231.01	3.00	257 ft
				19 km	231.47		257 m

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.380 E

METAR

EGLL 160020Z AUTO 05003KT 9999 NCD 13/10 Q1006

TAF

TAF EGLL 152301Z 1600/1706 03005KT 9999 FEW020 PROB30 1605/1609 9000 BKN008 TEMPO 1609/1615 7000 SHRA PROB30 TEMPO

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.34		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m