

YPTN

Tindal (Military)


YARG

Argyle

2024/05/08 1520Z

YPTN NUTTA **W226** KU YARG

279.35 nm / 517.36 km



Notes

Basic altitude profile:

- Ascent Rate: 900ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 6000ft
- Cruise Speed: 140kts
- Descent Rate: 900ft/min
- Descent Speed: 140kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPTN	-	-14.52110	0 ft	-	Tindal (Military)
APT	-	132.37800	0 m		
NUTTA	-	-15.00890	6,000 ft	86	-
FIX	-	130.97100	1,829 m		
KU	W226	-15.77560	6,000 ft	138	KUNUNURRA
VOR	AWY-LO	128.70900	1,829 m		
YARG	-	-16.63500	0 ft	53	Argyle
APT	-	128.45100	0 m		

YPTN

Region: AUSTRALIA
Timezone: AUSTRALIA/DARWIN
Runways: 1

Elevation: 442 ft / 135 m
Location: -14.521100 132.378000
Magnetic Var: 2.678 E

METAR

YPTN 081500Z AUTO 15005KT 7000 // NCD 23/17 Q1013 RF00.0/////.

TAF

TAF TAF AMD YPTN 081418Z 0814/0912 14005KT 9000 FU NSC FM082200 12007KT 9999 NSW SCT014 FM090000 11012KT 9999 SCT0

Frequencies

CLD - 128.10 MHz - TINDAL DELIVERY	APP - 120.95 MHz - TINDAL APPROACH
REC - 112.30 MHz - ATIS	GND - 135.85 MHz - TINDAL GROUND
GND - 127.25 MHz - TINDAL GROUND	APP - 125.80 MHz - TINDAL TRAFFIC
TWR - 119.70 MHz - TINDAL TOWER	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,017 ft	139.09	ASPHALT	0 ft	0 ft
	45 m	2,748 m	136.41		0 m	0 m
32	148 ft	9,017 ft	319.08	ASPHALT	0 ft	0 ft
	45 m	2,748 m	316.41		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	ITN	110.70 MHz	18 nm	138.97	-	443 ft
				33 km	136.30		443 m