


Fiddymment Field

Istanbul Ataturk

2024/05/06 1103Z

34CA WNDEL HETUX **V165** LKV **J3** GEG **J517** YXC WOFFI CHITE DATNO **Q915** IKLIX **LAT1** 100A **LAT50** 090N **NCAN**
 NADMA 7100N0-6400W 7100N0-6300W 7100N0-6200W 7100N0-6100W 7100N0-6000W 7100N0-5900W 7100N0-5800W
 7100N0-5700W 7100N0-5600W 7100N0-5500W 7100N0-5400W KELUX 7100N0-5300W 7100N0-5200W 7100N0-5100W
 7100N0-5000W 7100N0-4900W 7100N0-4800W 7100N0-4700W 7100N0-4000W 7100N0-3900W 7100N0-3800W
 7100N0-3700W 7100N0-3600W 7100N0-3500W 7100N0-3400W 7100N0-3300W 7100N0-3200W 7100N0-3100W
 7100N0-3000W 7100N0-2900W 7100N0-2800W 7100N0-2700W 7100N0-2600W 7100N0-2500W 7100N0-2400W
 7000N0-2000W 7000N0-1900W 7000N0-1800W 7000N0-1700W 7000N0-1600W 7000N0-1500W 6900N0-1200W
 6800N0-900W 6700N0-700W 6600N0-500W 6400N0-200W ISVIG **L727** PENOR **N133** NASOK **N195** DIBED **Q97** ROMOL
P746 BCU **N616** DINRO **L620** RIXEN LTBA

5879.16 nm / 10888.20 km



Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 420kts

- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
34CA	-	38.79210	0 ft	-	Fiddymment Field
APT	-	-121.37300	0 m		
WNDEL	-	40.39360	38,500 ft	107	-
FIX	-	-120.31600	11,735 m		
HETUX	-	40.83580	39,000 ft	29	-
FIX	-	-120.02100	11,887 m		
CHOIR	V165	41.52530	39,000 ft	42	-
FIX	AWY-LO	-120.22000	11,887 m		
NEWPI	V165	42.00460	39,000 ft	29	-
FIX	AWY-LO	-120.36100	11,887 m		
LKV	V165	42.49280	39,000 ft	30	LAKEVIEW
VOR	AWY-LO	-120.50700	11,887 m		
IMB	J3	44.64840	39,000 ft	133	KIMBERLY
VOR	AWY-HI	-119.71200	11,887 m		
GEG	J3	47.56490	39,000 ft	195	SPOKANE
VOR	AWY-HI	-117.62700	11,887 m		
EDGES	J517	48.96480	39,000 ft	94	-
FIX	AWY-HI	-116.55900	11,887 m		
BZXIV	J517	49.00000	39,000 ft	2	-
FIX	AWY-HI	-116.53100	11,887 m		
YXC	J517	49.55430	39,000 ft	37	CRANBROOK
VOR	AWY-HI	-116.08800	11,887 m		
WOFFI	-	49.97020	39,000 ft	25	-
FIX	-	-116.14400	11,887 m		
CHITE	-	50.04670	39,000 ft	4	-
FIX	-	-116.15200	11,887 m		
DATNO	-	50.06560	39,000 ft	1	-
FIX	-	-116.14400	11,887 m		
SAVEL	Q915	56.66640	39,000 ft	432	-
FIX	AWY-HI	-111.28700	11,887 m		
IKLIX	Q915	59.55500	39,000 ft	194	-
FIX	AWY-HI	-108.51800	11,887 m		
TADOM	LAT1	62.44910	39,000 ft	218	-
FIX	AWY-HI	-103.98700	11,887 m		
100A	LAT1	64.50000	39,000 ft	163	-
FIX	AWY-HI	-100.00000	11,887 m		
090N	LAT50	68.50000	39,000 ft	338	-
FIX	AWY-HI	-90.00000	11,887 m		
080N	NCAN	70.00000	39,000 ft	230	-
FIX	AWY-HI	-80.00000	11,887 m		
070N	NCAN	70.85770	39,000 ft	207	-
FIX	AWY-HI	-70.00000	11,887 m		
NADMA	NCAN	71.06720	39,000 ft	100	-
FIX	AWY-HI	-64.92630	11,887 m		
7100N0-6400W	-	71.00000	39,000 ft	18	-
LATLON	-	-64.00000	11,887 m		
7100N0-6300W	-	71.00000	39,000 ft	19	-
LATLON	-	-63.00000	11,887 m		
7100N0-6200W	-	71.00000	39,000 ft	19	-
LATLON	-	-62.00000	11,887 m		
7100N0-6100W	-	71.00000	39,000 ft	19	-
LATLON	-	-61.00000	11,887 m		
7100N0-6000W	-	71.00000	39,000 ft	19	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-60.00000	11,887 m		
7100N0-5900W	-	71.00000	39,000 ft	19	-
LATLON	-	-59.00000	11,887 m		
7100N0-5800W	-	71.00000	39,000 ft	19	-
LATLON	-	-58.00000	11,887 m		
7100N0-5700W	-	71.00000	39,000 ft	19	-
LATLON	-	-57.00000	11,887 m		
7100N0-5600W	-	71.00000	39,000 ft	19	-
LATLON	-	-56.00000	11,887 m		
7100N0-5500W	-	71.00000	39,000 ft	19	-
LATLON	-	-55.00000	11,887 m		
7100N0-5400W	-	71.00000	39,000 ft	19	-
LATLON	-	-54.00000	11,887 m		
KELUX	-	71.00000	39,000 ft	12	-
FIX	-	-53.33640	11,887 m		
7100N0-5300W	-	71.00000	39,000 ft	6	-
LATLON	-	-53.00000	11,887 m		
7100N0-5200W	-	71.00000	39,000 ft	19	-
LATLON	-	-52.00000	11,887 m		
7100N0-5100W	-	71.00000	39,000 ft	19	-
LATLON	-	-51.00000	11,887 m		
7100N0-5000W	-	71.00000	39,000 ft	19	-
LATLON	-	-50.00000	11,887 m		
7100N0-4900W	-	71.00000	39,000 ft	19	-
LATLON	-	-49.00000	11,887 m		
7100N0-4800W	-	71.00000	39,000 ft	19	-
LATLON	-	-48.00000	11,887 m		
7100N0-4700W	-	71.00000	39,000 ft	19	-
LATLON	-	-47.00000	11,887 m		
7100N0-4000W	-	71.00000	39,000 ft	136	-
LATLON	-	-40.00000	11,887 m		
7100N0-3900W	-	71.00000	39,000 ft	19	-
LATLON	-	-39.00000	11,887 m		
7100N0-3800W	-	71.00000	39,000 ft	19	-
LATLON	-	-38.00000	11,887 m		
7100N0-3700W	-	71.00000	39,000 ft	19	-
LATLON	-	-37.00000	11,887 m		
7100N0-3600W	-	71.00000	39,000 ft	19	-
LATLON	-	-36.00000	11,887 m		
7100N0-3500W	-	71.00000	39,000 ft	19	-
LATLON	-	-35.00000	11,887 m		
7100N0-3400W	-	71.00000	39,000 ft	19	-
LATLON	-	-34.00000	11,887 m		
7100N0-3300W	-	71.00000	39,000 ft	19	-
LATLON	-	-33.00000	11,887 m		
7100N0-3200W	-	71.00000	39,000 ft	19	-
LATLON	-	-32.00000	11,887 m		
7100N0-3100W	-	71.00000	39,000 ft	19	-
LATLON	-	-31.00000	11,887 m		
7100N0-3000W	-	71.00000	39,000 ft	19	-
LATLON	-	-30.00000	11,887 m		
7100N0-2900W	-	71.00000	39,000 ft	19	-
LATLON	-	-29.00000	11,887 m		
7100N0-2800W	-	71.00000	39,000 ft	19	-
LATLON	-	-28.00000	11,887 m		
7100N0-2700W	-	71.00000	39,000 ft	19	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-27.00000	11,887 m		
7100N0-2600W	-	71.00000	39,000 ft	19	-
LATLON	-	-26.00000	11,887 m		
7100N0-2500W	-	71.00000	39,000 ft	19	-
LATLON	-	-25.00000	11,887 m		
7100N0-2400W	-	71.00000	39,000 ft	19	-
LATLON	-	-24.00000	11,887 m		
7000N0-2000W	-	70.00000	39,000 ft	100	-
LATLON	-	-20.00000	11,887 m		
7000N0-1900W	-	70.00000	39,000 ft	20	-
LATLON	-	-19.00000	11,887 m		
7000N0-1800W	-	70.00000	39,000 ft	20	-
LATLON	-	-18.00000	11,887 m		
7000N0-1700W	-	70.00000	39,000 ft	20	-
LATLON	-	-17.00000	11,887 m		
7000N0-1600W	-	70.00000	39,000 ft	20	-
LATLON	-	-16.00000	11,887 m		
7000N0-1500W	-	70.00000	39,000 ft	20	-
LATLON	-	-15.00000	11,887 m		
6900N0-1200W	-	69.00000	39,000 ft	87	-
LATLON	-	-12.00000	11,887 m		
6800N0-900W	-	68.00000	39,000 ft	89	-
LATLON	-	-9.00000	11,887 m		
6700N0-700W	-	67.00000	39,000 ft	75	-
LATLON	-	-7.00000	11,887 m		
6600N0-500W	-	66.00000	39,000 ft	76	-
LATLON	-	-5.00000	11,887 m		
6400N0-200W	-	64.00000	39,000 ft	142	-
LATLON	-	-2.00000	11,887 m		
ISVIG	-	63.00000	39,000 ft	80	-
FIX	-	0.00000	11,887 m		
PEMOV	L727	61.62440	39,000 ft	159	-
FIX	AWY-HI	4.89573	11,887 m		
SOBDU	L727	60.77420	39,000 ft	85	-
FIX	AWY-HI	7.27393	11,887 m		
MOGLU	L727	59.12500	39,000 ft	167	-
FIX	AWY-HI	11.76920	11,887 m		
GETPA	L727	59.03580	39,000 ft	7	-
FIX	AWY-HI	11.92560	11,887 m		
IPKAL	L727	58.13080	39,000 ft	72	-
FIX	AWY-HI	13.45270	11,887 m		
PENOR	L727	55.63860	39,000 ft	192	-
FIX	AWY-HI	17.16140	11,887 m		
MOTAD	N133	55.20940	39,000 ft	28	-
FIX	AWY-HI	17.50560	11,887 m		
DOMAG	N133	54.97440	39,000 ft	15	-
FIX	AWY-HI	17.68560	11,887 m		
VAPOS	N133	54.79530	39,000 ft	11	-
FIX	AWY-HI	17.82670	11,887 m		
KARTI	N133	54.29970	39,000 ft	32	-
FIX	AWY-HI	18.20810	11,887 m		
IRLUN	N133	53.75060	39,000 ft	35	-
FIX	AWY-HI	18.61490	11,887 m		
GRUDA	N133	53.52110	39,000 ft	15	-
FIX	AWY-HI	18.78140	11,887 m		
BIBKA	N133	53.19080	39,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	18.95500	11,887 m		
NASOK	N133	53.09190	39,000 ft	6	-
FIX	AWY-HI	19.00640	11,887 m		
SORIX	N195	52.69530	39,000 ft	37	-
FIX	AWY-HI	19.82000	11,887 m		
ODRUX	N195	51.69890	39,000 ft	82	-
FIX	AWY-HI	21.36330	11,887 m		
XIMBA	N195	51.65580	39,000 ft	3	-
FIX	AWY-HI	21.42780	11,887 m		
NAKER	N195	51.49690	39,000 ft	11	-
FIX	AWY-HI	21.58030	11,887 m		
OMAVA	N195	51.38390	39,000 ft	7	-
FIX	AWY-HI	21.68810	11,887 m		
DOTEX	N195	51.20030	39,000 ft	12	-
FIX	AWY-HI	21.86220	11,887 m		
VENES	N195	51.14890	39,000 ft	3	-
FIX	AWY-HI	21.91060	11,887 m		
NATEV	N195	50.86890	39,000 ft	19	-
FIX	AWY-HI	22.17110	11,887 m		
LIBGA	N195	50.82530	39,000 ft	3	-
FIX	AWY-HI	22.21170	11,887 m		
VELAX	N195	50.48890	39,000 ft	23	-
FIX	AWY-HI	22.52060	11,887 m		
TELDU	N195	50.24810	39,000 ft	16	-
FIX	AWY-HI	22.73780	11,887 m		
MOSIR	N195	50.20690	39,000 ft	2	-
FIX	AWY-HI	22.77500	11,887 m		
DIBED	N195	49.88830	39,000 ft	22	-
FIX	AWY-HI	23.05830	11,887 m		
ROMOL	Q97	47.73560	39,000 ft	151	-
FIX	AWY-HI	25.04750	11,887 m		
BCU	P746	46.51090	39,000 ft	103	BACAU
VOR	AWY-HI	26.82560	11,887 m		
TULNU	N616	46.28060	39,000 ft	15	-
FIX	AWY-HI	27.00440	11,887 m		
PELES	N616	46.21720	39,000 ft	4	-
FIX	AWY-HI	27.05330	11,887 m		
EVIKA	N616	45.61250	39,000 ft	41	-
FIX	AWY-HI	27.51390	11,887 m		
PILAT	N616	44.82390	39,000 ft	53	-
FIX	AWY-HI	28.09780	11,887 m		
CND	N616	44.28560	39,000 ft	36	CONSTANTA
VOR	AWY-HI	28.47830	11,887 m		
VAKIS	N616	43.85220	37,100 ft	28	-
FIX	AWY-HI	28.72470	11,308 m		
DINRO	N616	43.70000	35,000 ft	9	-
FIX	AWY-LO	28.80830	10,668 m		
MATEL	L620	43.05920	26,800 ft	38	-
FIX	AWY-HI	28.79190	8,169 m		
RIXEN	L620	42.08220	14,200 ft	58	-
FIX	AWY-HI	28.76610	4,328 m		
LTBA	-	40.97610	0 ft	66	Istanbul Ataturk
APT	-	28.81420	0 m		

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.065 E

METAR

LTBA 061020Z 24009KT CAVOK 15/08 Q1017 RMK RWY23 24008KT 210V270

TAF

TAF LTBA 060440Z 0606/0706 VRB02KT CAVOK BECMG 0607/0610 22012KT BECMG 0612/0615 04006KT BECMG 0704/0706 22010KT

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.38	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.40	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.40	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.40	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.40		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.40		163 m