

# SPJR

GEN FAP ARMANDO REVOREDO IGLESIAS


# SPJC

Jorge Chavez Intl

2024/05/18 0309Z

SPJR NAXUS T329 SLS SPJC

306.51 nm / 567.65 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SPJR APT	-	-7.13921 -78.48950	0 ft 0 m	-	GEN FAP ARMANDO REVOREDO IGLESIAS
NAXUS FIX	-	-8.03028 -78.29310	19,500 ft 5,944 m	54	-
KOMGO FIX	T329 AWY-LO	-10.30640 -77.78390	23,900 ft 7,285 m	139	-
SLS VOR	T329 AWY-LO	-11.28760 -77.56250	11,000 ft 3,353 m	60	SALINAS
SPJC APT	-	-12.02190 -77.11430	0 ft 0 m	51	Jorge Chavez Intl

## SPJC

Region: PERU  
Timezone: AMERICA/LIMA  
Runways: 1

Elevation: 113 ft / 34 m  
Location: -12.021900 -77.114300  
Magnetic Var: 2.907 W

## METAR

SPJC 180200Z 14010KT 6000 2000N BCFG OVC004 18/16 Q1015 NOSIG RMK PP000

## TAF

TAF SPJC 172300Z 1800/1824 18010KT 50000 BR OVC005 TX21/1818Z TN17/1811Z BECMG 1809/1811 24003KT 3000 OVC002 BECMG

## Frequencies

REC - 127.90 MHz - ATIS  
TWR - 118.10 MHz - LIMA TOWER  
COM - 122.80 MHz - UNICOM  
GND - 121.90 MHz - JORGE CHAVEZ GROUND  
APP - 119.70 MHz - LIMA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	11,520 ft	154.25	ASPHALT	0 ft	249 ft
	45 m	3,511 m	157.16		0 m	76 m
33	148 ft	11,520 ft	334.25	ASPHALT	1,968 ft	213 ft
	45 m	3,511 m	337.16		600 m	65 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	JCH	109.70 MHz	18 nm	-	-	113 ft
				33 km	-		113 m
15	LOC-ILS	JCH	109.70 MHz	18 nm	154.25	-	183 ft
				33 km	157.16		183 m
15	GS	JCH	109.70 MHz	10 nm	154.51	2.70	118 ft
				19 km	157.41		118 m