


2024/04/28 0154Z

LIML OLETI **UM858** TORTU **A9** SUDAS **UM858** AJO **A9** MINKA LIEE

373.92 nm / 692.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML APT	-	45.45030 9.27280	0 ft 0 m	-	Milano Linate
OLETI FIX	-	43.81000 9.00861	34,000 ft 10,363 m	99	-
TORTU FIX	UM858 AWY-HI	43.38833 8.95833	34,000 ft 10,363 m	25	-
AKUTI FIX	A9 AWY-LO	43.22722 8.94028	34,000 ft 10,363 m	9	-
SUDAS FIX	A9 AWY-LO	42.93806 8.90639	34,000 ft 10,363 m	17	-
AJO VOR	UM858 AWY-HI	41.77053 8.77467	32,500 ft 9,906 m	70	AJACCIO VOR-DME
CORSI FIX	A9 AWY-LO	41.33333 8.81222	25,900 ft 7,894 m	26	-
MINKA FIX	A9 AWY-LO	40.81917 8.85556	19,200 ft 5,852 m	30	-
LIEE APT	-	39.25147 9.05429	0 ft 0 m	94	Cagliari Elmas

## LIML

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 354 ft / 108 m  
Location: 45.450300 9.272810  
Magnetic Var: 3.235 E

## METAR

LIML 280120Z 12005KT 090V150 9999 SCT025 BKN070 13/11 Q1017 NOSIG

## TAF

TAF LIML 272300Z 2800/2824 10010KT 8000 BKN035 TEMPO 2800/2808 4000 RA BKN010 BECMG 2815/2817 VRB05KT

## Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.44		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.43		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.43		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.45		352 m

## LIEE

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 13 ft / 4 m  
Location: 39.251500 9.054300  
Magnetic Var: 2.942 E

## METAR

LIEE 280120Z AUTO 15012KT 9999 NCD 16/09 Q1013

## TAF

TAF LIEE 272300Z 2800/2824 14012KT 9999 FEW015 TEMPO 2809/2816 14018G30KT BECMG 2818/2820 VRB05KT

## Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.16		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.16		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.16		13 m