

LFPG

Paris Charles De Gaulle


KLAX

Los Angeles Intl

2024/06/03 0154Z

LFPG GURLU **M733** BIG **UL186** FINMA **L186** HON **UL10** KELLY **L10** IOM **UL10** RINGA **L10** BEL **UL10** MORAG **N562D**
MIMKU 5700N01500W +58.000_--20.000 A +59.000_--50.000 6000N05500W 6100N06000W 6200N06500W FEDDY
N532E YRL **V181** YWG **5T13** MIB MOT **V491** UNION ECS **V235** DDY **J107** MLF **V21** MMM **V394** LAS **J100** CLARR **V394**
BASAL KLAX

5084.85 nm / 9417.14 km



Notes

Using NAT tracks from 17/2/2017

Basic altitude profile:

- Ascent Rate: 2900ft/min
- Ascent Speed: 290kts
- Cruise Altitude: 41000ft
- Cruise Speed: 400kts
- Descent Rate: 2000ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
GURLU FIX	-	50.47778 0.96861	34,000 ft 10,363 m	107	-
BIG VOR	M733 AWY-LO	51.33087 0.03481	34,000 ft 10,363 m	62	BIGGIN VOR-DME
SOTED FIX	UL186 AWY-HI	51.91806 -0.92306	34,000 ft 10,363 m	50	-
FINMA FIX	UL186 AWY-HI	51.99639 -1.05361	34,000 ft 10,363 m	6	-
HON VOR	L186 AWY-LO	52.35667 -1.66361	34,000 ft 10,363 m	31	HONILEY VOR-DME
WAL VOR	UL10 AWY-HI	53.39194 -3.13444	34,000 ft 10,363 m	81	WALLASEY VOR-DME
PENIL FIX	UL10 AWY-HI	53.61611 -3.66361	34,000 ft 10,363 m	23	-
KELLY FIX	UL10 AWY-HI	53.90528 -4.36417	34,000 ft 10,363 m	30	-
IOM VOR	L10 AWY-LO	54.06687 -4.76347	34,000 ft 10,363 m	17	ISLE OF MAN VOR-DME
RINGA FIX	UL10 AWY-HI	54.39833 -5.57111	34,000 ft 10,363 m	34	-
BEL VOR	L10 AWY-LO	54.66111 -6.23000	34,000 ft 10,363 m	27	BELFAST VOR-DME
BEL44 FIX	UL10 AWY-HI	55.06528 -7.29000	34,000 ft 10,363 m	43	-
BEL76 FIX	UL10 AWY-HI	55.35056 -8.06667	34,000 ft 10,363 m	31	-
MORAG FIX	UL10 AWY-HI	55.85361 -9.50000	34,000 ft 10,363 m	57	-
MIMKU FIX	N562D AWY-LO	56.00000 -10.00000	34,000 ft 10,363 m	18	-
5700N01500W LATLON	-	57.00000 -15.00000	34,000 ft 10,363 m	176	-
+58.000_--20.000 LATLON	-	58.00000 -20.00000	34,000 ft 10,363 m	172	-
+60.000_--30.000 LATLON	A NAT	60.00000 -30.00000	34,000 ft 10,363 m	331	-
+60.000_--40.000 LATLON	A NAT	60.00000 -40.00000	34,000 ft 10,363 m	300	-
+59.000_--50.000 LATLON	A NAT	59.00000 -50.00000	34,000 ft 10,363 m	310	-
6000N05500W LATLON	-	60.00000 -55.00000	34,000 ft 10,363 m	163	-
6100N06000W LATLON	-	61.00000 -60.00000	34,000 ft 10,363 m	159	-
6200N06500W LATLON	-	62.00000 -65.00000	34,000 ft 10,363 m	155	-
FEDDY FIX	-	61.70000 -67.00000	34,000 ft 10,363 m	59	-
IRLAV FIX	N532E AWY-HI	57.97417 -80.00000	34,000 ft 10,363 m	450	-
YRL	N532E	51.07139	34,000 ft	631	RED LAKE VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DME	AWY-HI	-93.76194	10,363 m		
YWG	V181	49.92778	34,000 ft	149	WINNIPEG VORTAC
VOR	AWY-LO	-97.23922	10,363 m		
MIB	5T13	48.41537	34,000 ft	185	-
VOR	AWY-HI	-101.36611	10,363 m		
MOT	-	48.26033	35,000 ft	9	MINOT VORTAC
VOR	-	-101.28706	10,668 m		
DIK	V491	46.85997	34,000 ft	103	DICKINSON VORTAC
VOR	AWY-LO	-102.77350	10,363 m		
NEXRU	V491	46.53360	34,000 ft	19	-
FIX	AWY-LO	-102.80177	10,363 m		
HAYNI	V491	46.14294	34,000 ft	23	-
FIX	AWY-LO	-102.83516	10,363 m		
DIXLE	V491	45.46229	34,000 ft	40	-
FIX	AWY-LO	-102.89226	10,363 m		
UNION	V491	44.72482	34,000 ft	44	-
FIX	AWY-LO	-102.95270	10,363 m		
ECS	-	43.88114	34,000 ft	77	NEWCASTLE VOR
VOR	-	-104.30778	10,363 m		
DDY	V235	43.09086	34,000 ft	98	MUDDY MOUNTAIN VOR-DME
DME	AWY-LO	-106.27702	10,363 m		
OCS	J107	41.59022	34,000 ft	151	ROCK SPRINGS VOR-DME
VOR	AWY-HI	-109.01533	10,363 m		
URNUW	J107	39.13418	34,000 ft	204	-
FIX	AWY-HI	-112.10414	10,363 m		
MLF	J107	38.36036	34,000 ft	63	MILFORD VORTAC
VOR	AWY-HI	-113.01322	10,363 m		
BERYL	V21	37.90005	34,000 ft	32	-
FIX	AWY-LO	-113.38572	10,363 m		
URIAH	V21	37.50285	34,000 ft	28	-
FIX	AWY-LO	-113.70265	10,363 m		
MMM	V21	36.76928	34,000 ft	51	MORMON MESA VORTAC
DME	AWY-LO	-114.27747	10,363 m		
LAS	V394	36.07970	34,000 ft	59	LAS VEGAS VORTAC
DME	AWY-LO	-115.15979	10,363 m		
CLARR	J100	35.67568	34,000 ft	35	-
FIX	AWY-HI	-115.67975	10,363 m		
DAG	V394	34.96244	22,400 ft	61	DAGGETT VORTAC
VOR	AWY-LO	-116.57817	6,828 m		
BASAL	V394	34.75778	18,400 ft	18	-
FIX	AWY-LO	-116.86183	5,608 m		
KLAX	-	33.94313	0 ft	90	Los Angeles Intl
APT	-	-118.40892	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.504 E

METAR

LFPG 030130Z 34006KT 9000 NSC 09/08 Q1023 NOSIG

TAF

TAF LFPG 022300Z 0300/0406 36005KT CAVOK TX21/0315Z TN08/0303Z PROB40 0303/0307 3000 BR BKN005 PROB30 0304/0306 0

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.435 E

METAR

KLAX 030053Z 27012KT 10SM FEW032 FEW250 18/13 A2989 RMK A02 SLP120 T01780128

TAF

TAF KLAX 022337Z 0300/0406 25010KT P6SM SCT030 FM030300 26007KT P6SM BKN015 FM031000 12006KT P6SM OVC015 FM031900

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m