


2024/05/04 0407Z

LFPG TUNOR UH37 DJL UM729 MOLUS UM872 FRZ L995 AMTEL LIRA

612.09 nm / 1133.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
TUNOR FIX	-	47.88333 4.14111	31,900 ft 9,723 m	92	-
DJL VOR	UH37 AWY-HI	47.27078 5.09733	35,000 ft 10,668 m	53	DIJON-LONGVIC VOR-DME
TUROM FIX	UM729 AWY-HI	46.84194 5.96639	35,000 ft 10,668 m	43	-
GALBI FIX	UM729 AWY-HI	46.72889 6.14361	35,000 ft 10,668 m	9	-
MOLUS FIX	UM729 AWY-HI	46.44389 6.67944	35,000 ft 10,668 m	27	-
CERVI FIX	UM872 AWY-HI	45.97000 7.54528	35,000 ft 10,668 m	45	-
GARLO FIX	UM872 AWY-HI	45.87444 7.75028	35,000 ft 10,668 m	10	-
OMETO FIX	UM872 AWY-HI	45.73667 8.04278	35,000 ft 10,668 m	14	-
BOTAL FIX	UM872 AWY-HI	45.13361 9.12278	35,000 ft 10,668 m	58	-
FRZ VOR	UM872 AWY-HI	44.02718 11.00331	31,300 ft 9,540 m	104	FIRENZE VORTAC
KUGIX FIX	L995 AWY-LO	43.55222 11.36222	25,300 ft 7,711 m	32	-
AMTEL FIX	L995 AWY-LO	43.22028 11.60861	19,500 ft 5,944 m	22	-
LIRA APT	-	41.79923 12.59492	0 ft 0 m	95	CIAMPINO

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.493 E

METAR

LFPG 040330Z 15007KT CAVOK 08/06 Q1013 NOSIG

TAF

TAF LFPG 032300Z 0400/0506 15005KT CAVOK TX15/0415Z TN07/0405Z PROB40 0403/0407 3000 BR PROB30 TEMPO 0403/0406 08

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

LIRA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 424 ft / 129 m
Location: 41.799200 12.594900
Magnetic Var: 3.725 E

METAR

LIRA 040320Z AUTO 02004KT 9999 NCD 09/08 Q1015

TAF

TAF LIRA 032300Z 0400/0424 03006KT 9999 FEW030 BECMG 0408/0410 32012KT BECMG 0416/0418 VRB05KT

Frequencies

REC - 122.42 MHz - ATIS	GND - 121.75 MHz - CIAMPINO GROUND
TWR - 122.10 MHz - CIAMPINO TOWER	TWR - 120.50 MHz - CIAMPINO TOWER
CLD - 119.40 MHz - CLEARANCE DELIVERY	APP - 125.50 MHz - ROMA APPROACH
APP - 127.95 MHz - ROMA APPROACH	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	7,235 ft	152.77	ASPHALT	0 ft	0 ft
	46 m	2,205 m	149.05		0 m	0 m
33	151 ft	7,235 ft	332.78	ASPHALT	0 ft	0 ft
	46 m	2,205 m	329.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	CIA	109.90 MHz	18 nm	152.78	-	425 ft
				33 km	149.05		425 m
15	GS	CIA	109.90 MHz	10 nm	152.78	3.00	425 ft
				19 km	149.05		425 m