

# KTMB

Miami Executive Airport


# KORL

Orlando Executive

2024/06/10 1248Z

KTMB DIDDY KORL

180.66 nm / 334.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTMB	-	25.64780	0 ft	-	Miami Executive Airport
APT	-	-80.43350	0 m		
DIDDY	-	27.31060	16,600 ft	102	-
FIX	-	-80.88220	5,060 m		
KORL	-	28.54540	0 ft	77	Orlando Executive
APT	-	-81.33330	0 m		

## KTMB

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 8 ft / 2 m  
Location: 25.647800 -80.433500  
Magnetic Var: 7.179 W

## METAR

KTMB 101153Z 23003KT 10SM CLR 27/25 A2990 RMK A02 SLP124 70010 T02720250 10272 20244 53011 \$

## TAF

TAF KTMB 101120Z 1012/1112 VRB03KT P6SM SCT030 SCT250 FM101500 21009KT P6SM VCTS SCT030CB BKN050 TEMPO 1016/1020 J

## Frequencies

REC - 124.00 MHz - ATIS  
CLD - 133.00 MHz - CLNC DEL  
TWR - 134.60 MHz -  
COM - 118.90 MHz - CTAF  
GND - 121.70 MHz -  
APP - 125.50 MHz - MIAMI APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	5,008 ft	87.28	ASPHALT	0 ft	0 ft
	46 m	1,526 m	94.46		0 m	0 m
27R	150 ft	5,008 ft	267.29	ASPHALT	0 ft	0 ft
	46 m	1,526 m	274.46		0 m	0 m
09R	150 ft	6,006 ft	87.33	ASPHALT	0 ft	184 ft
	46 m	1,831 m	94.51		0 m	56 m
27L	150 ft	6,006 ft	267.34	ASPHALT	0 ft	0 ft
	46 m	1,831 m	274.52		0 m	0 m
13	150 ft	4,005 ft	127.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	134.68		0 m	0 m
31	150 ft	4,005 ft	307.50	ASPHALT	0 ft	0 ft
	46 m	1,221 m	314.68		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	LOC-ILS	ITMB	108.70 MHz	18 nm	87.33	-	8 ft
				33 km	94.51		8 m
09R	GS	ITMB	108.70 MHz	10 nm	87.33	3.00	6 ft
				19 km	94.51		6 m

## KORL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 112 ft / 34 m  
Location: 28.545400 -81.333300  
Magnetic Var: 7.001 W

## METAR

KORL 101153Z 25007KT 10SM CLR 27/23 A2987 RMK A02 SLP116 T02720233 10283 20256 52008

## TAF

UNKNOWN

## Frequencies

REC - 127.25 MHz - ATIS	COM - 122.95 MHz - EXECUTIVE UNICOM
COM - 118.70 MHz - CTAF	GND - 121.40 MHz - EXECUTIVE GROUND
TWR - 118.70 MHz - EXECUTIVE TOWER	APP - 119.40 MHz - ORLANDO APPROACH
DEP - 119.40 MHz - ORLANDO DEPARTURE	APP - 119.77 MHz - ORLANDO APPROACH
DEP - 119.77 MHz - ORLANDO DEPARTURE	APP - 135.30 MHz - ORLANDO APPROACH
DEP - 135.30 MHz - ORLANDO DEPARTURE	APP - 120.15 MHz - ORLANDO APPROACH
DEP - 120.15 MHz - ORLANDO DEPARTURE	APP - 124.80 MHz - ORLANDO APPROACH
DEP - 124.80 MHz - ORLANDO DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	5,999 ft	66.59	ASPHALT	0 ft	200 ft
	46 m	1,828 m	73.59		0 m	61 m
25	150 ft	5,999 ft	246.60	ASPHALT	0 ft	200 ft
	46 m	1,828 m	253.60		0 m	61 m
13	100 ft	4,627 ft	130.99	ASPHALT	0 ft	0 ft
	30 m	1,410 m	137.99		0 m	0 m
31	100 ft	4,627 ft	310.99	ASPHALT	0 ft	374 ft
	30 m	1,410 m	317.99		0 m	114 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IORL	109.90 MHz	18 nm	66.59	-	112 ft
				33 km	73.59		112 m
25	LOC-ILS	IEXO	109.35 MHz	18 nm	246.59	-	112 ft
				33 km	253.59		112 m
07	GS	IORL	109.90 MHz	10 nm	66.59	3.00	112 ft
				19 km	73.59		112 m
25	GS	IEXO	109.35 MHz	10 nm	246.59	3.00	112 ft
				19 km	253.59		112 m