

EIDW

Dublin


ENGM

Oslo Gardermoen

2024/05/07 2227Z

EIDW BLACA **P600** GIRVA TRN **UM89** ALOTI **T400** ZOL **P600** IPMOD ENGM

723.83 nm / 1340.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2400ft/min
- Ascent Speed: 315kts
- Cruise Altitude: 37000ft
- Cruise Speed: 450kts
- Descent Rate: 1700ft/min
- Descent Speed: 275kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW APT	-	53.42490 -6.26308	0 ft 0 m	-	Dublin
BLACA FIX	-	54.88330 -5.15889	30,600 ft 9,327 m	95	-
TUNSO FIX	P600 AWY-HI	55.11110 -4.96139	35,500 ft 10,820 m	15	-
GIRVA FIX	P600 AWY-HI	55.18560 -4.89639	37,000 ft 11,278 m	4	-
TRN VOR	-	55.31340 -4.78386	37,000 ft 11,278 m	8	TURNBERRY
SAB VOR	UM89 AWY-HI	55.90750 -2.20634	37,000 ft 11,278 m	94	SAINT ABBS
RIVOT FIX	UM89 AWY-HI	56.40810 0.77694	37,000 ft 11,278 m	104	-
ALOTI FIX	UM89 AWY-HI	57.90750 3.60836	37,000 ft 11,278 m	128	-
ZOL VOR	T400 AWY-HI	58.87500 5.64007	37,000 ft 11,278 m	86	SOLA (STAVANGER)
ROPNO FIX	P600 AWY-HI	59.32980 6.84458	31,500 ft 9,601 m	46	-
IPMOD FIX	P600 AWY-HI	59.73940 8.29639	20,000 ft 6,096 m	50	-
ENGM APT	-	60.19450 11.09890	0 ft 0 m	88	Oslo Gardermoen

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.977 W

METAR

EIDW 072200Z VRB02KT 9999 FEW013 BKN035 12/10 Q1026 NOSIG

TAF

TAF AMD TAF AMD EIDW 071818Z 0718/0818 16006KT 9999 FEW018 BKN040 PROB40 TEMPO 0718/0722 VRB03KT BECMG 0722/0724 V

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m

ENGM

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 2

Elevation: 681 ft / 208 m
Location: 60.194500 11.098900
Magnetic Var: 4.479 E

METAR

ENGM 072220Z 20006KT CAVOK 08/04 Q1021

TAF

TAF ENGM 071700Z 0718/0818 20010KT 9999 FEW040 SCT080 BECMG 0721/0724 VRB05KT PROB40 TEMPO 0810/0815 SHRA BKN020

Frequencies

REC - 126.12 MHz - GARDERMOEN ARRIVAL INFORMATION
CLD - 121.67 MHz - GARDERMOEN DELIVERY WEST
GND - 121.75 MHz - GARDERMOEN GROUND
GND - 121.90 MHz - GARDERMOEN GROUND EAST
TWR - 120.10 MHz - GARDERMOEN TOWER
APP - 120.45 MHz - OSLO APPROACH

REC - 127.15 MHz - GARDERMOEN DEPARTURE INFORMATION
CLD - 121.92 MHz - GARDERMOEN DELIVERY EAST
GND - 121.60 MHz - GARDERMOEN GROUND WEST
TWR - 118.30 MHz - GARDERMOEN TOWER
APP - 118.47 MHz - OSLO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	148 ft	9,664 ft	16.01	ASPHALT	0 ft	486 ft
	45 m	2,946 m	11.53		0 m	148 m
19L	148 ft	9,664 ft	196.02	ASPHALT	0 ft	489 ft
	45 m	2,946 m	191.54		0 m	149 m
01L	148 ft	11,797 ft	15.99	ASPHALT	0 ft	423 ft
	45 m	3,596 m	11.51		0 m	129 m
19R	148 ft	11,797 ft	196.01	ASPHALT	0 ft	486 ft
	45 m	3,596 m	191.53		0 m	148 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	OBW	110.30 MHz	18 nm	-	-	709 ft
				33 km	-		709 m
01R	DME	ONE	111.95 MHz	18 nm	-	-	723 ft
				33 km	-		723 m
19L	DME	GME	110.55 MHz	18 nm	-	-	729 ft
				33 km	-		729 m
19R	DME	GSW	111.30 MHz	18 nm	-	-	727 ft
				33 km	-		727 m
01L	LOC-ILS	OBW	110.30 MHz	18 nm	16.00	-	681 ft
				33 km	11.52		681 m
01R	LOC-ILS	ONE	111.95 MHz	18 nm	16.04	-	681 ft
				33 km	11.56		681 m
19L	LOC-ILS	GME	110.55 MHz	18 nm	196.04	-	681 ft
				33 km	191.56		681 m
19R	LOC-ILS	GSW	111.30 MHz	18 nm	196.00	-	681 ft
				33 km	191.52		681 m
01L	GS	OBW	110.30 MHz	10 nm	16.00	3.00	681 ft
				19 km	11.52		681 m
01R	GS	ONE	111.95 MHz	10 nm	16.04	3.00	681 ft
				19 km	11.56		681 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	GS	GME	110.55 MHz	10 nm	196.04	3.00	681 ft
				19 km	191.56		681 m
19R	GS	GSW	111.30 MHz	10 nm	196.00	3.00	681 ft
				19 km	191.52		681 m