

SBSJ

Sao Jose Dos Campos Intl


SBSP

Congonhas-Sao Paulo

2024/05/05 0531Z

SBSJ PAGOG TEPAB BUVGU SBSP

102.11 nm / 189.11 km



Notes

Requested: SBSJ PAGOG HALEX TEPAB BUVGU SBSP

Unmatched points: HALEX

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBSJ	-	-23.22820	0 ft	-	Sao Jose Dos Campos Intl
APT	-	-45.86270	0 m	-	
PAGOG	-	-23.61950	0 ft	25	-
FIX	-	-45.69000	0 m	-	
TEPAB	-	-23.82320	0 ft	55	-
FIX	-	-46.67930	0 m	-	
BUVGU	-	-23.75830	0 ft	8	-
FIX	-	-46.82350	0 m	-	
SBSP	-	-23.62670	0 ft	12	Congonhas-Sao Paulo
APT	-	-46.65520	0 m	-	

SBSJ

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,123 ft / 647 m
Location: -23.228200 -45.862700
Magnetic Var: 22.475 W

METAR

UNKNOWN

TAF

TAF SBSJ 042200Z 0500/0512 09005KT CAVOK TN18/0509Z TX22/0512Z BECMG 0502/0504 06005KT FEW010 PROB40 0507/0511 50

Frequencies

REC - 127.92 MHz - SAO JOSE ATIS
TWR - 118.50 MHz - SAO JOSE TOWER
APP - 121.35 MHz - SAO PAULO APPROACH
APP - 134.90 MHz - SAO PAULO APPROACH
GND - 121.95 MHz - SAO JOSE GROUND
APP - 124.15 MHz - SAO PAULO APPROACH
APP - 125.60 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,800 ft	135.07	ASPHALT	0 ft	0 ft
	45 m	2,682 m	157.55		0 m	0 m
33	148 ft	8,800 ft	315.07	ASPHALT	0 ft	1,060 ft
	45 m	2,682 m	337.54		0 m	323 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	ISJ	110.30 MHz	18 nm	-	-	2,120 ft
				33 km	-		2,120 m
15	LOC-ILS	ISJ	110.30 MHz	18 nm	134.95	-	2,120 ft
				33 km	157.43		2,120 m
15	GS	ISJ	110.30 MHz	10 nm	135.25	3.00	2,120 ft
				19 km	157.73		2,120 m

SBSP

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,631 ft / 802 m
Location: -23.626100 -46.656400
Magnetic Var: 22.100 W

METAR

SBSP 050500Z AUTO 08005KT 050V110 CAVOK 24/14 Q1021

TAF

TAF SBSP 042200Z 0500/0512 15005KT CAVOK TN20/0509Z TX24/0512Z BECMG 0500/0502 06005KT RMK PHP

Frequencies

REC - 127.65 MHz - CONGONHAS ATIS	CLD - 120.60 MHz - CONGONHAS CLEARANCE
GND - 121.90 MHz - CONGONHAS GROUND	TWR - 118.05 MHz - CONGONHAS TOWER
TWR - 127.15 MHz - CONGONHAS TOWER	APP - 133.85 MHz - SAO PAULO APPROACH
APP - 119.05 MHz - SAO PAULO APPROACH	APP - 134.90 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH	APP - 129.00 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH	APP - 122.75 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	6,360 ft	147.63	ASPHALT	407 ft	0 ft
	45 m	1,938 m	169.73		124 m	0 m
35L	148 ft	6,360 ft	327.63	ASPHALT	180 ft	0 ft
	45 m	1,938 m	349.73		55 m	0 m
17L	148 ft	4,920 ft	147.63	ASPHALT	197 ft	0 ft
	45 m	1,500 m	169.73		60 m	0 m
35R	148 ft	4,920 ft	327.63	ASPHALT	0 ft	0 ft
	45 m	1,500 m	349.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17R	LOC-ILS	ISP	109.30 MHz	18 nm	147.63	-	2,631 ft
				33 km	169.73		2,631 m
35L	LOC-ILS	ISO	109.70 MHz	18 nm	327.63	-	2,631 ft
				33 km	349.73		2,631 m
17R	GS	ISP	109.30 MHz	10 nm	147.63	2.90	2,631 ft
				19 km	169.73		2,631 m
35L	GS	ISO	109.70 MHz	10 nm	327.63	3.00	2,631 ft
				19 km	349.73		2,631 m