

NTAA

Faaa


SCEL

Arturo Merino Benitez Intl

2024/05/08 1252Z

NTAA TAF **UL348** SADIT 2500S13000W 2700S12500W 2900S12000W 3000S11500W 3100S11000W 3200S10500W
3300S10000W 3300S09500W CARPA **UL348** SNO SCEL

4322.04 nm / 8004.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NTAA	-	-17.55377	0 ft	-	Faaa
APT	-	-149.60726	0 m		
TAF	-	-17.54711	100 ft	0	TAHITI FAAA VOR-DME
VOR	-	-149.60150	30 m		
TATIA	UL348	-18.28167	35,000 ft	120	-
FIX	AWY-HI	-147.64667	10,668 m		
SAMEP	UL348	-19.31667	35,000 ft	162	-
FIX	AWY-HI	-145.00000	10,668 m		
SELVU	UL348	-20.98333	35,000 ft	299	-
FIX	AWY-HI	-140.00000	10,668 m		
SADIT	UL348	-22.45000	35,000 ft	292	-
FIX	AWY-HI	-135.00000	10,668 m		
2500S13000W	-	-25.00000	35,000 ft	314	-
LATLON	-	-130.00000	10,668 m		
2700S12500W	-	-27.00000	35,000 ft	295	-
LATLON	-	-125.00000	10,668 m		
2900S12000W	-	-29.00000	35,000 ft	291	-
LATLON	-	-120.00000	10,668 m		
3000S11500W	-	-30.00000	35,000 ft	268	-
LATLON	-	-115.00000	10,668 m		
3100S11000W	-	-31.00000	35,000 ft	265	-
LATLON	-	-110.00000	10,668 m		
3200S10500W	-	-32.00000	35,000 ft	262	-
LATLON	-	-105.00000	10,668 m		
3300S10000W	-	-33.00000	35,000 ft	260	-
LATLON	-	-100.00000	10,668 m		
3300S09500W	-	-33.00000	35,000 ft	251	-
LATLON	-	-95.00000	10,668 m		
CARPA	-	-32.00000	35,000 ft	260	-
FIX	-	-90.00000	10,668 m		
MAKRA	UL348	-32.83333	35,000 ft	258	-
FIX	AWY-HI	-85.00000	10,668 m		
ROBIK	UL348	-33.61703	35,000 ft	305	-
FIX	AWY-HI	-79.00060	10,668 m		
MORSA	UL348	-33.66667	35,000 ft	200	-
FIX	AWY-HI	-75.00000	10,668 m		
SNO	UL348	-33.66583	9,500 ft	168	SANTO DOMINGO VOR-DME
VOR	AWY-HI	-71.61944	2,896 m		
SCEL	-	-33.38978	0 ft	44	Arturo Merino Benitez Intl
APT	-	-70.79437	0 m		

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 081230Z VRB02KT 9999 FEW026 25/22 Q1011 NOSIG

TAF

TAF NTAA 081100Z 0812/0918 VRB05KT 9999 FEW023 PROB30 TEMPO 0820/0901 05015G25KT 4000 SHRA SCT020 SCT045

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.786 E

METAR

SCEL 081200Z VRB01KT 7000 NSC 01/00 Q1025 NOSIG

TAF

TAF SCEL 081043Z 0812/0912 VRB02KT 7000 NSC TX16/0819Z TN02/0910Z TEMPO 0812/0814 5000 BR BECMG 0816/0818 17010KT

Frequencies

REC - 132.70 MHz - ATIS	TWR - 118.10 MHz - SANTIAGO TOWER
TWR - 118.35 MHz - SANTIAGO TOWER	GND - 122.20 MHz - SANTIAGO GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 119.70 MHz - SANTIAGO APPROACH
APP - 129.70 MHz - SANTIAGO APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.69		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.68		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.64		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.64		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.63		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.68		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.63		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.68		1,555 m