


2024/05/07 0443Z

KLSE NEVIS **V77** DSM **V13** LMN **V77** TOP **V280** DIETS KICT

476.27 nm / 882.05 km



Notes

Basic altitude profile:

- Ascent Rate: 150ft/min
- Ascent Speed: 100kts
- Cruise Altitude: 8000ft
- Cruise Speed: 280kts
- Descent Rate: 1500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLSE APT	-	43.87882 -91.25621	0 ft 0 m	-	LA CROSSE MUNI
NEVIS FIX	-	42.40577 -92.53913	34,000 ft 10,363 m	104	-
HAKES FIX	V77 AWY-LO	42.04029 -92.87567	34,000 ft 10,363 m	26	-
TNU VOR	V77 AWY-LO	41.78389 -93.10903	34,000 ft 10,363 m	18	NEWTON VOR-DME
MIXIN FIX	V77 AWY-LO	41.61593 -93.37191	34,000 ft 10,363 m	15	-
ZAGTU FIX	V77 AWY-LO	41.49106 -93.56592	34,000 ft 10,363 m	11	-
DSM VOR	V77 AWY-LO	41.43761 -93.64856	34,000 ft 10,363 m	4	DES MOINES VORTAC
WIVEY FIX	V13 AWY-LO	41.22653 -93.72937	34,000 ft 10,363 m	13	-
LMN VOR	V13 AWY-LO	40.59675 -93.96758	34,000 ft 10,363 m	39	LAMONI VORTAC
STJ DME	V77 AWY-LO	39.96058 -94.92522	34,000 ft 10,363 m	58	ST JOSEPH VORTAC
BOWLR FIX	V77 AWY-LO	39.62258 -95.18341	34,300 ft 10,455 m	23	-
TOP VOR	V77 AWY-LO	39.13708 -95.54917	26,000 ft 7,925 m	33	TOPEKA VORTAC
DIETS FIX	V280 AWY-LO	38.88964 -96.01679	20,400 ft 6,218 m	26	-
KICT APT	-	37.65018 -97.43217	0 ft 0 m	99	Wichita Mid Continent

KLSE

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 655 ft / 200 m
Location: 43.878800 -91.256200
Magnetic Var: 1.734 W

METAR

KLSE 070353Z AUTO 11015G22KT 10SM CLR 18/08 A2968 RMK A02 SLP045 T01830083

TAF

KLSE 062330Z 0700/0724 12011G20KT P6SM SCT100 FM071000 13013KT 4SM SHRA VCTS OVC020CB FM071200 14010KT 6SM -SHRA

Frequencies

REC - 124.95 MHz - ATIS
GND - 121.80 MHz - LA CROSSE GROUND

COM - 122.95 MHz - UNICOM
TWR - 118.45 MHz - LA CROSSE TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	8,752 ft	179.45	CONCRETE	0 ft	0 ft
	46 m	2,668 m	181.18		0 m	0 m
36	150 ft	8,752 ft	359.45	CONCRETE	1,132 ft	0 ft
	46 m	2,668 m	1.18		345 m	0 m
13	150 ft	6,046 ft	134.45	ASPHALT	0 ft	0 ft
	46 m	1,843 m	136.19		0 m	0 m
31	150 ft	6,046 ft	314.46	ASPHALT	738 ft	0 ft
	46 m	1,843 m	316.20		225 m	0 m
04	150 ft	5,198 ft	36.29	ASPHALT	0 ft	0 ft
	46 m	1,584 m	38.02		0 m	0 m
22	150 ft	5,198 ft	216.30	ASPHALT	0 ft	0 ft
	46 m	1,584 m	218.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	ILSE	111.10 MHz	18 nm	179.45	-	655 ft
				33 km	181.18		655 m
18	GS	ILSE	111.10 MHz	10 nm	179.45	3.00	655 ft
				19 km	181.18		655 m

KICT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 1,333 ft / 406 m
Location: 37.650200 -97.432200
Magnetic Var: 3.004 E

METAR

KICT 070353Z 23013KT 10SM FEW030 SCT130 BKN180 BKN250 18/15 A2947 RMK A02 PRESRR SLP970 OCNL LTGICCC DSNT NE CB DSN

TAF

KICT 070329Z 0703/0724 21007KT P6SM FEW030 SCT070 BKN190 FM071000 25009KT P6SM SCT110

Frequencies

REC - 125.15 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 125.70 MHz - CLNC DEL	GND - 121.90 MHz -
TWR - 118.20 MHz -	APP - 125.50 MHz -
APP - 126.70 MHz -	APP - 134.85 MHz -
DEP - 126.70 MHz -	DEP - 134.85 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	151 ft	10,318 ft	19.92	CONCRETE	0 ft	200 ft
	46 m	3,145 m	16.91		0 m	61 m
19R	151 ft	10,318 ft	199.93	CONCRETE	0 ft	200 ft
	46 m	3,145 m	196.92		0 m	61 m
01R	151 ft	7,311 ft	19.93	CONCRETE	0 ft	200 ft
	46 m	2,229 m	16.92		0 m	61 m
19L	151 ft	7,311 ft	199.93	CONCRETE	0 ft	200 ft
	46 m	2,229 m	196.93		0 m	61 m
14	151 ft	6,309 ft	150.10	CONCRETE	0 ft	0 ft
	46 m	1,923 m	147.09		0 m	0 m
32	151 ft	6,309 ft	330.11	CONCRETE	0 ft	0 ft
	46 m	1,923 m	327.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	IICT	110.30 MHz	18 nm	-	-	1,327 ft
				33 km	-		1,327 m
19L	DME	MVP	111.55 MHz	18 nm	-	-	1,320 ft
				33 km	-		1,320 m
01L	LOC-ILS	ITWI	109.10 MHz	18 nm	19.93	-	1,333 ft
				33 km	16.93		1,333 m
01R	LOC-ILS	IICT	110.30 MHz	18 nm	19.93	-	1,333 ft
				33 km	16.93		1,333 m
19R	LOC-ILS	IHOV	110.50 MHz	18 nm	199.93	-	1,333 ft
				33 km	196.93		1,333 m
19L	LOC-LOC	MVP	111.55 MHz	18 nm	199.93	-	1,333 ft
				33 km	196.93		1,333 m
01L	GS	ITWI	109.10 MHz	10 nm	19.93	3.00	1,333 ft
				19 km	16.93		1,333 m
01R	GS	IICT	110.30 MHz	10 nm	19.93	2.80	1,333 ft
				19 km	16.93		1,333 m
19R	GS	IHOV	110.50 MHz	10 nm	199.93	3.00	1,333 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	196.93		1,333 m