


2024/05/21 0327Z

GCLP LARYS **N858** VASTO **UN858** PESAS **UQ262** LUSEM URUNA **UP181** ENSAC **UN10** LMG **G21** GUERE **UM129** KUKOR  
**G21** RLP MANAG ELLX

1664.83 nm / 3083.27 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCLP APT	-	27.93160 -15.38560	0 ft 0 m	-	Gran Canaria-Las Palmas Intl
LARYS FIX	-	28.87180 -14.83430	22,600 ft 6,888 m	63	-
SARAY FIX	N858 AWY-LO	29.75860 -14.15740	35,000 ft 10,668 m	63	-
VASTO FIX	N858 AWY-LO	30.50940 -13.57280	35,000 ft 10,668 m	54	-
SULAM FIX	UN858 AWY-HI	30.91580 -13.24830	35,000 ft 10,668 m	29	-
DIMSA FIX	UN858 AWY-HI	31.97190 -12.39890	35,000 ft 10,668 m	76	-
IBLIV FIX	UN858 AWY-HI	33.17390 -11.40610	35,000 ft 10,668 m	87	-
SUNID FIX	UN858 AWY-HI	34.61970 -10.15670	35,000 ft 10,668 m	106	-
AKUDA FIX	UN858 AWY-HI	35.96670 -8.95000	35,000 ft 10,668 m	100	-
OBOLO FIX	UN858 AWY-HI	36.53140 -8.13250	35,000 ft 10,668 m	52	-
PESAS FIX	UN858 AWY-HI	37.03670 -7.38333	35,000 ft 10,668 m	47	-
EKRIS FIX	UQ262 AWY-HI	39.00000 -5.78142	35,000 ft 10,668 m	140	-
LUSEM FIX	UQ262 AWY-HI	43.37470 -1.78056	35,000 ft 10,668 m	318	-
URUNA FIX	-	43.35500 -1.74028	35,000 ft 10,668 m	2	-
BTZ VOR	UP181 AWY-HI	43.46660 -1.51028	35,000 ft 10,668 m	12	BIARRITZ PAYS BASQUE
MAGEC FIX	UP181 AWY-HI	43.74830 -1.19583	35,000 ft 10,668 m	21	-
ENSAC FIX	UP181 AWY-HI	44.20000 -0.69028	35,000 ft 10,668 m	34	-
SAU VOR	UN10 AWY-HI	44.67680 -0.15292	35,000 ft 10,668 m	36	SAUVETERRE DE GUYENNE
VELIN FIX	UN10 AWY-HI	44.98000 0.15556	35,000 ft 10,668 m	22	-
LMG VOR	UN10 AWY-HI	45.81590 1.02558	35,000 ft 10,668 m	62	LIMOGES
GUERE FIX	G21 AWY-LO	46.19000 2.08944	35,000 ft 10,668 m	49	-
LARON FIX	UM129 AWY-HI	46.22750 2.19833	35,000 ft 10,668 m	5	-
KUKOR FIX	UM129 AWY-HI	46.54190 3.12917	35,000 ft 10,668 m	42	-
MENOX FIX	G21 AWY-LO	46.57190 3.22000	35,000 ft 10,668 m	4	-
MOU VOR	G21 AWY-LO	46.70680 3.63167	35,000 ft 10,668 m	18	MOULINS
CACHI FIX	G21 AWY-LO	47.06670 4.10667	35,000 ft 10,668 m	29	-
KASON	G21	47.55830	30,200 ft	40	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	4.77000	9,205 m		
RLP	G21	47.90630	24,100 ft	28	ROLAMPONT
VOR	AWY-LO	5.24917	7,346 m		
MANAG	-	48.10310	21,500 ft	12	-
FIX	-	5.16583	6,553 m		
ELLX	-	49.62650	0 ft	100	Luxembourg
APT	-	6.21159	0 m		

## GCLP

Region: CANARY ISLANDS  
Timezone: ATLANTIC/CANARY  
Runways: 2

Elevation: 78 ft / 24 m  
Location: 27.931600 -15.385600  
Magnetic Var: 3.947 W

## METAR

GCLP 210300Z 36012KT 9999 SCT035 19/12 Q1019 NOSIG

## TAF

TAF GCLP 210200Z 2103/2203 02016KT 9999 SCT035 TX24/2114Z TN18/2106Z PROB30 TEMPO 2112/2118 01015G25KT

## Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m

## ELLX

Region: LUXEMBOURG

Timezone: EUROPE/LUXEMBOURG

Runways: 1

Elevation: 1,234 ft / 376 m

Location: 49.626500 6.211590

Magnetic Var: 2.532 E

## METAR

ELLX 210250Z VRB01KT 9999 FEW010 14/11 Q1008 BECMG RA SCT010TCU

## TAF

TAF AMD ELLX 210200Z 2102/2206 04005KT CAVOK BECMG 2104/2108 28010KT -RA BKN015 TEMPO 2104/2120 2500 RA SHRA SCT010

## Frequencies

REC - 134.75 MHz - LUXEMBOURG ATIS

TWR - 118.10 MHz - LUXEMBOURG TOWER

APP - 118.90 MHz - LUXEMBOURG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,140 ft	60.19	ASPHALT	0 ft	0 ft
	60 m	4,005 m	57.65		0 m	0 m
24	197 ft	13,140 ft	240.22	ASPHALT	0 ft	171 ft
	60 m	4,005 m	237.69		0 m	52 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ILE	109.90 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
24	DME	ILW	110.70 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
06	LOC-ILS	ILE	109.90 MHz	18 nm	60.17	-	1,233 ft
				33 km	57.64		1,233 m
24	LOC-ILS	ILW	110.70 MHz	18 nm	240.17	-	1,233 ft
				33 km	237.64		1,233 m
06	GS	ILE	109.90 MHz	10 nm	60.17	3.00	1,233 ft
				19 km	57.64		1,233 m
24	GS	ILW	110.70 MHz	10 nm	240.17	3.00	1,233 ft
				19 km	237.64		1,233 m