


2024/05/04 1847Z

WIPP TODAK WIPK

97.14 nm / 179.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIPP	-	-2.89742	0 ft	-	Sultan Mahmud Badaruddin II
APT	-	104.69800	0 m		
TODAK	-	-2.52186	10,700 ft	47	-
FIX	-	105.38800	3,261 m		
WIPK	-	-2.16112	0 ft	50	Depati Amir
APT	-	106.13900	0 m		

WIPP

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 48 ft / 15 m
Location: -2.897420 104.698000
Magnetic Var: 0.393 E

METAR

WIPP 041800Z 14003KT 110V200 5000 BR CT010 25/25 Q1008 NOSIG

TAF

TAF WIPP 041700Z 0418/0518 17006KT 9999 SCT010 TEMPO 0419/0423 3000 BR

Frequencies

TWR - 118.10 MHz - MAHMUD TOWER
REC - 127.20 MHz - ATIS

APP - 119.20 MHz - PALEMBANG RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,852 ft	112.87	ASPHALT	0 ft	187 ft
	45 m	3,003 m	112.48		0 m	57 m
29	148 ft	9,852 ft	292.87	ASPHALT	0 ft	190 ft
	45 m	3,003 m	292.48		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPLM	111.10 MHz	18 nm	112.87	-	48 ft
				33 km	112.48		48 m
29	LOC-ILS	IPLB	110.50 MHz	18 nm	292.87	-	48 ft
				33 km	292.48		48 m
11	GS	IPLM	111.10 MHz	10 nm	112.87	3.00	48 ft
				19 km	112.48		48 m
29	GS	IPLB	110.50 MHz	10 nm	292.87	3.00	48 ft
				19 km	292.48		48 m