

EGLL

London Heathrow


LCLK

Larnaca Intl

2024/05/09 0118Z

EGLL ING **UL15** BEGAR **UQ341** RESIA **Q333** BABAG **UN606** PUL **UL614** NISVA **N131** RODIP **UN131** KULAR **UL854** AYT
AYT AYT **UT336** GZP LCLK

1813.63 nm / 3358.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLL APT	-	51.47120 -0.46088	0 ft 0 m	-	London Heathrow
ING NDB	-	50.88320 1.74181	32,100 ft 9,784 m	90	SAINT INGLEVERT
LESDO FIX	UL15 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	88	-
RANUX FIX	UL15 AWY-HI	49.13890 4.36167	35,000 ft 10,668 m	57	-
NEBAX FIX	UL15 AWY-HI	48.45690 6.19444	35,000 ft 10,668 m	83	-
OBAKI FIX	UL15 AWY-HI	48.36580 6.43056	35,000 ft 10,668 m	10	-
BEGAR FIX	UL15 AWY-HI	47.90830 7.58333	35,000 ft 10,668 m	53	-
ELMUR FIX	UQ341 AWY-HI	47.15680 8.90761	35,000 ft 10,668 m	70	-
RESIA FIX	UQ341 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	61	-
UNTAD FIX	Q333 AWY-HI	46.22000 10.84280	35,000 ft 10,668 m	36	-
DIKEM FIX	Q333 AWY-HI	46.03970 11.39940	35,000 ft 10,668 m	25	-
ROKIB FIX	Q333 AWY-HI	45.93560 11.69220	35,000 ft 10,668 m	13	-
BABAG FIX	Q333 AWY-HI	45.38690 13.12690	35,000 ft 10,668 m	68	-
PEVAL FIX	UN606 AWY-HI	45.31140 13.24750	35,000 ft 10,668 m	6	-
NAKIT FIX	UN606 AWY-HI	45.18810 13.44780	35,000 ft 10,668 m	11	-
PUL VOR	UN606 AWY-HI	44.89240 13.91810	35,000 ft 10,668 m	26	PULA
DOLOM FIX	UL614 AWY-HI	44.70720 14.87610	35,000 ft 10,668 m	42	-
PALEZ FIX	UL614 AWY-HI	44.57500 15.53310	35,000 ft 10,668 m	29	-
SONIK FIX	UL614 AWY-HI	44.44830 16.14330	35,000 ft 10,668 m	27	-
ELTIB FIX	UL614 AWY-HI	44.30360 16.81640	35,000 ft 10,668 m	30	-
SOLGU FIX	UL614 AWY-HI	44.11580 17.66140	35,000 ft 10,668 m	38	-
KEB VOR	UL614 AWY-HI	43.93390 18.44980	35,000 ft 10,668 m	35	SARAJEVO
MITNO FIX	UL614 AWY-HI	43.77330 19.24170	35,000 ft 10,668 m	35	-
PESAK FIX	UL614 AWY-HI	43.71860 19.50420	35,000 ft 10,668 m	11	-
TORTO FIX	UL614 AWY-HI	43.67090 19.73130	35,000 ft 10,668 m	10	-
RAMAP FIX	UL614 AWY-HI	43.41840 20.89110	35,000 ft 10,668 m	52	-
GINAM	UL614	43.30860	35,000 ft	22	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	21.37640	10,668 m		
NISVA	UL614	42.97280	35,000 ft	65	-
FIX	AWY-HI	22.79750	10,668 m		
USALI	N131	42.30190	35,000 ft	55	-
FIX	AWY-HI	23.64560	10,668 m		
OTKOK	N131	41.99940	35,000 ft	24	-
FIX	AWY-HI	24.01250	10,668 m		
RODIP	N131	41.42080	35,000 ft	46	-
FIX	AWY-HI	24.70110	10,668 m		
IDILO	UN131	40.79060	35,000 ft	50	-
FIX	AWY-HI	25.43940	10,668 m		
BELGI	UN131	40.50000	35,000 ft	26	-
FIX	AWY-HI	25.88330	10,668 m		
CNK	UN131	40.13530	35,000 ft	33	CANAKKALE
VOR	AWY-HI	26.42750	10,668 m		
SUDES	UN131	39.76940	35,000 ft	30	-
FIX	AWY-HI	26.89330	10,668 m		
DUGLA	UN131	39.49890	35,000 ft	22	-
FIX	AWY-HI	27.22440	10,668 m		
NILER	UN131	39.08390	35,000 ft	38	-
FIX	AWY-HI	27.86970	10,668 m		
KULAR	UN131	38.58220	35,000 ft	46	-
FIX	AWY-HI	28.63280	10,668 m		
BAGLU	UL854	38.07110	35,000 ft	44	-
FIX	AWY-HI	29.32530	10,668 m		
CRD	UL854	37.79000	35,000 ft	24	CARDAK
VOR	AWY-HI	29.70400	10,668 m		
SALDA	UL854	37.55530	35,000 ft	19	-
FIX	AWY-HI	30.00030	10,668 m		
KOZLU	UL854	37.49720	35,000 ft	4	-
FIX	AWY-HI	30.07440	10,668 m		
BRONZ	UL854	37.26970	35,000 ft	18	-
FIX	AWY-HI	30.34940	10,668 m		
AYT	UL854	36.91560	35,000 ft	29	ANTALYA TACAN
DME	AWY-HI	30.78280	10,668 m		
AYT	-	36.92080	35,000 ft	0	ANTALYA
VOR	-	30.79450	10,668 m		
AYT	-	36.92140	35,000 ft	0	ANTALYA VOR-DME
DME	-	30.79690	10,668 m		
ATSUB	UT336	36.58470	30,900 ft	44	-
FIX	AWY-HI	31.62250	9,418 m		
EVKOR	UT336	36.42890	26,500 ft	20	-
FIX	AWY-HI	32.00000	8,077 m		
GZP	UT336	36.30440	23,000 ft	16	GAZIPASA
NDB	AWY-HI	32.29750	7,010 m		
LCLK	-	34.87380	0 ft	107	Larnaca Intl
APT	-	33.62400	0 m		

EGLL

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 83 ft / 25 m
Location: 51.471200 -0.460881
Magnetic Var: 0.377 E

METAR

EGLL 090050Z AUTO 20004KT 9999 NCD 11/09 Q1029 NOSIG

TAF

TAF EGLL 082257Z 0900/1006 20006KT 9999 FEW045 PROB30 0903/0907 9000 PROB30 1003/1006 6000

Frequencies

REC - 128.07 MHz - HEATHROW INFORMATION	REC - 121.92 MHz - HEATHROW INFORMATION
CLD - 121.97 MHz - HEATHROW DELIVERY	GND - 121.70 MHz - HEATHROW GROUND
GND - 121.85 MHz - HEATHROW GROUND	GND - 121.90 MHz - HEATHROW GROUND
TWR - 118.50 MHz - HEATHROW TOWER	TWR - 118.70 MHz - HEATHROW TOWER
TWR - 124.47 MHz - HEATHROW TOWER	APP - 119.72 MHz - HEATHROW DIRECTOR
APP - 120.40 MHz - HEATHROW DIRECTOR	APP - 134.97 MHz - HEATHROW DIRECTOR
APP - 125.62 MHz - HEATHROW RADAR	APP - 127.52 MHz - HEATHROW RADAR
DEP - 120.52 MHz - HEATHROW DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	164 ft	12,770 ft	89.66	ASPHALT	1,007 ft	0 ft
	50 m	3,892 m	89.28		307 m	0 m
27R	164 ft	12,770 ft	269.70	ASPHALT	0 ft	177 ft
	50 m	3,892 m	269.33		0 m	54 m
09R	164 ft	11,975 ft	89.68	ASPHALT	1,004 ft	0 ft
	50 m	3,650 m	89.30		306 m	0 m
27L	164 ft	11,975 ft	269.72	ASPHALT	0 ft	95 ft
	50 m	3,650 m	269.35		0 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IAA	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09R	DME	IBB	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27L	DME	ILL	109.50 MHz	18 nm	-	-	84 ft
				33 km	-		84 m
27R	DME	IRR	110.30 MHz	18 nm	-	-	89 ft
				33 km	-		89 m
09L	LOC-ILS	IAA	110.30 MHz	18 nm	89.68	-	83 ft
				33 km	89.30		83 m
09R	LOC-ILS	IBB	109.50 MHz	18 nm	89.70	-	83 ft
				33 km	89.32		83 m
27L	LOC-ILS	ILL	109.50 MHz	18 nm	269.70	-	83 ft
				33 km	269.32		83 m
27R	LOC-ILS	IRR	110.30 MHz	18 nm	269.68	-	83 ft
				33 km	269.30		83 m
09L	GS	IAA	110.30 MHz	10 nm	89.68	3.00	83 ft
				19 km	89.30		83 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09R	GS	IBB	109.50 MHz	10 nm	89.70	3.00	83 ft
				19 km	89.32		83 m
27L	GS	ILL	109.50 MHz	10 nm	269.70	3.00	83 ft
				19 km	269.32		83 m
27R	GS	IRR	110.30 MHz	10 nm	269.68	3.00	83 ft
				19 km	269.30		83 m

LCLK

Region: CYPRUS
Timezone: ASIA/NICOSIA
Runways: 1

Elevation: 11 ft / 3 m
Location: 34.873800 33.624000
Magnetic Var: 5.546 E

METAR

LCLK 090100Z 33005KT CAVOK 15/11 Q1013 NOSIG

TAF

TAF TAF LCLK 082330Z 0900/0924 02007KT 9999 FEW030 BECMG 0905/0908 09012KT BECMG 0917/0920 35007KT

Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.55		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.54		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.54		11 m