


EICK
Cork

LFMN
Nice Cote D Azur

2024/05/07 0600Z
EICK CHUBB MC014 R2524 LFMN
799.81 nm / 1481.24 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EICK	-	51.84143	0 ft	-	-
APT	-	-8.49570	0 m		
CHUBB	-	49.43167	0 ft	260	-
FIX	-	-2.80833	0 m		
MC014	-	46.35000	0 ft	292	-
FIX	-	2.83333	0 m		
R2524	-	43.64674	0 ft	246	-
FIX	-	7.20249	0 m		
LFMN	-	43.64661	0 ft	0	-
APT	-	7.20258	0 m		

EICK

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 501 ft / 153 m
Location: 51.842800 -8.489330
Magnetic Var: 2.581 W

METAR

EICK 070530Z 31004KT 9999 FEW014 BKN017 10/08 Q1022 NOSIG

TAF

TAF EICK 062300Z 0700/0724 34009KT 9999 FEW015 BKN025 PROB30 TEMPO 0703/0706 3000 BR BECMG 0708/0710 VRB03KT BECMG

Frequencies

REC - 120.92 MHz - CORK ATIS
TWR - 119.30 MHz - CORK TOWER

GND - 121.85 MHz - CORK GROUND
APP - 119.90 MHz - CORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	6,992 ft	159.93	ASPHALT	0 ft	0 ft
	46 m	2,131 m	162.51		0 m	0 m
34	150 ft	6,992 ft	339.94	ASPHALT	0 ft	0 ft
	46 m	2,131 m	342.52		0 m	0 m
07	148 ft	4,250 ft	62.54	CONCRETE	0 ft	0 ft
	45 m	1,295 m	65.12		0 m	0 m
25	148 ft	4,250 ft	242.55	CONCRETE	0 ft	0 ft
	45 m	1,295 m	245.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICS	109.90 MHz	18 nm	159.94	-	501 ft
				33 km	162.52		501 m
34	LOC-ILS	ICN	109.15 MHz	18 nm	339.94	-	501 ft
				33 km	342.52		501 m
16	GS	ICS	109.90 MHz	10 nm	159.94	3.00	501 ft
				19 km	162.52		501 m
34	GS	ICN	109.15 MHz	10 nm	339.94	3.00	501 ft
				19 km	342.52		501 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.735 E

METAR

LFMN 070530Z 33008KT 9999 FEW013 BKN120 14/09 Q1011 NOSIG

TAF

TAF LFMN 070200Z 0703/0809 VRB05KT CAVOK PROB40 TEMPO 0703/0706 34010KT BKN014 BECMG 0709/0711 FEW070TCU PROB40 T

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m