


2024/05/18 0434Z

VHHH CH **A202** VILAO TANGO SKN **W6** KKN **W16** CMP **W21** NOBER 1500N10000E OSUKA DWI **P762** LULDA LADER PPB
P762 KAT **G465** DOPDO VRMM

2648.98 nm / 4905.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30899	0 ft	-	Hong Kong Intl
APT	-	113.91461	0 m		
CH	-	22.21954	2,900 ft	8	CHEUNG CHAU VOR-DME
VOR	-	114.03006	884 m		
SIKOU	A202	20.84333	34,000 ft	163	-
FIX	AWY-LO	111.50000	10,363 m		
SAMAS	A202	20.50500	34,000 ft	60	-
FIX	AWY-LO	110.49500	10,363 m		
ASSAD	A202	18.34111	34,000 ft	205	-
FIX	AWY-LO	107.68139	10,363 m		
XONUS	A202	18.07000	34,000 ft	30	-
FIX	AWY-LO	107.23306	10,363 m		
DONGI	A202	17.71194	34,000 ft	39	-
FIX	AWY-LO	106.64528	10,363 m		
VILAO	A202	17.36667	34,000 ft	38	-
FIX	AWY-LO	106.08333	10,363 m		
TANGO	-	17.42500	34,000 ft	67	-
FIX	-	104.90500	10,363 m		
SKN	-	17.21414	34,000 ft	45	SAKON NAKHON VOR-DME
VOR	-	104.13676	10,363 m		
KKN	W6	16.47076	34,000 ft	89	KHON KAEN VOR-DME
VOR	AWY-LO	102.78780	10,363 m		
CMP	W16	16.63647	34,000 ft	47	CHUM PHAE VOR-DME
VOR	AWY-LO	101.98483	10,363 m		
NOBER	W21	15.27656	34,000 ft	111	-
FIX	AWY-LO	100.66833	10,363 m		
1500N10000E	-	15.00000	34,000 ft	42	-
LATLON	-	100.00000	10,363 m		
OSUKA	-	14.71491	34,000 ft	23	-
FIX	-	99.71347	10,363 m		
DWI	-	14.09819	34,000 ft	95	DAWEI VOR-DME
VOR	-	98.19967	10,363 m		
LALIT	P762	12.87333	34,000 ft	175	-
FIX	AWY-LO	95.47667	10,363 m		
LULDA	P762	12.39742	34,000 ft	68	-
FIX	AWY-LO	94.41344	10,363 m		
LADER	-	12.20000	34,000 ft	24	-
FIX	-	94.04167	10,363 m		
PPB	-	11.64967	34,000 ft	82	PORT BLAIR VOR-DME
VOR	-	92.74722	10,363 m		
DOTEN	P762	10.74275	34,000 ft	170	-
FIX	AWY-LO	89.99731	10,363 m		
BIKEN	P762	10.20583	34,000 ft	92	-
FIX	AWY-LO	88.53081	10,363 m		
ELSAR	P762	9.76833	34,000 ft	74	-
FIX	AWY-LO	87.35167	10,363 m		
XOKRO	P762	9.25167	34,000 ft	92	-
FIX	AWY-LO	85.87167	10,363 m		
DUGOS	P762	8.88508	34,000 ft	67	-
FIX	AWY-LO	84.79794	10,363 m		
ESPAP	P762	8.22833	34,000 ft	121	-
FIX	AWY-LO	82.87167	10,363 m		
CB	P762	7.57333	34,000 ft	118	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-LO	81.00000	10,363 m		
KAT	P762	7.16127	34,000 ft	71	BANDARANAIKE VOR-DME
VOR	AWY-LO	79.86850	10,363 m		
SUPSA	G465	6.78367	34,000 ft	53	-
FIX	AWY-LO	79.05223	10,363 m		
SEBLO	G465	6.00000	34,000 ft	103	-
FIX	AWY-LO	77.50000	10,363 m		
DOPDO	G465	4.54139	10,700 ft	211	-
FIX	AWY-LO	74.28944	3,261 m		
VRMM	-	4.19183	0 ft	50	MALE INTL
APT	-	73.52913	0 m		

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.239 W

METAR

VHHH 180400Z 11008KT 050V170 9999 FEW025 29/19 Q1010 NOSIG

TAF

TAF VHHH 180200Z 1803/1909 08010KT 9999 FEW020 SCT040 TX30/1806Z TX28/1906Z TN25/1822Z TEMPO 1804/1808 27010KT TS

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

VRMM

Region: MALDIVES
Timezone: INDIAN/MALDIVES
Runways: 1

Elevation: 5 ft / 2 m
Location: 4.191670 73.529200
Magnetic Var: 2.349 W

METAR

VRMM 180400Z 27020KT 250V350 9999 FEW018 FEW019CB SCT120 BKN270 31/26 Q1009 CB SE NOSIG

TAF

TAF VRMM 172300Z 1800/1906 26025KT 9999 SCT017TCU BKN110 TEMPO 1800/1806 29022G40KT 3000 TSRA SCT016CB

Frequencies

APP - 119.70 MHz - MALÉ APPROACH
GND - 121.60 MHz - MALÉ GROUND

TWR - 118.10 MHz - MALÉ TOWER
REC - 125.50 MHz - MALÉ INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,558 ft	179.06	ASPHALT	331 ft	0 ft
	45 m	3,218 m	181.41		101 m	0 m
36	148 ft	10,558 ft	359.06	ASPHALT	951 ft	59 ft
	45 m	3,218 m	1.41		290 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IML	108.70 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
36	LOC-ILS	IML	108.70 MHz	18 nm	359.09	-	3 ft
				33 km	1.44		3 m
36	GS	IML	108.70 MHz	10 nm	359.09	3.00	3 ft
				19 km	1.44		3 m