

SKBO

Bogota - El Dorado Intl


SKSM

SIMON BOLIVAR

2024/05/08 1515Z

SKBO ARMIR **G431** EJA **UG444** BOBIC **W12** ELB **W9** POTSI SKSM

388.97 nm / 720.37 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBO APT	-	4.70159 -74.14695	0 ft 0 m	-	Bogota - El Dorado Intl
ARMIR FIX	-	6.46389 -73.82556	35,000 ft 10,668 m	107	-
EJA VOR	G431 AWY-LO	7.02853 -73.80550	35,000 ft 10,668 m	33	BARRANCABERMEJA VOR-DME
BOBIC FIX	UG444 AWY-HI	8.04611 -73.88694	34,000 ft 10,363 m	61	-
ELB VOR	W12 AWY-LO	9.04528 -73.96722	26,900 ft 8,199 m	60	EL BANCO VOR-DME
POTSI FIX	W9 AWY-LO	10.09722 -74.01333	12,400 ft 3,780 m	63	-
SKSM APT	-	11.11965 -74.23065	0 ft 0 m	62	SIMON BOLIVAR

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.192 W

METAR

SKBO 081500Z 13005KT 9999 SCT023 20/12 Q1027 NOSIG

TAF

TAF SKBO 081030Z 0812/0912 VRB02KT 9999 SCT017 BECMG 0817/0819 26010KT PROB40 TEMPO 0821/0824 DZRA SCT015CB TX24/

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m