


2024/05/03 0934Z

AGGH TEMAT **R450** DUGOM MOK -600S15200E -600S15100E -600S15000E -500S14900E -500S14800E  
-500S14700E -400S14600E -400S14500E -300S14400E -200S14300E -200S14200E -100S14100E -100S14000E  
000N13900E 100N13800E 200N13700E 200N13600E 200N13500E 200N13400E MIMIK **B462** SADOK BANWA PONSO  
**G578** MCT **TR2** BCD **TR7** POTON BARBA **W3** LBG EXORA **M765** REKEL **A583** IBOBI **L628** PCA **G474** MUMGA PLK **B202**  
UBL UBL **G473** CMP CMP **W16** CMA **R207** MDY **B465** CEA CEA **A791** JJS **B209** KKJ **J1** JJP JJP **L333** TIGER **G202**  
RK **J173** SK **G214** PG PG **G665** ASVIB **N312** KHM **A453** LVA **Z350** DURS **B416** KUVR OETN

7264.69 nm / 13454.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
AGGH	-	-9.42824	0 ft	-	HONIARA INTL
APT	-	160.05400	0 m		
TEMAT	-	-8.45431	35,000 ft	100	-
FIX	-	158.67200	10,668 m		
DUGOM	R450	-6.54500	35,000 ft	193	-
FIX	AWY-HI	156.04800	10,668 m		
MOK	-	-6.40333	35,000 ft	149	-
FIX	-	153.55300	10,668 m		
-600S15200E	-	-6.00000	35,000 ft	95	-
LATLON	-	152.00000	10,668 m		
-600S15100E	-	-6.00000	35,000 ft	59	-
LATLON	-	151.00000	10,668 m		
-600S15000E	-	-6.00000	35,000 ft	59	-
LATLON	-	150.00000	10,668 m		
-500S14900E	-	-5.00000	35,000 ft	84	-
LATLON	-	149.00000	10,668 m		
-500S14800E	-	-5.00000	35,000 ft	59	-
LATLON	-	148.00000	10,668 m		
-500S14700E	-	-5.00000	35,000 ft	59	-
LATLON	-	147.00000	10,668 m		
-400S14600E	-	-4.00000	35,000 ft	84	-
LATLON	-	146.00000	10,668 m		
-400S14500E	-	-4.00000	35,000 ft	59	-
LATLON	-	145.00000	10,668 m		
-300S14400E	-	-3.00000	35,000 ft	84	-
LATLON	-	144.00000	10,668 m		
-200S14300E	-	-2.00000	35,000 ft	84	-
LATLON	-	143.00000	10,668 m		
-200S14200E	-	-2.00000	35,000 ft	60	-
LATLON	-	142.00000	10,668 m		
-100S14100E	-	-1.00000	35,000 ft	84	-
LATLON	-	141.00000	10,668 m		
-100S14000E	-	-1.00000	35,000 ft	60	-
LATLON	-	140.00000	10,668 m		
000N13900E	-	0.00000	35,000 ft	84	-
LATLON	-	139.00000	10,668 m		
100N13800E	-	1.00000	35,000 ft	84	-
LATLON	-	138.00000	10,668 m		
200N13700E	-	2.00000	35,000 ft	84	-
LATLON	-	137.00000	10,668 m		
200N13600E	-	2.00000	35,000 ft	60	-
LATLON	-	136.00000	10,668 m		
200N13500E	-	2.00000	35,000 ft	60	-
LATLON	-	135.00000	10,668 m		
200N13400E	-	2.00000	35,000 ft	60	-
LATLON	-	134.00000	10,668 m		
MIMIK	-	2.00000	35,000 ft	43	-
FIX	-	133.28300	10,668 m		
BIDOR	B462	4.00000	35,000 ft	160	-
FIX	AWY-HI	131.50000	10,668 m		
POXEL	B462	4.65252	35,000 ft	52	-
FIX	AWY-HI	130.92700	10,668 m		
SADOK	B462	10.92200	35,000 ft	503	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	125.31100	10,668 m		
BANWA	-	10.82160	35,000 ft	13	-
FIX	-	125.10900	10,668 m		
PONSO	-	10.87230	35,000 ft	29	-
FIX	-	124.61800	10,668 m		
KAWIT	G578	10.77190	35,000 ft	8	-
FIX	AWY-HI	124.50500	10,668 m		
PACIN	G578	10.59310	35,000 ft	16	-
FIX	AWY-HI	124.30300	10,668 m		
MCT	G578	10.31360	35,000 ft	25	MACTAN (LAPU-LAPU)
VOR	AWY-HI	123.98800	10,668 m		
MCT10	TR2	10.38650	35,000 ft	9	-
FIX	AWY-HI	123.83600	10,668 m		
SANGI	TR2	10.43020	35,000 ft	5	-
FIX	AWY-HI	123.74500	10,668 m		
CARLO	TR2	10.63190	35,000 ft	27	-
FIX	AWY-HI	123.32200	10,668 m		
KANON	TR2	10.67750	35,000 ft	6	-
FIX	AWY-HI	123.22600	10,668 m		
BCD	TR2	10.77530	35,000 ft	13	BACOLOD
VOR	AWY-HI	123.02100	10,668 m		
POTON	TR7	11.04000	35,000 ft	31	-
FIX	AWY-HI	122.56300	10,668 m		
BARBA	-	11.06130	35,000 ft	16	-
FIX	-	122.27900	10,668 m		
SAJ	W3	12.36030	35,000 ft	106	SAN JOSE
VOR	AWY-HI	121.04300	10,668 m		
TELEN	W3	12.88830	35,000 ft	37	-
FIX	AWY-HI	120.71400	10,668 m		
OLRAX	W3	13.31620	35,000 ft	30	-
FIX	AWY-HI	120.44600	10,668 m		
LBG	W3	13.85410	35,000 ft	37	LUBANG
VOR	AWY-HI	120.10700	10,668 m		
EXORA	-	14.05970	35,000 ft	18	-
FIX	-	119.88200	10,668 m		
REKEL	M765	13.59040	35,000 ft	73	-
FIX	AWY-HI	118.70900	10,668 m		
IBOBI	A583	14.31170	35,000 ft	48	-
FIX	AWY-HI	118.33600	10,668 m		
GUKUM	L628	14.19560	35,000 ft	82	-
FIX	AWY-HI	116.91700	10,668 m		
ARESI	L628	13.97330	35,000 ft	144	-
FIX	AWY-HI	114.45000	10,668 m		
MESOX	L628	13.98000	35,000 ft	81	-
FIX	AWY-HI	113.04500	10,668 m		
DAMEL	L628	13.97830	35,000 ft	89	-
FIX	AWY-HI	111.51000	10,668 m		
VEPAM	L628	13.96670	35,000 ft	88	-
FIX	AWY-HI	110.00000	10,668 m		
VIMUT	L628	13.96250	35,000 ft	27	-
FIX	AWY-HI	109.52100	10,668 m		
PCA	L628	13.95720	35,000 ft	27	PHU CAT
VOR	AWY-HI	109.04300	10,668 m		
MUMGA	G474	14.00000	35,000 ft	51	-
FIX	AWY-HI	108.15400	10,668 m		
PLK	-	14.00600	35,000 ft	7	PLEIKU

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	-	108.02400	10,668 m		
BOMPA	B202	14.33330	35,000 ft	41	-
FIX	AWY-HI	107.40000	10,668 m		
PAK	B202	15.19670	35,000 ft	109	PAKSE
VOR	AWY-HI	105.73800	10,668 m		
UBL	B202	15.26330	35,000 ft	49	UBON TACAN
DME	AWY-HI	104.88300	10,668 m		
UBL	-	15.24520	35,000 ft	1	UBON (UBON RATCHATHANI)
VOR	-	104.86600	10,668 m		
CMP	G473	16.63500	35,000 ft	185	CHUM PHAE
VOR	AWY-HI	101.98800	10,668 m		
CMP	-	16.63650	35,000 ft	0	CHUM PHAE VOR-DME
DME	-	101.98500	10,668 m		
UTTAR	W16	17.71800	35,000 ft	109	-
FIX	AWY-HI	100.45200	10,668 m		
CMA	W16	18.76610	35,000 ft	105	CHIANG MAI
VOR	AWY-HI	98.96120	10,668 m		
MACHI	R207	19.21850	35,000 ft	35	-
FIX	AWY-HI	98.56290	10,668 m		
SISUK	R207	19.80110	35,000 ft	45	-
FIX	AWY-HI	98.04520	10,668 m		
MDY	R207	21.93430	35,000 ft	167	MANDALAY
VOR	AWY-HI	96.12980	10,668 m		
70MDY	B465	22.17860	35,000 ft	172	-
FIX	AWY-HI	93.04860	10,668 m		
APAGO	B465	22.20310	35,000 ft	22	-
FIX	AWY-HI	92.64940	10,668 m		
AVDAX	B465	22.22580	35,000 ft	20	-
FIX	AWY-HI	92.27360	10,668 m		
CTG	B465	22.25770	35,000 ft	24	CHATTOGRAM
VOR	AWY-HI	91.82750	10,668 m		
DAKID	B465	22.30920	35,000 ft	25	-
FIX	AWY-HI	91.38060	10,668 m		
SUMAG	B465	22.59420	35,000 ft	136	-
FIX	AWY-HI	88.94060	10,668 m		
CEA	B465	22.64520	35,000 ft	27	KOLKATA VOR-DME
DME	AWY-HI	88.45290	10,668 m		
CEA	-	22.67600	35,000 ft	1	KOLKATA
VOR	-	88.44810	10,668 m		
JJS	A791	22.81320	35,000 ft	126	JAMSHEDPUR
VOR	AWY-HI	86.17390	10,668 m		
LAPAN	B209	23.73190	35,000 ft	160	-
FIX	AWY-HI	83.43560	10,668 m		
VILOP	B209	24.19220	35,000 ft	83	-
FIX	AWY-HI	81.99810	10,668 m		
KKJ	B209	24.81490	35,000 ft	119	KHAJURAHO VOR-DME
DME	AWY-HI	79.91870	10,668 m		
MEMID	J1	25.60860	35,000 ft	100	-
FIX	AWY-HI	78.29860	10,668 m		
BAVOX	J1	26.14190	35,000 ft	66	-
FIX	AWY-HI	77.21560	10,668 m		
INTIL	J1	26.46420	35,000 ft	40	-
FIX	AWY-HI	76.54470	10,668 m		
JJP	J1	26.82590	35,000 ft	43	JAIPUR
VOR	AWY-HI	75.83840	10,668 m		
JJP	-	26.82490	35,000 ft	2	JAIPUR VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DME	-	75.80070	10,668 m		
ELMON	L333	27.05940	35,000 ft	28	-
FIX	AWY-HI	75.33220	10,668 m		
KABEL	L333	27.73330	35,000 ft	89	-
FIX	AWY-HI	73.83780	10,668 m		
TIGER	L333	28.48060	35,000 ft	95	-
FIX	AWY-HI	72.24830	10,668 m		
RK	G202	28.36560	35,000 ft	104	RAHIM YAR KHAN
VOR	AWY-HI	70.27320	10,668 m		
SK	J173	27.72230	35,000 ft	87	SUKKUR
NDB	AWY-HI	68.79610	10,668 m		
IDEBA	G214	27.45830	35,000 ft	85	-
FIX	AWY-HI	67.22720	10,668 m		
PG	G214	26.95280	35,000 ft	167	PANJGUR
VOR	AWY-HI	64.13700	10,668 m		
PG	-	26.95560	35,000 ft	0	PANJGUR VOR-DME
DME	-	64.12530	10,668 m		
ASVIB	G665	26.95670	35,000 ft	44	-
FIX	AWY-HI	63.30330	10,668 m		
VAXIP	N312	26.71310	35,000 ft	143	-
FIX	AWY-HI	60.63250	10,668 m		
SOLUV	N312	26.69920	35,000 ft	20	-
FIX	AWY-HI	60.25920	10,668 m		
DUGLI	N312	26.67060	35,000 ft	36	-
FIX	AWY-HI	59.57530	10,668 m		
NOVSU	N312	26.56860	35,000 ft	103	-
FIX	AWY-HI	57.64690	10,668 m		
BONIK	N312	26.74560	35,000 ft	65	-
FIX	AWY-HI	56.44750	10,668 m		
MOBET	N312	26.73500	35,000 ft	15	-
FIX	AWY-HI	56.15220	10,668 m		
KHM	N312	26.76310	35,000 ft	13	GHESHM ISLAND
NDB	AWY-HI	55.90770	10,668 m		
SERDU	A453	26.78750	35,000 ft	50	-
FIX	AWY-HI	54.96580	10,668 m		
LVA	A453	26.81210	35,000 ft	86	LAVAN ISLAND
VOR	AWY-HI	53.35590	10,668 m		
DURSI	Z350	27.20530	35,000 ft	74	-
FIX	AWY-HI	52.02890	10,668 m		
IMDAT	B416	27.68330	29,300 ft	53	-
FIX	AWY-HI	51.18330	8,931 m		
KUVER	B416	28.15690	15,500 ft	64	-
FIX	AWY-HI	50.10000	4,724 m		
OETN	-	27.86780	0 ft	72	RAS TANAJIB
APT	-	48.76910	0 m		

## OETN

Region: SAUDI ARABIA  
Timezone: ASIA/RIYADH  
Runways: 1

Elevation: 30 ft / 9 m  
Location: 27.867800 48.769100  
Magnetic Var: 3.572 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

COM - 122.40 MHz - CTAF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	98 ft	8,047 ft	154.32	ASPHALT	0 ft	215 ft
	30 m	2,453 m	150.75		0 m	66 m
33	98 ft	8,047 ft	334.32	ASPHALT	0 ft	215 ft
	30 m	2,453 m	330.75		0 m	66 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-ILS	ITJB	108.50 MHz	18 nm	334.62	-	30 ft
				33 km	331.04		30 m
33	GS	ITJB	108.50 MHz	10 nm	334.64	3.00	30 ft
				19 km	331.07		30 m