

# LIRQ

Firenze-Peretola "Amerigo Vespucci"


# LIRP

Pisa-San Giusto "Galileo Galilei"

2024/05/03 1003Z

LIRQ PRT LIRP

35.94 nm / 66.57 km



## Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 220kts
- Cruise Altitude: 3500ft
- Cruise Speed: 200kts
- Descent Rate: 1550ft/min
- Descent Speed: 180kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIRQ	-	43.81000	0 ft	-	Firenze-Peretola	"Amerigo Vespucci"
APT	-	11.20510	0 m			
PRT	-	43.80980	100 ft	0	PERETOLA	(FLORENCE)
VOR	-	11.20050	30 m			
LIRP	-	43.68280	0 ft	35	Pisa-San Giusto	"Galileo Galilei"
APT	-	10.39560	0 m			

## LIRQ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 142 ft / 43 m  
Location: 43.810000 11.205100  
Magnetic Var: 3.576 E

## METAR

LIRQ 030920Z VRB04KT 9999 FEW025 SCT050 15/09 Q1012

## TAF

TAF LIRQ 030500Z 0306/0406 VRB05KT 9999 BKN025 TEMPO 0306/0315 4000 SHRA BECMG 0309/0311 24010KT BECMG 0317/0319 V

## Frequencies

REC - 129.35 MHz - ATIS  
TWR - 122.10 MHz - FIRENZE TOWER  
TWR - 118.30 MHz - FIRENZE TOWER  
APP - 125.82 MHz - FIRENZE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	98 ft	5,123 ft	48.10	ASPHALT	338 ft	0 ft
	30 m	1,561 m	44.53		103 m	0 m
23	98 ft	5,123 ft	228.11	ASPHALT	1,903 ft	0 ft
	30 m	1,561 m	224.54		580 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IFZ	110.30 MHz	18 nm	-	-	144 ft
				33 km	-		144 m
05	LOC-ILS	IFZ	110.30 MHz	18 nm	48.10	-	131 ft
				33 km	44.53		131 m
05	GS	IFZ	110.30 MHz	10 nm	47.00	3.00	144 ft
				19 km	43.42		144 m

## LIRP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 43.682800 10.395600  
Magnetic Var: 3.406 E

## METAR

LIRP 030915Z 30004KT 9999 SCT020 14/11 Q1011 NOSIG

## TAF

TAF LIRP 030500Z 0306/0406 10004KT 9999 FEW020 BECMG 0308/0310 27010KT PROB30 TEMPO 0400/0405 3000 MIFG SCT010

## Frequencies

GND - 121.60 MHz - PISA GROUND  
TWR - 119.10 MHz - PISA TOWER  
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER  
APP - 124.27 MHz - PISA APPROACH  
APP - 126.07 MHz - PISA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.31		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.36		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m