

# OPKC

Karachi Jinnah Intl


# VIDP

Indira Gandhi Intl

2024/06/03 0614Z

OPKC NH J112 RK G202 TIGER G452 LKA LKA G452 CHI VIDP

633.23 nm / 1172.74 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OPKC	-	24.90660	0 ft	-	Karachi Jinnah Intl
APT	-	67.16080	0 m		
NH	-	26.21760	35,000 ft	102	NAWABSHAH
VOR	-	68.38580	10,668 m		
BIMLA	J112	26.60560	35,000 ft	29	-
FIX	AWY-HI	68.71670	10,668 m		
ZOHAR	J112	27.26690	35,000 ft	49	-
FIX	AWY-HI	69.28330	10,668 m		
RK	J112	28.36560	35,000 ft	84	RAHIM YAR KHAN
VOR	AWY-HI	70.27320	10,668 m		
TIGER	G202	28.48060	35,000 ft	104	-
FIX	AWY-HI	72.24830	10,668 m		
LKA	G452	28.17950	34,700 ft	100	ESDEM VOR-DME
DME	AWY-HI	74.10920	10,577 m		
LKA	-	28.18890	34,500 ft	0	LKA
VOR	-	74.11140	10,516 m		
CHI	G452	28.35000	5,600 ft	135	CHILLARKI
VOR	AWY-HI	76.65890	1,707 m		
VIDP	-	28.55850	0 ft	26	Indira Gandhi Intl
APT	-	77.09790	0 m		

## OPKC

Region: PAKISTAN  
Timezone: ASIA/KARACHI  
Runways: 2

Elevation: 100 ft / 30 m  
Location: 24.906600 67.160800  
Magnetic Var: 1.471 E

## METAR

OPKC 030600Z 22014KT 6000 SCT030 33/22 Q1006 NOSIG

## TAF

TAF OPKC 030500Z 0306/0412 26010G20KT 6000 SCT030 BECMG 0316/0318 25010KT 6000 SCT030 BECMG 0401/0403 26008KT 5000

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.80 MHz - KARACHI TOWER  
APP - 125.50 MHz - KARACHI APPROACH  
GND - 121.60 MHz - KARACHI GROUND  
COM - 119.22 MHz - KARACHI UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	151 ft	11,140 ft	74.39	CONCRETE	0 ft	991 ft
	46 m	3,396 m	72.92		0 m	302 m
25L	151 ft	11,140 ft	254.41	CONCRETE	0 ft	627 ft
	46 m	3,396 m	252.94		0 m	191 m
07L	151 ft	10,494 ft	74.39	CONCRETE	0 ft	1,001 ft
	46 m	3,199 m	72.92		0 m	305 m
25R	151 ft	10,494 ft	254.40	CONCRETE	0 ft	994 ft
	46 m	3,199 m	252.93		0 m	303 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IKC	109.70 MHz	18 nm	-	-	156 ft
				33 km	-		156 m
25L	LOC-ILS	IQA	109.70 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25R	LOC-ILS	IKC	110.10 MHz	18 nm	254.40	-	100 ft
				33 km	252.93		100 m
25L	GS	IQA	109.70 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m
25R	GS	IKC	110.10 MHz	10 nm	254.40	3.00	100 ft
				19 km	252.93		100 m

## VIDP

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 3

Elevation: 778 ft / 237 m  
Location: 28.558500 77.097900  
Magnetic Var: 1.604 E

## METAR

VIDP 030600Z 30007KT 5000 HZ NSC 40/15 Q1004 NOSIG

## TAF

TAF VIDP 022300Z 0300/0406 24004KT 3500 HZ FEW100 BECMG 0304/0306 31008G18KT 4000 HZ FEW030 SCT100 TEMPO 0309/0314

## Frequencies

REC - 126.40 MHz - DELHI ATIS  
TWR - 118.10 MHz - DELHI TOWER  
APP - 124.20 MHz - DELHI APPROACH  
GND - 121.90 MHz - DELHI GROUND  
APP - 126.35 MHz - DELHI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.08		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m