

# LTAC

Ankara Esenboga International Airport


# LTCE

ERZURUM

2024/05/16 0324Z

LTAC GURBU UA4 EZN LTCE

378.66 nm / 701.27 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LTAC	-	40.12810	0 ft	-		Ankara Esenboga International Airport
APT	-	32.99500	0 m			
GURBU	-	40.16830	13,700 ft	38	-	
FIX	-	33.83280	4,176 m			
TIMOP	UA4	39.99190	35,000 ft	71	-	
FIX	AWY-HI	35.36110	10,668 m			
ENFOR	UA4	39.87390	35,000 ft	42	-	
FIX	AWY-HI	36.27470	10,668 m			
OLPOT	UA4	39.86120	35,000 ft	4	-	
FIX	AWY-HI	36.36060	10,668 m			
SIV	UA4	39.78970	35,000 ft	24	SIVAS	
VOR	AWY-HI	36.89340	10,668 m			
OTSOV	UA4	39.83290	35,000 ft	24	-	
FIX	AWY-HI	37.43120	10,668 m			
UTURI	UA4	39.87360	31,500 ft	25	-	
FIX	AWY-HI	37.97470	9,601 m			
EZN	UA4	39.93720	22,500 ft	42	VABEL	
VOR	AWY-HI	38.88700	6,858 m			
LTCE	-	39.95660	0 ft	105	ERZURUM	
APT	-	41.17020	0 m			

## LTAC

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 2

Elevation: 3,125 ft / 953 m  
Location: 40.128100 32.995000  
Magnetic Var: 6.322 E

## METAR

LTAC 160250Z 00000KT CAVOK 08/05 Q1018 NOSIG

## TAF

TAF LTAC 152240Z 1600/1624 VRB02KT CAVOK BECMG 1602/1604 FEW040 SCT100 BECMG 1607/1609 27012KT BECMG 1614/1617 VR

## Frequencies

REC - 123.60 MHz - D-ATIS  
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER  
APP - 119.10 MHz - ESENBOA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.74		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.78		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.29		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.76		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.68		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.07		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.28		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.28		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.07		3,125 m

## LTCE

Region: TURKEY  
Timezone: EUROPE/ISTANBUL  
Runways: 2

Elevation: 5,765 ft / 1,757 m  
Location: 39.956600 41.170200  
Magnetic Var: 6.638 E

## METAR

LTCE 160250Z VRB02KT 9999 SCT035 BKN070 02/01 Q1020 NOSIG

## TAF

TAF LTCE 152240Z 1600/1624 VRB02KT 9999 SCT035 BKN070 PROB30 TEMPO 1607/1610 -SHRA BECMG 1610/1611 25014KT FEW025

## Frequencies

GND - 121.90 MHz - ERZURUM GROUND  
TWR - 124.30 MHz - ERZURUM TOWER  
APP - 118.70 MHz - ERZURUM APPROACH

APP - 124.30 MHz - ERZURUM APPROACH  
TWR - 118.70 MHz - ERZURUM TOWER  
REC - 119.80 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	98 ft	12,513 ft	88.06	CONCRETE	0 ft	0 ft
	30 m	3,814 m	81.42		0 m	0 m
26L	98 ft	12,513 ft	268.09	CONCRETE	0 ft	0 ft
	30 m	3,814 m	261.45		0 m	0 m
08L	148 ft	12,494 ft	88.04	CONCRETE	0 ft	0 ft
	45 m	3,808 m	81.40		0 m	0 m
26R	148 ft	12,494 ft	268.07	CONCRETE	0 ft	0 ft
	45 m	3,808 m	261.43		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26R	LOC-ILS	IERZ	110.50 MHz	18 nm	267.67	-	5,763 ft
				33 km	261.03		5,763 m
26R	GS	IERZ	110.50 MHz	10 nm	268.11	3.20	5,763 ft
				19 km	261.48		5,763 m