


2024/05/29 0116Z

AGGM -700S15700E KAKOP **A597** TAPOP **Y46** CANDY MIRIO TANTA SHION ALISA SOUJA **Y324** STAGE DANJU **G597**  
BIKSI 3800N12800E CONAR **W3** JENAM **B332** SOKGE GASAN **A345** GOLOT DDG **A345** TELOK **A810** AGINO **A91** KTN  
**A920** OMITA **G490** SEVIK **R121** DUBES **R117** URAMI **R813** NETLU **A834** MILPI **A491** ABEDO **R30** KERIS **G722** MEGAS  
TUKMA **M985** VALGA **M155** ASKOR **L733** OTVOV EPCE

7656.86 nm / 14180.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
AGGM	-	-8.32696	0 ft	-	MUNDA
APT	-	157.26300	0 m		
-700S15700E	-	-7.00000	29,000 ft	81	-
LATLON	-	157.00000	8,839 m		
KAKOP	-	-5.61833	35,000 ft	91	-
FIX	-	157.65000	10,668 m		
ADBON	A597	0.00003	35,000 ft	394	-
FIX	AWY-HI	154.22800	10,668 m		
OKOLE	A597	6.06667	35,000 ft	426	-
FIX	AWY-HI	150.51700	10,668 m		
GALSS	A597	10.46170	35,000 ft	309	-
FIX	AWY-HI	147.79200	10,668 m		
JUNIE	A597	11.54740	35,000 ft	76	-
FIX	AWY-HI	147.10800	10,668 m		
OPLAR	A597	12.39760	35,000 ft	80	-
FIX	AWY-HI	146.05700	10,668 m		
GUMGE	A597	13.08540	35,000 ft	65	-
FIX	AWY-HI	145.19800	10,668 m		
UNZ	A597	13.45450	35,000 ft	35	NIMITZ
VOR	AWY-HI	144.73300	10,668 m		
WUVEN	A597	14.05620	35,000 ft	40	-
FIX	AWY-HI	144.43300	10,668 m		
REEDE	A597	14.95000	35,000 ft	59	-
FIX	AWY-HI	143.98300	10,668 m		
RICHH	A597	17.19690	35,000 ft	150	-
FIX	AWY-HI	142.82000	10,668 m		
MONPI	A597	21.00000	35,000 ft	260	-
FIX	AWY-HI	140.60000	10,668 m		
ASEDA	A597	25.00430	35,000 ft	253	-
FIX	AWY-HI	139.15900	10,668 m		
TAXON	A597	30.00380	35,000 ft	317	-
FIX	AWY-HI	137.23900	10,668 m		
BUBDO	A597	31.43200	35,000 ft	90	-
FIX	AWY-HI	136.65400	10,668 m		
TAPOP	A597	32.33810	35,000 ft	57	-
FIX	AWY-HI	136.27300	10,668 m		
ALBAT	Y46	33.36450	35,000 ft	74	-
FIX	AWY-HI	135.44200	10,668 m		
KISEI	Y46	33.46780	35,000 ft	8	-
FIX	AWY-HI	135.32900	10,668 m		
EVERT	Y46	33.65700	35,000 ft	15	-
FIX	AWY-HI	135.13300	10,668 m		
CANDY	Y46	33.87490	35,000 ft	16	-
FIX	AWY-HI	134.92800	10,668 m		
MIRIO	-	34.00150	35,000 ft	13	-
FIX	-	134.70900	10,668 m		
TANTA	-	34.26800	35,000 ft	20	-
FIX	-	134.45800	10,668 m		
SHION	-	34.42840	35,000 ft	12	-
FIX	-	134.28300	10,668 m		
ALISA	-	34.51180	35,000 ft	8	-
FIX	-	134.13400	10,668 m		
SOUJA	-	34.62740	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	133.74000	10,668 m		
YAKMO	Y324	35.50340	35,000 ft	70	-
FIX	AWY-HI	132.78000	10,668 m		
STAGE	Y324	35.58100	35,000 ft	6	-
FIX	AWY-HI	132.69300	10,668 m		
DANJU	-	35.62610	35,000 ft	6	-
FIX	-	132.57800	10,668 m		
LANAT	G597	36.37320	35,000 ft	71	-
FIX	AWY-HI	131.42800	10,668 m		
AGSUS	G597	36.75580	35,000 ft	42	-
FIX	AWY-HI	130.67900	10,668 m		
PILIT	G597	37.44190	35,000 ft	78	-
FIX	AWY-HI	129.29200	10,668 m		
KAE	G597	37.70070	35,000 ft	29	GANGWON
VOR	AWY-HI	128.75400	10,668 m		
BIKSI	G597	37.67560	35,000 ft	8	-
FIX	AWY-HI	128.58400	10,668 m		
3800N12800E	-	38.00000	35,000 ft	33	-
LATLON	-	128.00000	10,668 m		
CONAR	-	39.36470	35,000 ft	89	-
FIX	-	127.21300	10,668 m		
JENAM	W3	39.73000	35,000 ft	47	-
FIX	AWY-HI	126.29900	10,668 m		
SOKGE	B332	39.73170	35,000 ft	28	-
FIX	AWY-HI	125.68300	10,668 m		
GASAN	-	39.73190	35,000 ft	10	-
FIX	-	125.44500	10,668 m		
GOLOT	A345	40.20830	35,000 ft	51	-
FIX	AWY-HI	124.50800	10,668 m		
DDG	-	40.26000	35,000 ft	10	DANDONG VOR-DME
DME	-	124.28800	10,668 m		
ANSUK	A345	41.04830	35,000 ft	47	-
FIX	AWY-HI	124.19300	10,668 m		
BIDIB	A345	41.40670	35,000 ft	21	-
FIX	AWY-HI	124.16300	10,668 m		
EKVOK	A345	41.82330	35,000 ft	25	-
FIX	AWY-HI	124.11000	10,668 m		
KYU	A345	42.63170	35,000 ft	48	KAIYUAN
VOR	AWY-HI	124.00700	10,668 m		
UGRUP	A345	43.61500	35,000 ft	68	-
FIX	AWY-HI	123.19800	10,668 m		
DULEX	A345	43.93830	35,000 ft	22	-
FIX	AWY-HI	122.92800	10,668 m		
APUKO	A345	44.89500	35,000 ft	67	-
FIX	AWY-HI	122.11800	10,668 m		
IKITI	A345	45.91500	35,000 ft	71	-
FIX	AWY-HI	121.23500	10,668 m		
ELPUN	A345	46.30670	35,000 ft	24	-
FIX	AWY-HI	121.07200	10,668 m		
ABVAX	A345	47.46000	35,000 ft	72	-
FIX	AWY-HI	120.59000	10,668 m		
HLD	A345	49.20330	35,000 ft	109	HAILAR
VOR	AWY-HI	119.82200	10,668 m		
KAGAK	A345	49.26670	35,000 ft	67	-
FIX	AWY-HI	118.10000	10,668 m		
MANLI	A345	49.58330	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	117.45000	10,668 m		
TELOK	A345	49.63330	35,000 ft	4	-
FIX	AWY-HI	117.36700	10,668 m		
BADEK	A810	50.14560	35,000 ft	39	-
FIX	AWY-HI	116.74700	10,668 m		
NAREM	A810	50.38390	35,000 ft	18	-
FIX	AWY-HI	116.45100	10,668 m		
NEKLU	A810	50.58060	35,000 ft	22	-
FIX	AWY-HI	115.96100	10,668 m		
AGINO	A810	51.10060	35,000 ft	62	-
FIX	AWY-HI	114.53400	10,668 m		
LASAD	A91	51.61310	35,000 ft	39	-
FIX	AWY-HI	113.86300	10,668 m		
KTN	A91	52.02440	35,000 ft	32	KADALA (CHITA)
VOR	AWY-HI	113.30800	10,668 m		
ALUMI	A920	53.63720	35,000 ft	153	-
FIX	AWY-HI	110.01500	10,668 m		
MOPON	A920	54.24970	35,000 ft	60	-
FIX	AWY-HI	108.64100	10,668 m		
ARNAB	A920	54.63780	35,000 ft	39	-
FIX	AWY-HI	107.72900	10,668 m		
NIRUN	A920	54.81970	35,000 ft	18	-
FIX	AWY-HI	107.29000	10,668 m		
GOGIL	A920	55.16720	35,000 ft	36	-
FIX	AWY-HI	106.43000	10,668 m		
LUPIT	A920	55.33360	35,000 ft	17	-
FIX	AWY-HI	106.00700	10,668 m		
NAROB	A920	55.36640	35,000 ft	3	-
FIX	AWY-HI	105.92300	10,668 m		
ABLAS	A920	55.70220	35,000 ft	36	-
FIX	AWY-HI	105.04400	10,668 m		
UBORA	A920	55.91720	35,000 ft	23	-
FIX	AWY-HI	104.45100	10,668 m		
OSNIK	A920	56.74810	35,000 ft	95	-
FIX	AWY-HI	102.01700	10,668 m		
OMITA	A920	57.68060	35,000 ft	114	-
FIX	AWY-HI	98.96000	10,668 m		
BARIK	G490	58.37720	35,000 ft	65	-
FIX	AWY-HI	97.36970	10,668 m		
ADASO	G490	59.24720	35,000 ft	74	-
FIX	AWY-HI	95.67470	10,668 m		
TIKUS	G490	59.43390	35,000 ft	16	-
FIX	AWY-HI	95.27140	10,668 m		
PEDAN	G490	59.59720	35,000 ft	14	-
FIX	AWY-HI	94.91140	10,668 m		
TALOD	G490	59.96720	35,000 ft	32	-
FIX	AWY-HI	94.11140	10,668 m		
KULIM	G490	60.12000	35,000 ft	13	-
FIX	AWY-HI	93.76170	10,668 m		
SEVIK	G490	60.41720	35,000 ft	27	-
FIX	AWY-HI	93.06640	10,668 m		
DUBES	R121	61.12220	35,000 ft	132	-
FIX	AWY-HI	88.77280	10,668 m		
KUMIR	R117	61.76720	35,000 ft	154	-
FIX	AWY-HI	83.54920	10,668 m		
RINOB	R117	62.14190	35,000 ft	165	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	77.73610	10,668 m		
URAMI	R117	62.15890	35,000 ft	11	-
FIX	AWY-HI	77.32890	10,668 m		
ATBAR	R813	62.41220	35,000 ft	154	-
FIX	AWY-HI	71.81860	10,668 m		
SORLI	R813	62.46720	35,000 ft	160	-
FIX	AWY-HI	66.03170	10,668 m		
NETLU	R813	62.48390	35,000 ft	30	-
FIX	AWY-HI	64.92830	10,668 m		
OGROM	A834	62.47830	35,000 ft	148	-
FIX	AWY-HI	59.58440	10,668 m		
GISAN	A834	62.18360	35,000 ft	197	-
FIX	AWY-HI	52.51780	10,668 m		
AKADA	A834	61.80030	35,000 ft	123	-
FIX	AWY-HI	48.22780	10,668 m		
SUPEG	A834	61.41190	35,000 ft	121	-
FIX	AWY-HI	44.05780	10,668 m		
VESUR	A834	61.14830	35,000 ft	66	-
FIX	AWY-HI	41.80280	10,668 m		
UPERA	A834	60.94780	35,000 ft	43	-
FIX	AWY-HI	40.37830	10,668 m		
OTLAS	A834	60.67190	35,000 ft	54	-
FIX	AWY-HI	38.58830	10,668 m		
MILPI	A834	60.48970	35,000 ft	34	-
FIX	AWY-HI	37.49140	10,668 m		
USONU	A491	60.28030	35,000 ft	23	-
FIX	AWY-HI	36.83780	10,668 m		
ABEDO	A491	59.96830	35,000 ft	35	-
FIX	AWY-HI	35.83280	10,668 m		
KERIS	R30	59.81560	35,000 ft	105	-
FIX	AWY-HI	32.33830	10,668 m		
NASBI	G722	59.31310	35,000 ft	68	-
FIX	AWY-HI	30.29920	10,668 m		
MEGAS	G722	58.80030	35,000 ft	95	-
FIX	AWY-HI	27.38280	10,668 m		
TUKMA	-	58.73860	35,000 ft	8	-
FIX	-	27.14140	10,668 m		
ULKOX	M985	58.52250	35,000 ft	16	-
FIX	AWY-HI	26.80580	10,668 m		
OSLIK	M985	57.98580	35,000 ft	39	-
FIX	AWY-HI	26.08860	10,668 m		
VALGA	M985	57.85390	35,000 ft	9	-
FIX	AWY-HI	25.91610	10,668 m		
GILAX	M155	57.39030	35,000 ft	42	-
FIX	AWY-HI	24.92080	10,668 m		
RIA	M155	56.92090	35,000 ft	41	RIGA
VOR	AWY-HI	23.96520	10,668 m		
KOMAL	M155	56.57750	35,000 ft	35	-
FIX	AWY-HI	23.09330	10,668 m		
ASKOR	M155	56.38280	35,000 ft	19	-
FIX	AWY-HI	22.61280	10,668 m		
OTVOV	L733	55.47440	23,100 ft	95	-
FIX	AWY-HI	20.29170	7,041 m		
EPCE	-	54.41620	0 ft	107	Cewice
APT	-	17.76310	0 m		

## EPCE

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 1

Elevation: 504 ft / 154 m  
Location: 54.416200 17.763100  
Magnetic Var: 6.135 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

APP - 121.17 MHz - CEWICE PRECISION  
TWR - 126.75 MHz - CEWICE TOWER

APP - 132.42 MHz - CEWICE APPROACH  
REC - 128.50 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	164 ft	8,265 ft	76.02	CONCRETE	0 ft	0 ft
	50 m	2,519 m	69.88		0 m	0 m
25	164 ft	8,265 ft	256.05	CONCRETE	0 ft	0 ft
	50 m	2,519 m	249.91		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	ICE	111.30 MHz	18 nm	256.03	-	504 ft
				33 km	249.90		504 m
25	GS	ICE	111.30 MHz	10 nm	256.03	3.00	504 ft
				19 km	249.90		504 m