

KSFO

San Francisco Intl


VHHH

Hong Kong Intl

2024/05/15 0334Z

KSFO ENI **C1486** VESPA 4100N-12900W 4200N-13100W 4300N-13300W 4400N-13500W 4500N-13700W
4500N-13800W 4500N-13900W 4500N-14000W 4600N-14200W 4700N-14400W 4700N-14500W 4700N-14600W
4700N-14700W 4700N-14800W 4800N-15000W 4900N-15200W 4900N-15300W 4900N-15400W 4900N-15500W
4900N-15600W 4900N-15700W 4900N-15800W 5000N-16000W 5000N-16100W 5000N-16200W 5000N-16300W
5000N-16400W 5000N-16500W 5000N-16600W 5000N-16700W 5000N-16800W 5000N-16900W 5000N-17000W
5000N-17100W 5000N-17200W 5000N-17300W 5000N-17400W ADK **J115** SYA **G215** OLCOT NUZAN KUNAD **G815**
OTLER **B932** TBE **V4** EATAK **Y101** MKE **Y14** HWE **Y12** TAPPI **Z16** MIHOU **Y14** DGC **Y28** ISAKY **Z20** POTET **A593** PUD
A599 JTN JTN **A599** PLT **W19** BILAT VHHH

6279.70 nm / 11630.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min

- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSFO	-	37.61850	0 ft	-	San Francisco Intl
APT	-	-122.37500	0 m		
ENI	-	39.05320	34,200 ft	96	MENDOCINO (UKIAH)
VOR	-	-123.27400	10,424 m		
VESPA	C1486	40.62530	40,000 ft	196	-
FIX	AWY-HI	-127.00000	12,192 m		
4100N-12900W	-	41.00000	40,000 ft	93	-
LATLON	-	-129.00000	12,192 m		
4200N-13100W	-	42.00000	40,000 ft	108	-
LATLON	-	-131.00000	12,192 m		
4300N-13300W	-	43.00000	40,000 ft	106	-
LATLON	-	-133.00000	12,192 m		
4400N-13500W	-	44.00000	40,000 ft	105	-
LATLON	-	-135.00000	12,192 m		
4500N-13700W	-	45.00000	40,000 ft	104	-
LATLON	-	-137.00000	12,192 m		
4500N-13800W	-	45.00000	40,000 ft	42	-
LATLON	-	-138.00000	12,192 m		
4500N-13900W	-	45.00000	40,000 ft	42	-
LATLON	-	-139.00000	12,192 m		
4500N-14000W	-	45.00000	40,000 ft	42	-
LATLON	-	-140.00000	12,192 m		
4600N-14200W	-	46.00000	40,000 ft	103	-
LATLON	-	-142.00000	12,192 m		
4700N-14400W	-	47.00000	40,000 ft	102	-
LATLON	-	-144.00000	12,192 m		
4700N-14500W	-	47.00000	40,000 ft	40	-
LATLON	-	-145.00000	12,192 m		
4700N-14600W	-	47.00000	40,000 ft	40	-
LATLON	-	-146.00000	12,192 m		
4700N-14700W	-	47.00000	40,000 ft	40	-
LATLON	-	-147.00000	12,192 m		
4700N-14800W	-	47.00000	40,000 ft	40	-
LATLON	-	-148.00000	12,192 m		
4800N-15000W	-	48.00000	40,000 ft	100	-
LATLON	-	-150.00000	12,192 m		
4900N-15200W	-	49.00000	40,000 ft	99	-
LATLON	-	-152.00000	12,192 m		
4900N-15300W	-	49.00000	40,000 ft	39	-
LATLON	-	-153.00000	12,192 m		
4900N-15400W	-	49.00000	40,000 ft	39	-
LATLON	-	-154.00000	12,192 m		
4900N-15500W	-	49.00000	40,000 ft	39	-
LATLON	-	-155.00000	12,192 m		
4900N-15600W	-	49.00000	40,000 ft	39	-
LATLON	-	-156.00000	12,192 m		
4900N-15700W	-	49.00000	40,000 ft	39	-
LATLON	-	-157.00000	12,192 m		
4900N-15800W	-	49.00000	40,000 ft	39	-
LATLON	-	-158.00000	12,192 m		
5000N-16000W	-	50.00000	40,000 ft	98	-
LATLON	-	-160.00000	12,192 m		
5000N-16100W	-	50.00000	40,000 ft	38	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-161.00000	12,192 m		
5000N-16200W	-	50.00000	40,000 ft	38	-
LATLON	-	-162.00000	12,192 m		
5000N-16300W	-	50.00000	40,000 ft	38	-
LATLON	-	-163.00000	12,192 m		
5000N-16400W	-	50.00000	40,000 ft	38	-
LATLON	-	-164.00000	12,192 m		
5000N-16500W	-	50.00000	40,000 ft	38	-
LATLON	-	-165.00000	12,192 m		
5000N-16600W	-	50.00000	40,000 ft	38	-
LATLON	-	-166.00000	12,192 m		
5000N-16700W	-	50.00000	40,000 ft	38	-
LATLON	-	-167.00000	12,192 m		
5000N-16800W	-	50.00000	40,000 ft	38	-
LATLON	-	-168.00000	12,192 m		
5000N-16900W	-	50.00000	40,000 ft	38	-
LATLON	-	-169.00000	12,192 m		
5000N-17000W	-	50.00000	40,000 ft	38	-
LATLON	-	-170.00000	12,192 m		
5000N-17100W	-	50.00000	40,000 ft	38	-
LATLON	-	-171.00000	12,192 m		
5000N-17200W	-	50.00000	40,000 ft	38	-
LATLON	-	-172.00000	12,192 m		
5000N-17300W	-	50.00000	40,000 ft	38	-
LATLON	-	-173.00000	12,192 m		
5000N-17400W	-	50.00000	40,000 ft	38	-
LATLON	-	-174.00000	12,192 m		
ADK	-	51.87190	40,000 ft	151	MOUNT MOFFETT
NDB	-	-176.67600	12,192 m		
SYA	J115	52.72200	40,000 ft	343	SHEMYA
NDB	AWY-HI	174.06000	12,192 m		
PLADO	G215	52.25450	40,000 ft	131	-
FIX	AWY-HI	170.53400	12,192 m		
OLCOT	G215	51.43020	40,000 ft	191	-
FIX	AWY-HI	165.55600	12,192 m		
NUZAN	-	51.65760	40,000 ft	72	-
FIX	-	163.64500	12,192 m		
KUNAD	-	51.69420	40,000 ft	37	-
FIX	-	162.64400	12,192 m		
DIROS	G815	50.90220	40,000 ft	160	-
FIX	AWY-HI	158.56100	12,192 m		
OTLER	G815	49.80310	40,000 ft	187	-
FIX	AWY-HI	153.97900	12,192 m		
NETRI	B932	47.65500	40,000 ft	203	-
FIX	AWY-HI	150.00100	12,192 m		
DONIS	B932	45.64670	40,000 ft	180	-
FIX	AWY-HI	146.73300	12,192 m		
ODERI	B932	44.65000	40,000 ft	86	-
FIX	AWY-HI	145.25600	12,192 m		
TBE	B932	43.88490	40,000 ft	65	MEMANBETSU
VOR	AWY-HI	144.16600	12,192 m		
GINGA	V4	43.62740	40,000 ft	18	-
FIX	AWY-HI	143.95300	12,192 m		
TBE30	V4	43.45570	40,000 ft	11	-
FIX	AWY-HI	143.81300	12,192 m		
EATAK	V4	43.06840	40,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	143.49300	12,192 m		
MKE	Y101	42.55500	40,000 ft	74	MUKAWA (SAPPORO)
VOR	AWY-HI	141.95600	12,192 m		
HWE	Y14	41.77400	40,000 ft	68	HAKODATE
VOR	AWY-HI	140.83200	12,192 m		
TAPPI	Y12	41.13480	40,000 ft	48	-
FIX	AWY-HI	140.16500	12,192 m		
SKIPE	Z16	40.31020	40,000 ft	64	-
FIX	AWY-HI	139.27400	12,192 m		
GNITS	Z16	39.28960	40,000 ft	78	-
FIX	AWY-HI	138.21100	12,192 m		
TAXUK	Z16	38.14480	40,000 ft	103	-
FIX	AWY-HI	136.56300	12,192 m		
SPIDR	Z16	36.25310	40,000 ft	166	-
FIX	AWY-HI	134.01600	12,192 m		
MIHOU	Z16	35.53110	40,000 ft	62	-
FIX	AWY-HI	133.09400	12,192 m		
HALNA	Y14	34.53380	40,000 ft	97	-
FIX	AWY-HI	131.53600	12,192 m		
STOUT	Y14	34.19070	40,000 ft	33	-
FIX	AWY-HI	131.01600	12,192 m		
DGC	Y14	33.67620	40,000 ft	43	FUKUOKA
VOR	AWY-HI	130.39000	12,192 m		
ISAKY	Y28	33.20620	40,000 ft	46	-
FIX	AWY-HI	129.65300	12,192 m		
CAMAS	Z20	32.72250	40,000 ft	75	-
FIX	AWY-HI	128.26200	12,192 m		
POTET	Z20	32.28000	40,000 ft	67	-
FIX	AWY-HI	127.04000	12,192 m		
ONIKU	A593	32.19500	40,000 ft	20	-
FIX	AWY-HI	126.65500	12,192 m		
NIRAT	A593	32.06500	40,000 ft	31	-
FIX	AWY-HI	126.05800	12,192 m		
PONIK	A593	32.00580	40,000 ft	14	-
FIX	AWY-HI	125.78300	12,192 m		
SADLI	A593	31.83330	40,000 ft	41	-
FIX	AWY-HI	124.99800	12,192 m		
LAMEN	A593	31.61000	40,000 ft	52	-
FIX	AWY-HI	124.00000	12,192 m		
AKARA	A593	31.50000	40,000 ft	26	-
FIX	AWY-HI	123.50000	12,192 m		
DUMET	A593	31.36170	40,000 ft	38	-
FIX	AWY-HI	122.77500	12,192 m		
IPRAG	A593	31.29670	40,000 ft	17	-
FIX	AWY-HI	122.44200	12,192 m		
PUD	A593	31.17170	40,000 ft	34	PUDONG
VOR	AWY-HI	121.78300	12,192 m		
JTN	A599	31.12330	40,000 ft	22	JIUTING
VOR	AWY-HI	121.34200	12,192 m		
JTN	-	31.12500	40,000 ft	0	JIUTING VOR-DME
DME	-	121.34000	12,192 m		
OLGAP	A599	31.07330	40,000 ft	10	-
FIX	AWY-HI	121.15000	12,192 m		
NXD	A599	30.89670	40,000 ft	38	NANXUN
VOR	AWY-HI	120.43000	12,192 m		
KAKIS	A599	30.48330	40,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	120.14700	12,192 m		
TOL	A599	29.76330	40,000 ft	50	TONGLU
VOR	AWY-HI	119.66000	12,192 m		
ELNEX	A599	29.63170	40,000 ft	11	-
FIX	AWY-HI	119.49000	12,192 m		
SHR	A599	28.41670	40,000 ft	108	SHANGRAO
VOR	AWY-HI	117.97000	12,192 m		
XUVGI	A599	27.52000	40,000 ft	77	-
FIX	AWY-HI	116.92200	12,192 m		
NF	A599	27.20830	40,000 ft	26	NANFENG
NDB	AWY-HI	116.55800	12,192 m		
SAGON	A599	26.50170	40,000 ft	62	-
FIX	AWY-HI	115.70800	12,192 m		
PLT	A599	25.80830	40,000 ft	61	PANLONG
VOR	AWY-HI	114.87500	12,192 m		
MABAG	W19	24.31330	27,300 ft	91	-
FIX	AWY-HI	114.50700	8,321 m		
BILAT	W19	23.86830	20,200 ft	33	-
FIX	AWY-HI	114.14700	6,157 m		
VHHH	-	22.30890	0 ft	94	Hong Kong Intl
APT	-	113.91500	0 m		

KSFO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 13 ft / 4 m
Location: 37.618500 -122.375000
Magnetic Var: 12.842 E

METAR

KSFO 150256Z 30013KT 10SM FEW008 SCT200 13/10 A2988 RMK A02 SLP117 T01330100 53009

TAF

KSFO 150300Z 1503/1606 31016KT P6SM SKC FM150500 30008KT P6SM FEW015 FM150900 28006KT P6SM OVC007 FM151800 02005K

Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.05		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.05		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.08		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.88		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 150300Z 34006KT 310V020 9999 FEW040 29/15 Q1016 BECMG 27010KT

TAF

TAF VHHH 150200Z 1503/1609 09010KT 9999 FEW040 TX31/1506Z TX30/1606Z TN24/1522Z BECMG 1503/1505 27010KT BECMG 150

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m