


2024/06/03 2220Z

AGGM AVBAP **R599** HN **B598** VLI **R599** SADIM -2700S17200E -2800S17300E -2900S17400E -3000S17500E NISET
-3200S17700E -3300S17800E -3400S-18100W -3500S-17900W -3600S-17700W -3800S-17500W -3900S-17400W
-4000S-17200W -4100S-17100W -4200S-16900W -4300S-16700W -4400S-16500W -4500S-16300W -4600S-16100W
-4700S-15900W -4700S-15800W -4700S-15700W -4700S-15600W -4800S-15400W -4900S-15200W -4900S-15100W
-5000S-14900W -5000S-14800W -5000S-14700W -5000S-14600W -5100S-14400W -5100S-14300W -5100S-14200W
-5100S-14100W -5200S-13900W -5200S-13800W -5200S-13700W -5200S-13600W -5200S-13500W -5200S-13400W
-5200S-13300W -5300S-13100W -5300S-13000W -5300S-12900W -5300S-12800W -5300S-12700W -5300S-12600W
-5300S-12500W -5300S-12400W -5300S-12300W -5300S-12200W -5300S-12100W -5300S-12000W -5300S-11900W
-5300S-11800W -5300S-11700W -5300S-11600W -5300S-11500W -5300S-11400W -5300S-11300W -5300S-11200W
-5300S-11100W -5300S-11000W -5300S-10900W -5300S-10800W -5300S-10700W -5300S-10600W -5200S-10400W
-5200S-10300W -5200S-10200W -5200S-10100W -5100S0-9900W -5100S0-9800W -5100S0-9700W -5100S0-9600W
-5100S0-9500W -5000S0-9300W -5000S0-9200W -5000S0-9100W -5000S0-9000W -4900S0-8800W -4800S0-8600W
-4800S0-8500W -4700S0-8300W -4600S0-8100W -4500S0-7900W -4400S0-7700W -4300S0-7500W MPI **T121** MON
UM658 BAR **UW26** NEU **UT655** ASADA URINO NEPIS SNT ATOVO GUA SAAC

7957.40 nm / 14737.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
AGGM	-	-8.32696	0 ft	-	MUNDA
APT	-	157.26300	0 m		
AVBAP	-	-8.78520	27,700 ft	77	-
FIX	-	158.48400	8,443 m		
SALIT	R599	-9.04598	35,000 ft	40	-
FIX	AWY-HI	159.10500	10,668 m		
HN	R599	-9.43513	35,000 ft	59	HONIARA
VOR	AWY-HI	160.03700	10,668 m		
SAKPI	B598	-10.16440	35,000 ft	60	-
FIX	AWY-HI	160.73400	10,668 m		
IGBED	B598	-10.64950	35,000 ft	40	-
FIX	AWY-HI	161.20000	10,668 m		
NIPER	B598	-13.46330	35,000 ft	234	-
FIX	AWY-HI	163.96000	10,668 m		
VLII	B598	-17.66210	35,000 ft	353	PORT VILA
VOR	AWY-HI	168.24400	10,668 m		
ELSAX	R599	-19.32670	35,000 ft	102	-
FIX	AWY-HI	168.61700	10,668 m		
SADIM	R599	-25.72640	35,000 ft	399	-
FIX	AWY-HI	170.61400	10,668 m		
-2700S17200E	-	-27.00000	35,000 ft	106	-
LATLON	-	172.00000	10,668 m		
-2800S17300E	-	-28.00000	35,000 ft	80	-
LATLON	-	173.00000	10,668 m		
-2900S17400E	-	-29.00000	35,000 ft	79	-
LATLON	-	174.00000	10,668 m		
-3000S17500E	-	-30.00000	35,000 ft	79	-
LATLON	-	175.00000	10,668 m		
NISET	-	-30.90430	35,000 ft	66	-
FIX	-	175.73100	10,668 m		
-3200S17700E	-	-32.00000	35,000 ft	92	-
LATLON	-	177.00000	10,668 m		
-3300S17800E	-	-33.00000	35,000 ft	78	-
LATLON	-	178.00000	10,668 m		
-3400S-18100W	-	-34.00000	35,000 ft	78	-
LATLON	-	-181.00000	10,668 m		
-3500S-17900W	-	-35.00000	35,000 ft	115	-
LATLON	-	-179.00000	10,668 m		
-3600S-17700W	-	-36.00000	35,000 ft	114	-
LATLON	-	-177.00000	10,668 m		
-3800S-17500W	-	-38.00000	35,000 ft	153	-
LATLON	-	-175.00000	10,668 m		
-3900S-17400W	-	-39.00000	35,000 ft	76	-
LATLON	-	-174.00000	10,668 m		
-4000S-17200W	-	-40.00000	35,000 ft	110	-
LATLON	-	-172.00000	10,668 m		
-4100S-17100W	-	-41.00000	35,000 ft	75	-
LATLON	-	-171.00000	10,668 m		
-4200S-16900W	-	-42.00000	35,000 ft	108	-
LATLON	-	-169.00000	10,668 m		
-4300S-16700W	-	-43.00000	35,000 ft	106	-
LATLON	-	-167.00000	10,668 m		
-4400S-16500W	-	-44.00000	35,000 ft	105	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-165.00000	10,668 m		
-4500S-16300W	-	-45.00000	35,000 ft	104	-
LATLON	-	-163.00000	10,668 m		
-4600S-16100W	-	-46.00000	35,000 ft	103	-
LATLON	-	-161.00000	10,668 m		
-4700S-15900W	-	-47.00000	35,000 ft	102	-
LATLON	-	-159.00000	10,668 m		
-4700S-15800W	-	-47.00000	35,000 ft	40	-
LATLON	-	-158.00000	10,668 m		
-4700S-15700W	-	-47.00000	35,000 ft	40	-
LATLON	-	-157.00000	10,668 m		
-4700S-15600W	-	-47.00000	35,000 ft	40	-
LATLON	-	-156.00000	10,668 m		
-4800S-15400W	-	-48.00000	35,000 ft	100	-
LATLON	-	-154.00000	10,668 m		
-4900S-15200W	-	-49.00000	35,000 ft	99	-
LATLON	-	-152.00000	10,668 m		
-4900S-15100W	-	-49.00000	35,000 ft	39	-
LATLON	-	-151.00000	10,668 m		
-5000S-14900W	-	-50.00000	35,000 ft	98	-
LATLON	-	-149.00000	10,668 m		
-5000S-14800W	-	-50.00000	35,000 ft	38	-
LATLON	-	-148.00000	10,668 m		
-5000S-14700W	-	-50.00000	35,000 ft	38	-
LATLON	-	-147.00000	10,668 m		
-5000S-14600W	-	-50.00000	35,000 ft	38	-
LATLON	-	-146.00000	10,668 m		
-5100S-14400W	-	-51.00000	35,000 ft	97	-
LATLON	-	-144.00000	10,668 m		
-5100S-14300W	-	-51.00000	35,000 ft	37	-
LATLON	-	-143.00000	10,668 m		
-5100S-14200W	-	-51.00000	35,000 ft	37	-
LATLON	-	-142.00000	10,668 m		
-5100S-14100W	-	-51.00000	35,000 ft	37	-
LATLON	-	-141.00000	10,668 m		
-5200S-13900W	-	-52.00000	35,000 ft	95	-
LATLON	-	-139.00000	10,668 m		
-5200S-13800W	-	-52.00000	35,000 ft	36	-
LATLON	-	-138.00000	10,668 m		
-5200S-13700W	-	-52.00000	35,000 ft	36	-
LATLON	-	-137.00000	10,668 m		
-5200S-13600W	-	-52.00000	35,000 ft	36	-
LATLON	-	-136.00000	10,668 m		
-5200S-13500W	-	-52.00000	35,000 ft	36	-
LATLON	-	-135.00000	10,668 m		
-5200S-13400W	-	-52.00000	35,000 ft	36	-
LATLON	-	-134.00000	10,668 m		
-5200S-13300W	-	-52.00000	35,000 ft	36	-
LATLON	-	-133.00000	10,668 m		
-5300S-13100W	-	-53.00000	35,000 ft	94	-
LATLON	-	-131.00000	10,668 m		
-5300S-13000W	-	-53.00000	35,000 ft	36	-
LATLON	-	-130.00000	10,668 m		
-5300S-12900W	-	-53.00000	35,000 ft	36	-
LATLON	-	-129.00000	10,668 m		
-5300S-12800W	-	-53.00000	35,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-128.00000	10,668 m		
-5300S-12700W	-	-53.00000	35,000 ft	36	-
LATLON	-	-127.00000	10,668 m		
-5300S-12600W	-	-53.00000	35,000 ft	36	-
LATLON	-	-126.00000	10,668 m		
-5300S-12500W	-	-53.00000	35,000 ft	36	-
LATLON	-	-125.00000	10,668 m		
-5300S-12400W	-	-53.00000	35,000 ft	36	-
LATLON	-	-124.00000	10,668 m		
-5300S-12300W	-	-53.00000	35,000 ft	36	-
LATLON	-	-123.00000	10,668 m		
-5300S-12200W	-	-53.00000	35,000 ft	36	-
LATLON	-	-122.00000	10,668 m		
-5300S-12100W	-	-53.00000	35,000 ft	36	-
LATLON	-	-121.00000	10,668 m		
-5300S-12000W	-	-53.00000	35,000 ft	36	-
LATLON	-	-120.00000	10,668 m		
-5300S-11900W	-	-53.00000	35,000 ft	36	-
LATLON	-	-119.00000	10,668 m		
-5300S-11800W	-	-53.00000	35,000 ft	36	-
LATLON	-	-118.00000	10,668 m		
-5300S-11700W	-	-53.00000	35,000 ft	36	-
LATLON	-	-117.00000	10,668 m		
-5300S-11600W	-	-53.00000	35,000 ft	36	-
LATLON	-	-116.00000	10,668 m		
-5300S-11500W	-	-53.00000	35,000 ft	36	-
LATLON	-	-115.00000	10,668 m		
-5300S-11400W	-	-53.00000	35,000 ft	36	-
LATLON	-	-114.00000	10,668 m		
-5300S-11300W	-	-53.00000	35,000 ft	36	-
LATLON	-	-113.00000	10,668 m		
-5300S-11200W	-	-53.00000	35,000 ft	36	-
LATLON	-	-112.00000	10,668 m		
-5300S-11100W	-	-53.00000	35,000 ft	36	-
LATLON	-	-111.00000	10,668 m		
-5300S-11000W	-	-53.00000	35,000 ft	36	-
LATLON	-	-110.00000	10,668 m		
-5300S-10900W	-	-53.00000	35,000 ft	36	-
LATLON	-	-109.00000	10,668 m		
-5300S-10800W	-	-53.00000	35,000 ft	36	-
LATLON	-	-108.00000	10,668 m		
-5300S-10700W	-	-53.00000	35,000 ft	36	-
LATLON	-	-107.00000	10,668 m		
-5300S-10600W	-	-53.00000	35,000 ft	36	-
LATLON	-	-106.00000	10,668 m		
-5200S-10400W	-	-52.00000	35,000 ft	94	-
LATLON	-	-104.00000	10,668 m		
-5200S-10300W	-	-52.00000	35,000 ft	36	-
LATLON	-	-103.00000	10,668 m		
-5200S-10200W	-	-52.00000	35,000 ft	36	-
LATLON	-	-102.00000	10,668 m		
-5200S-10100W	-	-52.00000	35,000 ft	36	-
LATLON	-	-101.00000	10,668 m		
-5100S0-9900W	-	-51.00000	35,000 ft	95	-
LATLON	-	-99.00000	10,668 m		
-5100S0-9800W	-	-51.00000	35,000 ft	37	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-98.00000	10,668 m		
-5100S0-9700W	-	-51.00000	35,000 ft	37	-
LATLON	-	-97.00000	10,668 m		
-5100S0-9600W	-	-51.00000	35,000 ft	37	-
LATLON	-	-96.00000	10,668 m		
-5100S0-9500W	-	-51.00000	35,000 ft	37	-
LATLON	-	-95.00000	10,668 m		
-5000S0-9300W	-	-50.00000	35,000 ft	97	-
LATLON	-	-93.00000	10,668 m		
-5000S0-9200W	-	-50.00000	35,000 ft	38	-
LATLON	-	-92.00000	10,668 m		
-5000S0-9100W	-	-50.00000	35,000 ft	38	-
LATLON	-	-91.00000	10,668 m		
-5000S0-9000W	-	-50.00000	35,000 ft	38	-
LATLON	-	-90.00000	10,668 m		
-4900S0-8800W	-	-49.00000	35,000 ft	98	-
LATLON	-	-88.00000	10,668 m		
-4800S0-8600W	-	-48.00000	35,000 ft	99	-
LATLON	-	-86.00000	10,668 m		
-4800S0-8500W	-	-48.00000	35,000 ft	40	-
LATLON	-	-85.00000	10,668 m		
-4700S0-8300W	-	-47.00000	35,000 ft	100	-
LATLON	-	-83.00000	10,668 m		
-4600S0-8100W	-	-46.00000	35,000 ft	102	-
LATLON	-	-81.00000	10,668 m		
-4500S0-7900W	-	-45.00000	35,000 ft	103	-
LATLON	-	-79.00000	10,668 m		
-4400S0-7700W	-	-44.00000	35,000 ft	104	-
LATLON	-	-77.00000	10,668 m		
-4300S0-7500W	-	-43.00000	35,000 ft	105	-
LATLON	-	-75.00000	10,668 m		
MPI	-	-42.34220	35,000 ft	69	MOCOPULLI
VOR	-	-73.71360	10,668 m		
ANPIP	T121	-42.08990	35,000 ft	17	-
FIX	AWY-LO	-73.53980	10,668 m		
MON	T121	-41.42920	35,000 ft	44	PUERTO MONTT
VOR	AWY-LO	-73.09190	10,668 m		
CALBU	UM658	-41.35140	35,000 ft	25	-
FIX	AWY-HI	-72.54610	10,668 m		
TONAR	UM658	-41.24170	35,000 ft	32	-
FIX	AWY-HI	-71.85000	10,668 m		
BAR	UM658	-41.14030	35,000 ft	30	SAN CARLOS DE BARILOCHE
VOR	AWY-HI	-71.18900	10,668 m		
LIMAY	UW26	-40.74610	35,000 ft	35	-
FIX	AWY-HI	-70.61970	10,668 m		
NEU	UW26	-38.95040	35,000 ft	156	NEUQUEN
VOR	AWY-HI	-68.15470	10,668 m		
SISAX	UT655	-37.40000	35,000 ft	195	-
FIX	AWY-HI	-64.51420	10,668 m		
EGOVI	UT655	-35.88220	35,000 ft	178	-
FIX	AWY-HI	-61.32030	10,668 m		
ASADA	UT655	-35.02580	35,000 ft	97	-
FIX	AWY-HI	-59.62580	10,668 m		
URINO	-	-34.69970	35,000 ft	19	-
FIX	-	-59.64080	10,668 m		
NEPIS	-	-34.57110	35,000 ft	7	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-59.60060	10,668 m		
SNT	-	-34.22220	35,000 ft	22	SAN ANTONIO DE ARECO
VOR	-	-59.44140	10,668 m		
ATOVO	-	-34.06110	35,000 ft	17	-
FIX	-	-59.15060	10,668 m		
GUA	-	-33.00970	23,000 ft	68	GUALEGUAYCHU
VOR	-	-58.61420	7,010 m		
SAAC	-	-31.29700	0 ft	107	Comodoro Pierrastegui
APT	-	-57.99670	0 m		