

# EDDB

Berlin Schoenefeld


# UUEE

Moscou Sheremetyevo

2024/06/04 0117Z

EDDB DRE **N858** GRU **UN858** LIMKO **Y88** BOKSU **N858** RATIN **R800** FK UUEE

865.91 nm / 1603.66 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 52000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDB	-	52.37854	0 ft	-	Berlin Schoenefeld
APT	-	13.52063	0 m		
DRE	-	52.81685	31,500 ft	88	DREZDENKO VOR-DME
VOR	-	15.83249	9,601 m		
DEKUT	N858	53.11611	35,000 ft	47	-
FIX	AWY-LO	17.03528	10,668 m		
EBOGU	N858	53.37889	35,000 ft	43	-
FIX	AWY-LO	18.14972	10,668 m		
GRU	N858	53.52124	35,000 ft	24	GRUDZIADZ VOR-DME
VOR	AWY-LO	18.78134	10,668 m		
TUROL	UN858	53.85861	35,000 ft	64	-
FIX	AWY-HI	20.50000	10,668 m		
LIMKO	UN858	54.04167	35,000 ft	37	-
FIX	AWY-HI	21.50000	10,668 m		
BOKSU	Y88	54.30750	35,000 ft	57	-
FIX	AWY-LO	23.05917	10,668 m		
OMETA	N858	54.50833	35,000 ft	47	-
FIX	AWY-LO	24.38722	10,668 m		
BILDI	N858	54.58778	35,000 ft	20	-
FIX	AWY-LO	24.94528	10,668 m		
VNO	N858	54.63606	35,000 ft	12	VILNIUS VOR-DME
VOR	AWY-LO	25.29363	10,668 m		
LAVAR	N858	54.69139	35,000 ft	15	-
FIX	AWY-LO	25.73667	10,668 m		
SIVRU	N858	55.03167	35,000 ft	121	-
FIX	AWY-LO	29.19000	10,668 m		
VTB	N858	55.12500	35,000 ft	40	VITEBSK VOR-DME
VOR	AWY-LO	30.35333	10,668 m		
RATIN	N858	55.28000	35,000 ft	19	-
FIX	AWY-LO	30.86139	10,668 m		
IDERA	R800	55.47500	27,700 ft	97	-
FIX	AWY-LO	33.70500	8,443 m		
FK	R800	55.55528	17,100 ft	45	GAGARIN NDB
NDB	AWY-LO	35.02194	5,212 m		
UUEE	-	55.97264	0 ft	84	Moscou Sheremetyevo
APT	-	37.41459	0 m		

## EDDB

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 157 ft / 48 m  
Location: 52.362300 13.500700  
Magnetic Var: 4.664 E

## METAR

EDDB 040050Z AUTO 26005KT 9999 FEW020 BKN045 13/10 Q1016 NOSIG

## TAF

TAF TAF EDDB 032300Z 0400/0424 24005KT 9999 BKN030 PROB30 TEMPO 0404/0407 BKN012

## Frequencies

REC - 123.77 MHz - ATIS	GND - 121.70 MHz - BERLIN GROUND E
GND - 129.50 MHz - BERLIN GROUND A	GND - 129.60 MHz - BERLIN APRON NORTH
GND - 121.85 MHz - BERLIN APRON SOUTH	TWR - 120.02 MHz - BERLIN TOWER NORTH
TWR - 118.80 MHz - BERLIN TOWER SOUTH	TWR - 118.85 MHz - BERLIN TOWER ALTERNATE
APP - 121.12 MHz - BERLIN DIRECTOR	APP - 136.10 MHz - BERLIN DIRECTOR
CLD - 121.60 MHz - BERLIN DELIVERY	APP - 119.62 MHz - BREMEN RADAR
APP - 120.62 MHz - BREMEN RADAR	APP - 126.42 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR	APP - 134.42 MHz - BREMEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	197 ft	13,088 ft	68.74	CONCRETE	0 ft	0 ft
	60 m	3,989 m	64.08		0 m	0 m
25L	197 ft	13,088 ft	248.78	CONCRETE	0 ft	0 ft
	60 m	3,989 m	244.12		0 m	0 m
07L	148 ft	11,780 ft	68.75	ASPHALT	981 ft	0 ft
	45 m	3,591 m	64.09		299 m	0 m
25R	148 ft	11,780 ft	248.79	ASPHALT	981 ft	0 ft
	45 m	3,591 m	244.12		299 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	IBNE	110.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
07R	LOC-ILS	IBSE	109.70 MHz	18 nm	68.77	-	157 ft
				33 km	64.11		157 m
25L	LOC-ILS	IBSW	109.50 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
25R	LOC-ILS	IBNW	109.90 MHz	18 nm	248.77	-	157 ft
				33 km	244.11		157 m
07L	GS	IBNE	110.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
07R	GS	IBSE	109.70 MHz	10 nm	68.77	3.00	157 ft
				19 km	64.11		157 m
25L	GS	IBSW	109.50 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m
25R	GS	IBNW	109.90 MHz	10 nm	248.77	3.00	157 ft
				19 km	244.11		157 m

## UUEE

Region: RUSSIA  
Timezone: EUROPE/MOSCOW  
Runways: 3

Elevation: 630 ft / 192 m  
Location: 55.972500 37.413100  
Magnetic Var: 11.986 E

## METAR

UUEE 040100Z 23003MPS 9999 -SHRA SCT040CB 15/14 Q1006 R24L/CLRD62 R24C/290051 NOSIG

## TAF

TAF UUEE 032255Z 0400/0424 22005MPS 9999 SCT040 TX23/0411Z TN15/0401Z PROB40 TEMPO 0403/0407 -TSRA SCT020CB TEMPO

## Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.01		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.06		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.06		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.01		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.01		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.01		630 m