

EPLL

Lodz


TFFF

Martinique Aime Cesaire Intl

2024/05/18 0124Z

EPLL VAGON **T707** TOMTI **N869** KONAR **T49** RAPET **UZ93** LOHRE **UL984** NOSPA BITBU **Y180** NISIV **UY180** DIK
UN857 GIMER **UT300** EVX EVX **N160** CAN **R111** EKRAS **UN491** RUSIB **UN542** UMOXA **UN734** UMLER 4700N0-1000W
4700N0-1100W 4700N0-1200W 4700N0-1300W 4700N0-1400W 4600N0-1600W 4500N0-1800W 4500N0-1900W
4400N0-2100W 4300N0-2300W 4200N0-2500W 4100N0-2700W 4000N0-2800W 3900N0-2900W INBUL **H131** INBOX
3800N0-3400W 3700N0-3600W 3600N0-3800W 3400N0-4000W 3300N0-4200W 3200N0-4300W 3100N0-4400W
3000N0-4500W 2800N0-4700W 2700N0-4800W 2600N0-4900W 2500N0-5000W 2300N0-5200W 2200N0-5300W
2100N0-5400W 1900N0-5600W 1800N0-5700W 1700N0-5800W KANUN SESPO TFFF

4471.56 nm / 8281.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPLL	-	51.72010	0 ft	-	Lodz
APT	-	19.39540	0 m		
VAGON	-	51.30810	31,700 ft	88	-
FIX	-	17.11440	9,662 m		
RASUT	T707	51.14560	35,000 ft	33	-
FIX	AWY-HI	16.25920	10,668 m		
ULGIL	T707	51.09860	35,000 ft	9	-
FIX	AWY-HI	16.02000	10,668 m		
TOMTI	T707	50.95310	35,000 ft	28	-
FIX	AWY-HI	15.29330	10,668 m		
OKX	N869	50.90270	35,000 ft	10	FRYDLANT
VOR	AWY-HI	15.03190	10,668 m		
ASTEL	N869	50.86440	35,000 ft	6	-
FIX	AWY-HI	14.86050	10,668 m		
RAVKU	N869	50.76680	35,000 ft	17	-
FIX	AWY-HI	14.42890	10,668 m		
GOPSI	N869	50.56630	35,000 ft	34	-
FIX	AWY-HI	13.56910	10,668 m		
KONAR	N869	50.44510	35,000 ft	20	-
FIX	AWY-HI	13.06560	10,668 m		
RAPET	T49	50.19050	35,000 ft	31	-
FIX	AWY-HI	12.33860	10,668 m		
UNAVI	UZ93	50.18810	35,000 ft	19	-
FIX	AWY-HI	11.82220	10,668 m		
KODUK	UZ93	50.19780	35,000 ft	33	-
FIX	AWY-HI	10.94220	10,668 m		
DIMSU	UZ93	50.16690	35,000 ft	14	-
FIX	AWY-HI	10.57860	10,668 m		
LOHRE	UZ93	50.06690	35,000 ft	42	-
FIX	AWY-HI	9.48639	10,668 m		
ESATI	UL984	50.06310	35,000 ft	11	-
FIX	AWY-HI	9.19000	10,668 m		
BOMBI	UL984	50.05670	35,000 ft	15	-
FIX	AWY-HI	8.80028	10,668 m		
FFM	UL984	50.05370	35,000 ft	6	FRANKFURT
VOR	AWY-HI	8.63709	10,668 m		
RUDUS	UL984	50.04760	35,000 ft	21	-
FIX	AWY-HI	8.07827	10,668 m		
OBIGA	UL984	50.03080	35,000 ft	36	-
FIX	AWY-HI	7.13833	10,668 m		
ADENU	UL984	50.02560	35,000 ft	8	-
FIX	AWY-HI	6.90833	10,668 m		
NOSPA	UL984	50.02060	35,000 ft	7	-
FIX	AWY-HI	6.71139	10,668 m		
BITBU	-	49.98290	35,000 ft	6	-
FIX	-	6.56163	10,668 m		
ASMOX	Y180	49.90290	35,000 ft	12	-
FIX	AWY-HI	6.27618	10,668 m		
NISIV	Y180	49.89280	35,000 ft	1	-
FIX	AWY-HI	6.24306	10,668 m		
DIK	UY180	49.86130	35,000 ft	4	DIEKIRCH
VOR	AWY-HI	6.12975	10,668 m		
IDOSA	UN857	49.74170	35,000 ft	12	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	5.86972	10,668 m		
TOLVU	UN857	49.62530	35,000 ft	20	-
FIX	AWY-HI	5.37167	10,668 m		
RAPOR	UN857	49.59140	35,000 ft	6	-
FIX	AWY-HI	5.21306	10,668 m		
RENSA	UN857	49.53310	35,000 ft	13	-
FIX	AWY-HI	4.88556	10,668 m		
NITEP	UN857	49.41170	35,000 ft	26	-
FIX	AWY-HI	4.22000	10,668 m		
GIMER	UN857	49.36560	35,000 ft	10	-
FIX	AWY-HI	3.97389	10,668 m		
PODUK	UT300	49.24610	35,000 ft	25	-
FIX	AWY-HI	3.35056	10,668 m		
BSN	UT300	49.18830	35,000 ft	12	BOURSONNE VOR-DME
DME	AWY-HI	3.05647	10,668 m		
PON	UT300	49.09610	35,000 ft	40	PONTOISE CORMEILLES
VOR	AWY-HI	2.03589	10,668 m		
EVX	UT300	49.03170	35,000 ft	32	EVREUX FAUVILLE
VOR	AWY-HI	1.22086	10,668 m		
EVX	-	49.02850	35,000 ft	0	EVREUX FAUVILLE VORTAC
DME	-	1.21403	10,668 m		
EVROK	N160	49.07860	35,000 ft	20	-
FIX	AWY-LO	0.69167	10,668 m		
BERNO	N160	49.08330	35,000 ft	2	-
FIX	AWY-LO	0.63333	10,668 m		
LISEU	N160	49.10330	35,000 ft	9	-
FIX	AWY-LO	0.40194	10,668 m		
FIR75	N160	49.15500	35,000 ft	25	-
FIX	AWY-LO	-0.25000	10,668 m		
CAN	N160	49.17320	35,000 ft	8	CAEN CARPIQUET
VOR	AWY-LO	-0.45528	10,668 m		
EKRAS	R111	48.89940	35,000 ft	44	-
FIX	AWY-LO	-1.49917	10,668 m		
UPALO	UN491	48.91030	35,000 ft	9	-
FIX	AWY-HI	-1.75194	10,668 m		
BASIK	UN491	48.95360	35,000 ft	47	-
FIX	AWY-HI	-2.95111	10,668 m		
BETUV	UN491	48.95440	35,000 ft	6	-
FIX	AWY-HI	-3.12222	10,668 m		
RUSIB	UN491	48.97690	35,000 ft	27	-
FIX	AWY-HI	-3.80861	10,668 m		
PEVIS	UN542	47.96050	35,000 ft	140	-
FIX	AWY-HI	-6.97808	10,668 m		
UMOXA	UN542	47.50000	35,000 ft	49	-
FIX	AWY-HI	-8.00000	10,668 m		
UMLER	UN734	47.50000	35,000 ft	30	-
FIX	AWY-HI	-8.75000	10,668 m		
4700N0-1000W	-	47.00000	35,000 ft	59	-
LATLON	-	-10.00000	10,668 m		
4700N0-1100W	-	47.00000	35,000 ft	40	-
LATLON	-	-11.00000	10,668 m		
4700N0-1200W	-	47.00000	35,000 ft	40	-
LATLON	-	-12.00000	10,668 m		
4700N0-1300W	-	47.00000	35,000 ft	40	-
LATLON	-	-13.00000	10,668 m		
4700N0-1400W	-	47.00000	35,000 ft	40	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-14.00000	10,668 m		
4600N0-1600W	-	46.00000	35,000 ft	102	-
LATLON	-	-16.00000	10,668 m		
4500N0-1800W	-	45.00000	35,000 ft	103	-
LATLON	-	-18.00000	10,668 m		
4500N0-1900W	-	45.00000	35,000 ft	42	-
LATLON	-	-19.00000	10,668 m		
4400N0-2100W	-	44.00000	35,000 ft	104	-
LATLON	-	-21.00000	10,668 m		
4300N0-2300W	-	43.00000	35,000 ft	105	-
LATLON	-	-23.00000	10,668 m		
4200N0-2500W	-	42.00000	35,000 ft	106	-
LATLON	-	-25.00000	10,668 m		
4100N0-2700W	-	41.00000	35,000 ft	108	-
LATLON	-	-27.00000	10,668 m		
4000N0-2800W	-	40.00000	35,000 ft	75	-
LATLON	-	-28.00000	10,668 m		
3900N0-2900W	-	39.00000	35,000 ft	75	-
LATLON	-	-29.00000	10,668 m		
INBUL	-	38.49530	35,000 ft	55	-
FIX	-	-30.00000	10,668 m		
INBOX	H131	38.36830	35,000 ft	158	-
FIX	AWY-HI	-33.36360	10,668 m		
3800N0-3400W	-	38.00000	35,000 ft	37	-
LATLON	-	-34.00000	10,668 m		
3700N0-3600W	-	37.00000	35,000 ft	112	-
LATLON	-	-36.00000	10,668 m		
3600N0-3800W	-	36.00000	35,000 ft	113	-
LATLON	-	-38.00000	10,668 m		
3400N0-4000W	-	34.00000	35,000 ft	155	-
LATLON	-	-40.00000	10,668 m		
3300N0-4200W	-	33.00000	35,000 ft	116	-
LATLON	-	-42.00000	10,668 m		
3200N0-4300W	-	32.00000	35,000 ft	78	-
LATLON	-	-43.00000	10,668 m		
3100N0-4400W	-	31.00000	35,000 ft	78	-
LATLON	-	-44.00000	10,668 m		
3000N0-4500W	-	30.00000	35,000 ft	79	-
LATLON	-	-45.00000	10,668 m		
2800N0-4700W	-	28.00000	35,000 ft	159	-
LATLON	-	-47.00000	10,668 m		
2700N0-4800W	-	27.00000	35,000 ft	80	-
LATLON	-	-48.00000	10,668 m		
2600N0-4900W	-	26.00000	35,000 ft	80	-
LATLON	-	-49.00000	10,668 m		
2500N0-5000W	-	25.00000	35,000 ft	80	-
LATLON	-	-50.00000	10,668 m		
2300N0-5200W	-	23.00000	35,000 ft	162	-
LATLON	-	-52.00000	10,668 m		
2200N0-5300W	-	22.00000	35,000 ft	81	-
LATLON	-	-53.00000	10,668 m		
2100N0-5400W	-	21.00000	35,000 ft	82	-
LATLON	-	-54.00000	10,668 m		
1900N0-5600W	-	19.00000	35,000 ft	164	-
LATLON	-	-56.00000	10,668 m		
1800N0-5700W	-	18.00000	35,000 ft	82	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-57.00000	10,668 m		
1700N0-5800W	-	17.00000	35,000 ft	82	-
LATLON	-	-58.00000	10,668 m		
KANUN	-	16.00220	31,500 ft	84	-
FIX	-	-59.03720	9,601 m		
SESPO	-	15.64970	17,600 ft	64	-
FIX	-	-60.09920	5,364 m		
TFFF	-	14.59080	0 ft	82	Martinique Aime Cesaire Intl
APT	-	-61.00460	0 m		

EPLL

Region: POLAND
Timezone: EUROPE/WARSAW
Runways: 2

Elevation: 606 ft / 185 m
Location: 51.720100 19.395400
Magnetic Var: 6.150 E

METAR

EPLL 180100Z VRB02KT CAVOK 13/05 Q1013

TAF

TAF EPLL 172330Z 1800/1824 10010KT CAVOK BECMG 1807/1810 16012KT TEMPO 1809/1822 -SHRA BKN045CB PROB40 TEMPO 1810

Frequencies

TWR - 124.22 MHz - LODZ TOWER

REC - 135.67 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,209 ft	70.59	CONCRETE	0 ft	0 ft
	45 m	2,502 m	64.44		0 m	0 m
25	148 ft	8,209 ft	250.61	CONCRETE	0 ft	0 ft
	45 m	2,502 m	244.46		0 m	0 m
07R	574 ft	2,299 ft	70.78	GRASS	0 ft	0 ft
	175 m	701 m	64.63		0 m	0 m
25L	574 ft	2,299 ft	250.78	GRASS	0 ft	0 ft
	175 m	701 m	244.63		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	LOD	110.50 MHz	18 nm	250.60	-	606 ft
				33 km	244.45		606 m
25	GS	LOD	110.50 MHz	10 nm	250.60	3.00	606 ft
				19 km	244.45		606 m

TFFF

Region: FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN)
Elevation: 16 ft / 5 m
Coordinates: 17.115000 -61.004600
Timezone: AMERICA/MARTINIQUE
Magnetic Var: 15.255 W
Runways: 1

METAR

TFFF 180100Z AUTO 10008KT 060V120 9999 SCT022 SCT027 BKN038 29/25 Q1015 TEMPO 4000 SHRA SCT015TCU SCT025

TAF

TAF TFFF 172300Z 1800/1824 09010KT 9999 SCT030 PROB40 TEMPO 1800/1815 4000 SHRA SCT015TCU SCT025 PROB30 TEMPO 182

Frequencies

REC - 127.85 MHz - ATIS
TWR - 118.50 MHz - FORT DE FRANCE TWR
APP - 129.05 MHz - FORT DE FRANCE APP
GND - 121.90 MHz -
APP - 121.00 MHz - FORT DE FRANCE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft 45 m	9,852 ft 3,003 m	79.94 95.20	ASPHALT	0 ft 0 m	52 ft 16 m
28	148 ft 45 m	9,852 ft 3,003 m	259.95 275.20	ASPHALT	817 ft 249 m	994 ft 303 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	FF	109.90 MHz	18 nm 33 km	79.93 95.18	-	16 ft 16 m
10	GS	FF	109.90 MHz	10 nm 19 km	79.93 95.18	3.00	16 ft 16 m