


2024/05/08 1258Z

CYVR VR CYXX

33.78 nm / 62.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19400	0 ft	-	Vancouver
APT	-	-123.18500	0 m		
VR	-	49.17290	1,800 ft	5	VANCOUVER
NDB	-	-123.05700	549 m		
CYXX	-	49.02270	0 ft	28	Abbotsford
APT	-	-122.36700	0 m		

CYVR

Region: CANADA

Timezone: AMERICA/VANCOUVER

Runways: 3

Elevation: 13 ft / 4 m

Location: 49.194000 -123.185000

Magnetic Var: 15.269 E

METAR

CYVR 081200Z 08005KT 20SM FEW240 07/04 A3041 RMK CI1 CI TR SLP299

TAF

TAF CYVR 081140Z 0812/0918 09005KT P6SM SKC BECMG 0815/0817 27008KT FM081700 27008KT P6SM FEW080 BECMG 0904/0906 09005KT

Frequencies

REC - 124.60 MHz - ATIS

GND - 121.70 MHz - VANCOUVER GROUND

TWR - 118.70 MHz - VANCOUVER TOWER

APP - 128.60 MHz - VANCOUVER APPROACH

DEP - 126.12 MHz - VANCOUVER DEPARTURE

CLD - 121.40 MHz - CLEARANCE DELIVERY

GND - 127.50 MHz - VANCOUVER GROUND

TWR - 119.55 MHz - VANCOUVER TOWER

APP - 133.10 MHz - VANCOUVER APPROACH

DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.61		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.64		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.65		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.67		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.62		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.63		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.62		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.66		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.62		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.63		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.63		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.62		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.66		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.62		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.63		13 m

CYXX

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 2

Elevation: 192 ft / 59 m
Location: 49.022700 -122.367000
Magnetic Var: 15.097 E

METAR

CYXX 081200Z 00000KT 30SM FEW080 04/03 A3041 RMK AC1 SLP301

TAF

TAF CYXX 081140Z 0812/0912 VRB03KT P6SM FEW020 BECMG 0819/0821 24008KT BECMG 0903/0905 01005KT RMK NXT FCST BY 081

Frequencies

REC - 119.80 MHz - CYXX ATIS
TWR - 119.40 MHz - ABBOTSFORD TWR
APP - 132.70 MHz - VICTORIA APP

GND - 121.80 MHz - ABBOTSFORD GND
TWR - 121.00 MHz - ABBOTSFORD TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	200 ft	9,610 ft	85.76	ASPHALT	0 ft	0 ft
	61 m	2,929 m	70.66		0 m	0 m
25	200 ft	9,610 ft	265.79	ASPHALT	331 ft	62 ft
	61 m	2,929 m	250.69		101 m	19 m
01	200 ft	5,329 ft	25.66	ASPHALT	364 ft	0 ft
	61 m	1,624 m	10.56		111 m	0 m
19	200 ft	5,329 ft	205.67	ASPHALT	16 ft	0 ft
	61 m	1,624 m	190.57		5 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IXX	109.70 MHz	18 nm	85.78	-	193 ft
				33 km	70.68		193 m
07	GS	IXX	109.70 MHz	10 nm	85.78	3.00	193 ft
				19 km	70.68		193 m