

KJFK

John F Kennedy


UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl

2024/06/04 0105Z

KJFK BAF **Q480** ENE **J55** PQI **J561** GRINS QUBIS **N578A** IRL0K 5500N0-5600W 5600N0-5400W 5600N0-5300W
5700N0-5100W 5700N0-5000W 5800N0-4800W 5800N0-4700W 5900N0-4500W 5900N0-4400W 6000N0-4200W
6000N0-4100W 6000N0-4000W 6000N0-3900W 6100N0-3600W 6100N0-3500W 6200N0-3200W 6200N0-3100W
6200N0-3000W 6200N0-2900W 6200N0-2800W 6300N0-2500W KJV **G3** LARUX 6300N0-900W 6300N0-800W
6300N0-700W 6300N0-600W 6300N0-500W 6300N0-400W 6300N0-300W 6300N0-200W 6300N0-100W ISVIG **Z155**
TOGMI **Y357** RATMU **L24** OLEMA **G34** AKARU SPB **B964** RUNEP UUEE

4182.45 nm / 7745.89 km



Notes

Basic altitude profile:

- Ascent Rate: 2400ft/min
- Ascent Speed: 320kts
- Cruise Altitude: 37000ft
- Cruise Speed: 460kts
- Descent Rate: 1400ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.63990 -73.77870	0 ft 0 m	-	John F Kennedy
BAF VOR	-	42.16200 -72.71620	32,300 ft 9,845 m	103	BARNES (WESTFIELD/SPRINGFIELD)
ENE VOR	Q480 AWY-HI	43.42570 -70.61350	37,000 ft 11,278 m	119	KENNEBUNK
FRIAR FIX	J55 AWY-HI	44.44140 -69.88460	37,000 ft 11,278 m	68	-
PQI VOR	J55 AWY-HI	46.77420 -68.09450	37,000 ft 11,278 m	159	PRESQUE ISLE
GRINS FIX	J561 AWY-HI	47.28890 -68.12580	37,000 ft 11,278 m	30	-
QUBIS FIX	-	47.53340 -67.76610	37,000 ft 11,278 m	20	-
IRLOK FIX	N578A AWY-HI	54.53330 -57.00000	37,000 ft 11,278 m	583	-
5500N0-5600W LATLON	-	55.00000 -56.00000	37,000 ft 11,278 m	44	-
5600N0-5400W LATLON	-	56.00000 -54.00000	37,000 ft 11,278 m	90	-
5600N0-5300W LATLON	-	56.00000 -53.00000	37,000 ft 11,278 m	33	-
5700N0-5100W LATLON	-	57.00000 -51.00000	37,000 ft 11,278 m	89	-
5700N0-5000W LATLON	-	57.00000 -50.00000	37,000 ft 11,278 m	32	-
5800N0-4800W LATLON	-	58.00000 -48.00000	37,000 ft 11,278 m	88	-
5800N0-4700W LATLON	-	58.00000 -47.00000	37,000 ft 11,278 m	31	-
5900N0-4500W LATLON	-	59.00000 -45.00000	37,000 ft 11,278 m	86	-
5900N0-4400W LATLON	-	59.00000 -44.00000	37,000 ft 11,278 m	30	-
6000N0-4200W LATLON	-	60.00000 -42.00000	37,000 ft 11,278 m	85	-
6000N0-4100W LATLON	-	60.00000 -41.00000	37,000 ft 11,278 m	30	-
6000N0-4000W LATLON	-	60.00000 -40.00000	37,000 ft 11,278 m	30	-
6000N0-3900W LATLON	-	60.00000 -39.00000	37,000 ft 11,278 m	30	-
6100N0-3600W LATLON	-	61.00000 -36.00000	37,000 ft 11,278 m	107	-
6100N0-3500W LATLON	-	61.00000 -35.00000	37,000 ft 11,278 m	29	-
6200N0-3200W LATLON	-	62.00000 -32.00000	37,000 ft 11,278 m	104	-
6200N0-3100W LATLON	-	62.00000 -31.00000	37,000 ft 11,278 m	28	-
6200N0-3000W LATLON	-	62.00000 -30.00000	37,000 ft 11,278 m	28	-
6200N0-2900W	-	62.00000	37,000 ft	28	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-29.00000	11,278 m		
6200N0-2800W	-	62.00000	37,000 ft	28	-
LATLON	-	-28.00000	11,278 m		
6300N0-2500W	-	63.00000	37,000 ft	102	-
LATLON	-	-25.00000	11,278 m		
KFV	-	63.98290	37,000 ft	87	KEFLAVIK
VOR	-	-22.61510	11,278 m		
METIL	G3	63.97190	37,000 ft	28	-
FIX	AWY-HI	-21.52610	11,278 m		
NASBU	G3	63.94670	37,000 ft	31	-
FIX	AWY-HI	-20.34820	11,278 m		
MIKLA	G3	63.84830	37,000 ft	73	-
FIX	AWY-HI	-17.57420	11,278 m		
ING	G3	63.80310	37,000 ft	24	INGO
VOR	AWY-HI	-16.63810	11,278 m		
ROSTI	G3	63.40640	37,000 ft	71	-
FIX	AWY-HI	-14.11220	11,278 m		
LARUX	G3	62.62170	37,000 ft	121	-
FIX	AWY-HI	-10.00000	11,278 m		
6300N0-900W	-	63.00000	37,000 ft	35	-
LATLON	-	-9.00000	11,278 m		
6300N0-800W	-	63.00000	37,000 ft	27	-
LATLON	-	-8.00000	11,278 m		
6300N0-700W	-	63.00000	37,000 ft	27	-
LATLON	-	-7.00000	11,278 m		
6300N0-600W	-	63.00000	37,000 ft	27	-
LATLON	-	-6.00000	11,278 m		
6300N0-500W	-	63.00000	37,000 ft	27	-
LATLON	-	-5.00000	11,278 m		
6300N0-400W	-	63.00000	37,000 ft	27	-
LATLON	-	-4.00000	11,278 m		
6300N0-300W	-	63.00000	37,000 ft	27	-
LATLON	-	-3.00000	11,278 m		
6300N0-200W	-	63.00000	37,000 ft	27	-
LATLON	-	-2.00000	11,278 m		
6300N0-100W	-	63.00000	37,000 ft	27	-
LATLON	-	-1.00000	11,278 m		
ISVIG	-	63.00000	37,000 ft	27	-
FIX	-	0.00000	11,278 m		
EDAPA	Z155	62.92040	37,000 ft	119	-
FIX	AWY-HI	4.37617	11,278 m		
OLGUV	Z155	62.43420	37,000 ft	216	-
FIX	AWY-HI	12.18150	11,278 m		
TOGMI	Z155	61.76190	37,000 ft	210	-
FIX	AWY-HI	19.54030	11,278 m		
ROGTU	Y357	61.49190	37,000 ft	43	-
FIX	AWY-HI	20.96970	11,278 m		
NEPEK	Y357	60.74250	37,000 ft	111	-
FIX	AWY-HI	24.48560	11,278 m		
ULTSI	Y357	60.54970	37,000 ft	26	-
FIX	AWY-HI	25.29080	11,278 m		
RATMU	Y357	60.23780	37,000 ft	41	-
FIX	AWY-HI	26.53580	11,278 m		
OLEMA	L24	60.23330	37,000 ft	28	-
FIX	AWY-HI	27.47500	11,278 m		
AKARU	G34	60.18670	37,000 ft	34	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	28.63170	11,278 m		
SPB	-	59.80690	37,000 ft	54	ST PETERSBURG
VOR	-	30.27460	11,278 m		
LUKIR	B964	59.44970	37,000 ft	57	-
FIX	AWY-HI	32.04780	11,278 m		
KANET	B964	58.73330	37,000 ft	61	-
FIX	AWY-HI	33.46440	11,278 m		
MANIV	B964	58.40500	33,600 ft	25	-
FIX	AWY-HI	33.97440	10,241 m		
BERNO	B964	58.15000	30,000 ft	19	-
FIX	AWY-HI	34.36440	9,144 m		
DB	B964	57.71310	24,100 ft	32	POCHINOK
NDB	AWY-HI	34.97190	7,346 m		
RUNEP	B964	57.03500	13,500 ft	57	-
FIX	AWY-HI	36.24280	4,115 m		
UUEE	-	55.97670	0 ft	74	Moscow Sheremetyevo Alexander S. Pushkin Intl
APT	-	37.39440	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.818 W

METAR

KJFK 032351Z 18005KT 10SM FEW070 FEW100 BKN250 23/17 A2990 RMK A02 SLP126 T02330172 53009 \$

TAF

TAF KJFK 032320Z 0400/0506 18007KT P6SM FEW070 SCT150 FM040300 14003KT P6SM FEW080 FEW250 FM040900 09005KT P6SM F

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.48		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.48		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.986 E

METAR

UUEE 040030Z 22004MPS 9999 -SHRA SCT040CB 15/14 Q1006 R24L/CLRD62 R24C/CLRD62 NOSIG

TAF

TAF UUEE 032255Z 0400/0424 22005MPS 9999 SCT040 TX23/0411Z TN15/0401Z PROB40 TEMPO 0403/0407 -TSRA SCT020CB TEMPO

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.01		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.06		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.06		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.01		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.01		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.01		630 m