


2024/04/28 0427Z

KVNY EHF **J65** SAC **J126** RBL **J1** OED **J501** HQM 11S

901.49 nm / 1669.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KVNY APT	-	34.21070 -118.49000	0 ft 0 m	-	Van Nuys Airport
EHF VOR	-	35.48460 -119.09700	29,300 ft 8,931 m	82	SHAFTER (BAKERSFIELD)
CZQ VOR	J65 AWY-HI	36.88430 -119.81500	35,000 ft 10,668 m	90	CLOVIS (FRESNO)
SAC VOR	J65 AWY-HI	38.44370 -121.55200	35,000 ft 10,668 m	124	SACRAMENTO
RBL VOR	J126 AWY-HI	40.09890 -122.23600	35,000 ft 10,668 m	104	RED BLUFF
HANDY FIX	J1 AWY-HI	42.23520 -122.84100	35,000 ft 10,668 m	131	-
OED VOR	J1 AWY-HI	42.47960 -122.91300	35,000 ft 10,668 m	15	ROGUE VALLEY (MEDFORD)
HQM VOR	J501 AWY-HI	46.94700 -124.14900	17,000 ft 5,182 m	273	HOQUIAM
11S APT	-	48.26610 -124.31400	0 ft 0 m	79	Sekiu

## KVNY

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 2

Elevation: 802 ft / 244 m  
Location: 34.210700 -118.490000  
Magnetic Var: 11.509 E

## METAR

KVNY 280351Z 11005KT 10SM CLR 17/07 A2999 RMK A02 SLP149 T01670072

## TAF

KVNY 272321Z 2800/2824 17010KT P6SM SKC FM280300 VRB03KT P6SM SKC FM282000 15010KT P6SM SKC

## Frequencies

REC - 127.55 MHz - ATIS	COM - 119.30 MHz - CTAF
COM - 122.95 MHz - UNICOM	CLD - 126.60 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VAN NUYS GROUND	TWR - 120.20 MHz - VAN NUYS TOWER
TWR - 119.30 MHz - VAN NUYS TOWER	APP - 124.60 MHz - SOCAL APPROACH
APP - 134.20 MHz - SOCAL APPROACH	APP - 135.05 MHz - SOCAL APPROACH
DEP - 120.40 MHz - SOCAL APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	151 ft	8,027 ft	175.52	ASPHALT	1,430 ft	151 ft
	46 m	2,447 m	164.01		436 m	46 m
34L	151 ft	8,027 ft	355.52	ASPHALT	0 ft	174 ft
	46 m	2,447 m	344.01		0 m	53 m
16L	75 ft	4,026 ft	175.53	ASPHALT	1,437 ft	0 ft
	23 m	1,227 m	164.02		438 m	0 m
34R	75 ft	4,026 ft	355.53	ASPHALT	0 ft	0 ft
	23 m	1,227 m	344.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IVNY	111.30 MHz	18 nm	175.52	-	802 ft
				33 km	164.01		802 m
16R	GS	IVNY	111.30 MHz	10 nm	175.52	3.50	802 ft
				19 km	164.01		802 m