

LROP

Bucharest Henri Coanda


LIPZ

Venezia-Tessera "Marco Polo"

2024/05/09 0647Z

LROP UBOGU L5 SOMUN UN131 DER P11 OBALA UL615 NAKIT LIPZ

598.10 nm / 1107.68 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LROP	-	44.57230	0 ft	-	Bucharest Henri Coanda
APT	-	26.10230	0 m	-	
UBOGU	-	44.76310	22,200 ft	62	-
FIX	-	24.66830	6,767 m	-	-
PADGU	L5	44.77860	35,000 ft	87	-
FIX	AWY-HI	22.61060	10,668 m	-	-
VELIP	L5	44.77180	35,000 ft	45	-
FIX	AWY-HI	21.53330	10,668 m	-	-
DONIV	L5	44.74890	35,000 ft	15	-
FIX	AWY-LO	21.16960	10,668 m	-	-
IRGOR	L5	44.72280	35,000 ft	16	-
FIX	AWY-LO	20.77660	10,668 m	-	-
ENUPU	L5	44.61700	35,000 ft	60	-
FIX	AWY-LO	19.36270	10,668 m	-	-
LOPLI	L5	44.60580	35,000 ft	5	-
FIX	AWY-LO	19.22390	10,668 m	-	-
SOMUN	L5	44.59640	35,000 ft	5	-
FIX	AWY-LO	19.10500	10,668 m	-	-
DER	UN131	44.98410	35,000 ft	53	DERVENTA
VOR	AWY-HI	17.96950	10,668 m	-	
TIVNU	P11	44.96470	35,000 ft	38	-
FIX	AWY-LO	17.05940	10,668 m	-	-
KOMAR	P11	44.95810	35,000 ft	10	-
FIX	AWY-LO	16.80420	10,668 m	-	-
RASTU	P11	44.94220	32,000 ft	45	-
FIX	AWY-LO	15.74330	9,754 m	-	-
DABAR	P11	44.93220	27,700 ft	20	-
FIX	AWY-LO	15.27030	8,443 m	-	-
OBALA	P11	44.92030	25,000 ft	12	-
FIX	AWY-LO	14.97250	7,620 m	-	-
NAKIT	UL615	45.18810	10,700 ft	66	-
FIX	AWY-HI	13.44780	3,261 m	-	-
LIPZ	-	45.50480	0 ft	50	Venezia-Tessera "Marco Polo"
APT	-	12.34970	0 m	-	

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.290 E

METAR

LROP 090630Z 06010KT 9999 -RA FEW038 12/08 Q1021 NOSIG

TAF

TAF LROP 090500Z 0906/1006 06010KT 9999 SCT045 TEMPO 0906/0910 5000 -RA BKN015 BKN040

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.62		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.45		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.45		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.82		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.83		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.55		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.52		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.52		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.55		314 m

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.905 E

METAR

LIPZ 090620Z 02005KT 350V050 CAVOK 18/11 Q1019 NOSIG

TAF

TAF LIPZ 090500Z 0906/1012 01006KT CAVOK BECMG 0910/0912 12010KT BECMG 0916/0918 03008KT BECMG 1010/1012 14010KT

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m