


2024/05/09 1625Z

KHPN FLUTE **L456** MARIG **L461** BOVIC **M591** BDA TXKF

681.54 nm / 1262.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KHPN APT	-	41.06670 -73.70760	0 ft 0 m	-	WESTCHESTER CO
FLUTE FIX	-	39.70020 -72.18770	35,000 ft 10,668 m	107	-
NAROW FIX	L456 AWY-HI	39.49330 -71.84690	35,000 ft 10,668 m	20	-
LINND FIX	L456 AWY-HI	39.40980 -71.71050	35,000 ft 10,668 m	8	-
MARIG FIX	L456 AWY-HI	38.32840 -70.05950	35,000 ft 10,668 m	100	-
TILED FIX	L461 AWY-HI	37.26610 -68.97330	35,000 ft 10,668 m	82	-
KINER FIX	L461 AWY-HI	36.57420 -68.28740	35,000 ft 10,668 m	53	-
BOVIC FIX	L461 AWY-HI	34.87350 -66.66760	35,000 ft 10,668 m	129	-
BDA VOR	M591 AWY-HI	32.36440 -64.68960	100 ft 30 m	180	BERMUDA
TXKF APT	-	32.36400 -64.67860	0 ft 0 m	0	L.F. Wade International

KHPN

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 437 ft / 133 m
Location: 41.066700 -73.707600
Magnetic Var: 12.932 W

METAR

KHPN 091556Z 01010KT 10SM SCT033 18/08 A2973 RMK A02 SLP066 T01780078

TAF

KHPN 091437Z 0915/1012 35009KT P6SM SCT040 SCT150 FM092100 12006KT P6SM FEW040 BKN080 FM100000 13006KT P6SM VCSH O

Frequencies

REC - 133.80 MHz - ATIS	COM - 122.95 MHz - UNICOM
COM - 118.57 MHz - CTAF	CLD - 127.25 MHz - CLNC DEL
GND - 121.82 MHz -	TWR - 118.57 MHz -
APP - 120.80 MHz - NEW YORK APP	APP - 124.65 MHz - NEW YORK APP
APP - 126.40 MHz - NEW YORK APP	DEP - 120.55 MHz - NEW YORK DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	4,441 ft	102.45	ASPHALT	0 ft	0 ft
	46 m	1,354 m	115.38		0 m	0 m
29	151 ft	4,441 ft	282.46	ASPHALT	1,296 ft	0 ft
	46 m	1,354 m	295.39		395 m	0 m
16	151 ft	6,551 ft	149.99	ASPHALT	0 ft	200 ft
	46 m	1,997 m	162.92		0 m	61 m
34	151 ft	6,551 ft	330.00	ASPHALT	0 ft	200 ft
	46 m	1,997 m	342.93		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IHPN	109.70 MHz	18 nm	-	-	439 ft
				33 km	-		439 m
34	DME	IQJZ	109.70 MHz	18 nm	-	-	439 ft
				33 km	-		439 m
16	LOC-ILS	IHPN	109.70 MHz	18 nm	150.01	-	439 ft
				33 km	162.94		439 m
34	LOC-ILS	IQJZ	109.70 MHz	18 nm	330.00	-	439 ft
				33 km	342.93		439 m
16	GS	IHPN	109.70 MHz	10 nm	150.99	3.00	422 ft
				19 km	163.92		422 m
34	GS	IQJZ	109.70 MHz	10 nm	330.99	3.00	377 ft
				19 km	343.92		377 m

TXKF

Region: BERMUDA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: 32.364000 -64.678600
Magnetic Var: 14.533 W

METAR

TXKF 091555Z 24018KT 9999 BKN011 OVC024 24/21 Q1014

TAF

TAF TXKF 091130Z 0912/1012 23016KT 9999 VCSH SCT018 BKN030 PROB40 TEMPO 0912/0918 8000 -SHRA BKN012 PROB30 TEMPO 0

Frequencies

REC - 119.60 MHz - ATIS
APP - 119.10 MHz - NEW YORK APPROACH
COM - 122.80 MHz - BERMUDA UNICOM
DEP - 119.10 MHz - NEW YORK DEPARTURE
TWR - 118.10 MHz - BERMUDA TOWER
GND - 124.50 MHz - BERMUDA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	9,695 ft	101.50	ASPHALT	584 ft	768 ft
	46 m	2,955 m	116.03		178 m	234 m
30	150 ft	9,695 ft	281.52	ASPHALT	0 ft	203 ft
	46 m	2,955 m	296.05		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IBDA	109.90 MHz	18 nm	281.51	-	18 ft
				33 km	296.04		18 m
30	GS	IBDA	109.90 MHz	10 nm	281.51	3.00	18 ft
				19 km	296.04		18 m