


2024/05/18 1220Z

SAMM MAGDO **B684** LOLAS **UB684** GPI **UW68** BODIR SABE

555.94 nm / 1029.61 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAMM	-	-35.48930	0 ft	-	MALARGUE
APT	-	-69.57380	0 m		
MAGDO	-	-35.52110	10,600 ft	29	-
FIX	-	-68.96580	3,231 m		
SOTLA	B684	-35.63500	35,000 ft	127	-
FIX	AWY-LO	-66.36610	10,668 m		
LOLAS	B684	-35.67640	35,000 ft	76	-
FIX	AWY-LO	-64.79690	10,668 m		
GPI	UB684	-35.69280	35,000 ft	51	GENERAL PICO
VOR	AWY-HI	-63.75080	10,668 m		
IRASU	UW68	-35.38720	35,000 ft	99	-
FIX	AWY-HI	-61.74360	10,668 m		
BODIR	UW68	-35.15360	21,700 ft	69	-
FIX	AWY-HI	-60.34860	6,614 m		
SABE	-	-34.55920	0 ft	101	Aeroparque Jorge Newbery
APT	-	-58.41570	0 m		

## SABE

Region: ARGENTINA  
Timezone: UNKNOWN  
Runways: 1

Elevation: 18 ft / 5 m  
Location: -34.559200 -58.415700  
Magnetic Var: 10.077 W

## METAR

SABE 181200Z 16004KT 120V220 CAVOK 08/05 Q1026 NOSIG

## TAF

TAF SABE 181100Z 1812/1912 20005KT 9999 SCT005 TX13/1818Z TN07/1812Z BECMG 1813/1815 CAVOK BECMG 1816/1818 11010K

## Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS  
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD  
APP - 120.60 MHz - AEROPARQUE APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.18		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.17		131 m	154 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.17		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.17		18 m