


2024/06/07 0126Z

SBPA SUPLO -2800S0-5200W UMGOR SSFA

261.97 nm / 485.17 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBPA	-	-29.99460	0 ft	-	Salgado Filho Intl
APT	-	-51.17120	0 m	-	
SUPLO	-	-28.73130	31,300 ft	87	-
FIX	-	-52.01170	9,540 m	-	-
-2800S0-5200W	-	-28.00000	27,900 ft	43	-
LATLON	-	-52.00000	8,504 m	-	-
UMGOR	-	-27.22330	17,500 ft	48	-
FIX	-	-52.26080	5,334 m	-	-
SSFA	-	-25.98150	0 ft	81	FOZ DO AREIA
APT	-	-51.64070	0 m	-	

## SBPA

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 1

Elevation: 12 ft / 4 m  
Location: -29.994600 -51.171200  
Magnetic Var: 17.893 W

## METAR

UNKNOWN

## TAF

TAF SBPA 062100Z 0700/0724 22004KT CAVOK TN13/0708Z TX27/0717Z BECMG 0702/0704 01003KT 8000 NSC PROB40 0708/0711

## Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.23		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.22		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.82		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.09		11 m