

# SBNT

Natal Augusto Severo Air Base


# SBSV

Salvador-Luis Eduardo Magalhaes Intl

2024/05/29 0451Z

SBNT SAFUC **W33** CONDE SBSV

486.00 nm / 900.07 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
SBNT	-	-5.91171	0 ft	-	Natal Augusto Severo Air Base	
APT	-	-35.24770	0 m			
SAFUC	-	-6.90300	21,400 ft	60	-	
FIX	-	-35.10550	6,523 m			
REC	W33	-8.13658	35,000 ft	74	RECIFE	
VOR	AWY-LO	-34.92730	10,668 m			
UKARI	W33	-8.83133	35,000 ft	49	-	
FIX	AWY-LO	-35.36300	10,668 m			
MCE	W33	-9.50989	35,000 ft	47	ZUMBI (MACEIO)	
VOR	AWY-LO	-35.78690	10,668 m			
DENDO	W33	-10.24680	35,000 ft	58	-	
FIX	AWY-LO	-36.42950	10,668 m			
ARU	W33	-10.98190	29,400 ft	58	CAJU (ARACAJU)	
VOR	AWY-LO	-37.07740	8,961 m			
CONDE	W33	-11.94150	14,800 ft	68	-	
FIX	AWY-LO	-37.69200	4,511 m			
SBSV	-	-12.91090	0 ft	69	Salvador-Luis Eduardo Magalhaes Intl	
APT	-	-38.33110	0 m			

## SBNT

Region: BRAZIL  
Timezone: AMERICA/FORTALEZA  
Runways: 3

Elevation: 171 ft / 52 m  
Location: -5.911710 -35.247700  
Magnetic Var: 21.112 W

## METAR

SBNT 290400Z 20003KT 9999 SCT030 24/23 Q1013

## TAF

TAF SBNT 281908Z 2900/2912 15015KT 8000 BKN025 TX26/2901Z TN24/2909Z TEMPO 2900/2902 4000 SHRA BKN020 FEW025TCU T

## Frequencies

REC - 132.65 MHz - NATAL ATIS  
TWR - 118.70 MHz - NATAL TOWER  
APP - 119.65 MHz - NATAL APPROACH

GND - 121.90 MHz - NATAL GROUND  
APP - 119.30 MHz - NATAL APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	148 ft	8,545 ft	141.11	ASPHALT	0 ft	279 ft
	45 m	2,604 m	162.22		0 m	85 m
34R	148 ft	8,545 ft	321.11	ASPHALT	0 ft	197 ft
	45 m	2,604 m	342.22		0 m	60 m
12	148 ft	5,993 ft	99.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	120.15		0 m	0 m
30	148 ft	5,993 ft	279.04	ASPHALT	0 ft	0 ft
	45 m	1,827 m	300.15		0 m	0 m
16R	148 ft	5,924 ft	141.20	ASPHALT	0 ft	0 ft
	45 m	1,806 m	162.31		0 m	0 m
34L	148 ft	5,924 ft	321.20	ASPHALT	0 ft	1,335 ft
	45 m	1,806 m	342.31		0 m	407 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	INT	109.30 MHz	18 nm	-	-	169 ft
				33 km	-		169 m
16L	LOC-ILS	INT	109.30 MHz	18 nm	141.11	-	170 ft
				33 km	162.22		170 m
16L	GS	INT	109.30 MHz	10 nm	141.11	3.00	170 ft
				19 km	162.22		170 m

## SBSV

Region: BRAZIL  
Timezone: AMERICA/BAHIA  
Runways: 2

Elevation: 66 ft / 20 m  
Location: -12.910900 -38.331100  
Magnetic Var: 23.569 W

## METAR

SBSV 290400Z 27003KT 9999 FEW020 SCT050 24/21 Q1016

## TAF

TAF SBSV 282000Z 2900/2924 10005KT 9999 SCT020 TN24/2908Z TX26/2915Z BECMG 2907/2909 14005KT SCT020 FEW023TCU TEM

## Frequencies

REC - 127.75 MHz - ATIS	GND - 121.90 MHz - SALVADOR GROUND
TWR - 118.30 MHz - SALVADOR TOWER	TWR - 118.60 MHz - SALVADOR TOWER
TWR - 118.95 MHz - SALVADOR TOWER	TWR - 121.10 MHz - SALVADOR TOWER
APP - 119.35 MHz - SALVADOR APPROACH	APP - 119.80 MHz - SALVADOR APPROACH
APP - 120.80 MHz - SALVADOR APPROACH	APP - 129.45 MHz - SALVADOR APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	4,992 ft	144.01	ASPHALT	0 ft	92 ft
	45 m	1,521 m	167.58		0 m	28 m
35	148 ft	4,992 ft	324.01	ASPHALT	0 ft	105 ft
	45 m	1,521 m	347.58		0 m	32 m
10	148 ft	9,862 ft	78.35	ASPHALT	0 ft	197 ft
	45 m	3,006 m	101.92		0 m	60 m
28	148 ft	9,862 ft	258.35	ASPHALT	0 ft	180 ft
	45 m	3,006 m	281.92		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ISV	109.30 MHz	18 nm	78.35	-	66 ft
				33 km	101.92		66 m
28	LOC-ILS	SVD	116.50 MHz	18 nm	258.35	-	66 ft
				33 km	281.92		66 m
10	GS	ISV	109.30 MHz	10 nm	78.35	3.00	66 ft
				19 km	101.92		66 m
28	GS	SVD	116.50 MHz	10 nm	258.35	3.00	66 ft
				19 km	281.92		66 m