


2024/05/02 1350Z

EGNX WOD **UM605** PETAX LFPG

282.02 nm / 522.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGNX	-	52.83100	0 ft	-	East Midlands
APT	-	-1.32810	0 m		
WOD	-	51.45280	30,100 ft	84	WOODLEY
NDB	-	-0.87880	9,174 m		
SFD	UM605	50.76070	30,300 ft	56	SEAFORD
VOR	AWY-HI	0.12191	9,235 m		
WAFFU	UM605	50.58250	27,300 ft	13	-
FIX	AWY-HI	0.34972	8,321 m		
HARDY	UM605	50.47110	25,500 ft	8	-
FIX	AWY-HI	0.49111	7,772 m		
XIDIL	UM605	50.35170	23,500 ft	9	-
FIX	AWY-HI	0.64139	7,163 m		
PETAX	UM605	50.18670	20,800 ft	12	-
FIX	AWY-HI	0.84806	6,340 m		
LFPG	-	49.00970	0 ft	97	Paris Charles De Gaulle
APT	-	2.56257	0 m		

## EGNX

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 306 ft / 93 m  
Location: 52.831000 -1.328100  
Magnetic Var: 0.058 W

## METAR

EGNX 021320Z 04010KT 010V070 9999 FEW026 19/12 Q1002

## TAF

TAF EGNX 021058Z 0212/0312 03009KT 9999 SCT025 PROB30 TEMPO 0213/0218 3000 +TSRA BKN014 BKN035CB BECMG 0221/0224 O

## Frequencies

REC - 122.65 MHz - EAST MIDLANDS INFORMATION      DEP - 120.10 MHz - EAST MIDLANDS DIRECTOR  
GND - 121.90 MHz - EAST MIDLANDS GROUND            TWR - 124.00 MHz - EAST MIDLANDS TOWER  
APP - 126.10 MHz - EAST MIDLANDS RADAR            APP - 134.10 MHz - EAST MIDLANDS RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	9,468 ft	88.26	ASPHALT	587 ft	98 ft
	45 m	2,886 m	88.32		179 m	30 m
27	148 ft	9,468 ft	268.30	ASPHALT	423 ft	98 ft
	45 m	2,886 m	268.36		129 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IEMW	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
27	DME	IEME	109.35 MHz	18 nm	-	-	322 ft
				33 km	-		322 m
09	LOC-ILS	IEMW	109.35 MHz	18 nm	88.28	-	306 ft
				33 km	88.34		306 m
27	LOC-ILS	IEME	109.35 MHz	18 nm	268.28	-	306 ft
				33 km	268.34		306 m
09	GS	IEMW	109.35 MHz	10 nm	88.28	3.00	306 ft
				19 km	88.34		306 m
27	GS	IEME	109.35 MHz	10 nm	268.28	3.00	306 ft
				19 km	268.34		306 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.492 E

## METAR

LFPG 021330Z 27012KT 9999 -RA SCT016 BKN026 12/10 Q1005 TEMPO -RA BKN014

## TAF

TAF LFPG 021100Z 0212/0318 27010KT 9999 BKN018 TX16/0315Z TN09/0303Z TEMPO 0212/0220 -RA BKN014 PROB40 TEMPO 0312

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.83		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m