

LEMD

Madrid - Barajas


LEVC

Valencia

2024/05/08 0442Z

LEMD +40.68_-003.58 +40.68_-003.39 +39.14_+000.84 LEVC

192.76 nm / 357.00 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEMD	-	40.53176	0 ft	-	-
APT	-	-3.57485	0 m		
+40.68_-003.58	-	40.67649	0 ft	8	-
DME	-	-3.57566	0 m		
+40.68_-003.39	-	40.67695	0 ft	8	-
DME	-	-3.38821	0 m		
+39.14_+000.84	-	39.14072	0 ft	149	-
DME	-	-0.83554	0 m		
LEVC	-	39.48218	0 ft	26	-
APT	-	-0.48889	0 m		

LEMD

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 4

Elevation: 1,998 ft / 609 m
Location: 40.495300 -3.560200
Magnetic Var: 0.078 E

METAR

LEMD 080430Z 35004KT 290V060 CAVOK 09/03 Q1023 NOSIG

TAF

TAF TAF LEMD 072300Z 0800/0906 05007KT CAVOK TX27/0815Z TN05/0805Z

Frequencies

REC - 130.85 MHz - ATIS DEPARTURE	REC - 118.25 MHz - ATIS ARRIVAL
TWR - 120.65 MHz - BARAJAS TOWER	TWR - 120.15 MHz - BARAJAS TOWER
TWR - 119.50 MHz - BARAJAS TOWER	TWR - 118.15 MHz - BARAJAS TOWER
GND - 121.75 MHz - BARAJAS GROUND	GND - 123.15 MHz - BARAJAS GROUND
GND - 121.70 MHz - BARAJAS APRON	GND - 123.25 MHz - BARAJAS APRON
GND - 121.85 MHz - BARAJAS APRON	GND - 123.00 MHz - BARAJAS APRON
CLD - 130.35 MHz - CLEARANCE DELIVERY	CLD - 130.00 MHz - CLEARANCE DELIVERY
APP - 127.50 MHz - MADRID APPROACH	APP - 136.10 MHz - MADRID APPROACH
APP - 134.00 MHz - MADRID APPROACH	APP - 130.80 MHz - MADRID APPROACH
APP - 127.10 MHz - MADRID APPROACH	APP - 124.00 MHz - MADRID APPROACH
APP - 118.75 MHz - MADRID APPROACH	APP - 118.40 MHz - MADRID APPROACH
DEP - 131.17 MHz - MADRID DEPARTURE	DEP - 124.22 MHz - MADRID DEPARTURE
APP - 134.95 MHz - MADRID DIRECT	APP - 128.70 MHz - MADRID DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	197 ft	13,097 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,992 m	142.23		0 m	0 m
32L	197 ft	13,097 ft	322.32	ASPHALT	3,041 ft	0 ft
	60 m	3,992 m	322.25		927 m	0 m
18R	197 ft	13,723 ft	179.75	ASPHALT	2,644 ft	0 ft
	60 m	4,183 m	179.67		806 m	0 m
36L	197 ft	13,723 ft	359.75	ASPHALT	0 ft	0 ft
	60 m	4,183 m	359.67		0 m	0 m
14L	197 ft	11,494 ft	142.31	ASPHALT	0 ft	0 ft
	60 m	3,504 m	142.24		0 m	0 m
32R	197 ft	11,494 ft	322.33	ASPHALT	1,627 ft	0 ft
	60 m	3,504 m	322.25		496 m	0 m
18L	197 ft	11,494 ft	179.76	ASPHALT	1,621 ft	0 ft
	60 m	3,503 m	179.68		494 m	0 m
36R	197 ft	11,494 ft	359.76	ASPHALT	0 ft	0 ft
	60 m	3,503 m	359.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IML	111.50 MHz	18 nm	-	-	1,916 ft
				33 km	-		1,916 m
18R	DME	IMR	110.70 MHz	18 nm	-	-	1,986 ft
				33 km	-		1,986 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	DME	MAA	109.90 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
32R	DME	MBB	109.10 MHz	18 nm	-	-	1,998 ft
				33 km	-		1,998 m
18L	LOC-ILS	IML	111.50 MHz	18 nm	179.76	-	1,998 ft
				33 km	179.68		1,998 m
18R	LOC-ILS	IMR	110.70 MHz	18 nm	179.75	-	1,998 ft
				33 km	179.67		1,998 m
32L	LOC-ILS	MAA	109.90 MHz	18 nm	322.32	-	1,998 ft
				33 km	322.24		1,998 m
32R	LOC-ILS	MBB	109.10 MHz	18 nm	322.33	-	1,998 ft
				33 km	322.25		1,998 m
18L	GS	IML	111.50 MHz	10 nm	179.76	3.00	1,998 ft
				19 km	179.68		1,998 m
18R	GS	IMR	110.70 MHz	10 nm	179.75	3.00	1,978 ft
				19 km	179.67		1,978 m
32L	GS	MAA	109.90 MHz	10 nm	322.32	3.00	1,998 ft
				19 km	322.24		1,998 m
32R	GS	MBB	109.10 MHz	10 nm	322.33	3.00	1,998 ft
				19 km	322.25		1,998 m

LEVC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 240 ft / 73 m
Location: 39.490000 -0.483345
Magnetic Var: 0.910 E

METAR

LEVC 080430Z 30004KT CAVOK 13/04 Q1021 NOSIG

TAF

TAF LEVC 072300Z 0800/0824 33005KT 9999 FEW060 TX26/0812Z TN12/0806Z BECMG 0809/0811 12010KT BECMG 0820/0822 3300

Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.35		295 m	288 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.28		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.61		225 m