

# KCVG

Cincinnati Northern KT


# KHRI

HERMISTON MUNI

2024/05/29 0123Z

KCVG VHP **V434** PIA **V48** OTM **V52** DSM **V175** SUX **V100** ONL **Q152** LEZLE KHRI

1590.25 nm / 2945.14 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCVG	-	39.04950	0 ft	-	Cincinnati Northern KT
APT	-	-84.66830	0 m		
VHP	-	39.81470	32,500 ft	91	BRICKYARD
VOR	-	-86.36750	9,906 m		
ANTTI	V434	39.86960	35,000 ft	21	-
FIX	AWY-LO	-86.81870	10,668 m		
ALLOE	V434	39.91210	35,000 ft	16	-
FIX	AWY-LO	-87.17840	10,668 m		
JAZZY	V434	39.94010	35,000 ft	11	-
FIX	AWY-LO	-87.42080	10,668 m		
LUNEY	V434	39.97090	35,000 ft	12	-
FIX	AWY-LO	-87.69370	10,668 m		
JAGER	V434	39.98580	35,000 ft	6	-
FIX	AWY-LO	-87.82700	10,668 m		
EMTEE	V434	40.00530	35,000 ft	8	-
FIX	AWY-LO	-88.00500	10,668 m		
CMI	V434	40.03450	35,000 ft	12	CHAMPAIGN
VOR	AWY-LO	-88.27610	10,668 m		
LODGE	V434	40.14330	35,000 ft	13	-
FIX	AWY-LO	-88.52630	10,668 m		
MCLEN	V434	40.40530	35,000 ft	32	-
FIX	AWY-LO	-89.13790	10,668 m		
NINIC	V434	40.43390	35,000 ft	3	-
FIX	AWY-LO	-89.20550	10,668 m		
MACIN	V434	40.54090	35,000 ft	13	-
FIX	AWY-LO	-89.45940	10,668 m		
PIA	V434	40.68010	35,000 ft	17	PEORIA
VOR	AWY-LO	-89.79280	10,668 m		
LOGOS	V48	40.69590	35,000 ft	17	-
FIX	AWY-LO	-90.17440	10,668 m		
BRL	V48	40.72350	35,000 ft	34	BURLINGTON
VOR	AWY-LO	-90.92590	10,668 m		
VOMZY	V48	40.86380	35,000 ft	29	-
FIX	AWY-LO	-91.55770	10,668 m		
OTM	V48	41.02910	35,000 ft	36	OTTUMWA
VOR	AWY-LO	-92.32590	10,668 m		
BUSSY	V52	41.19520	35,000 ft	25	-
FIX	AWY-LO	-92.85590	10,668 m		
DSM	V52	41.43760	35,000 ft	38	DES MOINES
VOR	AWY-LO	-93.64860	10,668 m		
ILODE	V175	41.59760	35,000 ft	22	-
FIX	AWY-LO	-94.10350	10,668 m		
LINDE	V175	41.65180	35,000 ft	7	-
FIX	AWY-LO	-94.25750	10,668 m		
MADUP	V175	41.94060	35,000 ft	41	-
FIX	AWY-LO	-95.10010	10,668 m		
YETJA	V175	42.12300	35,000 ft	26	-
FIX	AWY-LO	-95.64590	10,668 m		
WELTE	V175	42.17650	35,000 ft	7	-
FIX	AWY-LO	-95.80780	10,668 m		
SUX	V175	42.34450	35,000 ft	25	SIoux CITY
VOR	AWY-LO	-96.32360	10,668 m		
ATLES	V100	42.37880	35,000 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-96.88380	10,668 m		
BEWIG	V100	42.41250	35,000 ft	25	-
FIX	AWY-LO	-97.46670	10,668 m		
CUGUX	V100	42.45030	35,000 ft	34	-
FIX	AWY-LO	-98.23740	10,668 m		
ONL	V100	42.47050	35,000 ft	19	O'NEILL
VOR	AWY-LO	-98.68690	10,668 m		
WUVUT	Q152	44.24430	35,000 ft	306	-
FIX	AWY-HI	-105.26500	10,668 m		
IKFOM	Q152	44.91650	35,000 ft	145	-
FIX	AWY-HI	-108.53900	10,668 m		
WEDAK	Q152	45.88830	35,000 ft	240	-
FIX	AWY-HI	-114.08400	10,668 m		
LEZLE	Q152	46.14330	19,200 ft	129	-
FIX	AWY-HI	-117.15700	5,852 m		
KHRI	-	45.82820	0 ft	89	HERMISTON MUNI
APT	-	-119.25900	0 m		

```
Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4
```

Elevation: 895 ft / 273 m  
Location: 39.049500 -84.668300  
Magnetic Var: 6.106 W

KCVG 290052Z 27004KT 10SM FEW055 FEW100 SCT150 21/11 A2997 RMK A02 LTG DSNT SW SLP140 CB DSNT SW T02060106

TAF KCVG 282330Z 2900/3006 29007KT P6SM FEW070 FM290230 26004KT P6SM VCSH BKN070 FM290430 27004KT P6SM FEW070 FM290630 28004KT P6SM FEW070 FM290830 29007KT P6SM FEW070 FM291030 29007KT P6SM FEW070 FM291230 29007KT P6SM FEW070 FM291430 29007KT P6SM FEW070 FM291630 29007KT P6SM FEW070 FM291830 29007KT P6SM FEW070 FM292030 29007KT P6SM FEW070 FM292230 29007KT P6SM FEW070 FM292430 29007KT P6SM FEW070 FM292630 29007KT P6SM FEW070 FM292830 29007KT P6SM FEW070 FM293000 29007KT P6SM FEW070 FM293200 29007KT P6SM FEW070 FM293400 29007KT P6SM FEW070 FM293600 29007KT P6SM FEW070 FM293800 29007KT P6SM FEW070 FM294000 29007KT P6SM FEW070 FM294200 29007KT P6SM FEW070 FM294400 29007KT P6SM FEW070 FM294600 29007KT P6SM FEW070 FM294800 29007KT P6SM FEW070 FM295000 29007KT P6SM FEW070 FM295200 29007KT P6SM FEW070 FM295400 29007KT P6SM FEW070 FM295600 29007KT P6SM FEW070 FM295800 29007KT P6SM FEW070 FM296000 29007KT P6SM FEW070 FM296200 29007KT P6SM FEW070 FM296400 29007KT P6SM FEW070 FM296600 29007KT P6SM FEW070 FM296800 29007KT P6SM FEW070 FM297000 29007KT P6SM FEW070 FM297200 29007KT P6SM FEW070 FM297400 29007KT P6SM FEW070 FM297600 29007KT P6SM FEW070 FM297800 29007KT P6SM FEW070 FM298000 29007KT P6SM FEW070 FM298200 29007KT P6SM FEW070 FM298400 29007KT P6SM FEW070 FM298600 29007KT P6SM FEW070 FM298800 29007KT P6SM FEW070 FM299000 29007KT P6SM FEW070 FM299200 29007KT P6SM FEW070 FM299400 29007KT P6SM FEW070 FM299600 29007KT P6SM FEW070 FM299800 29007KT P6SM FEW070 FM300000 29007KT P6SM FEW070

REC - 135.30 MHz - ATIS	COM - 122.95 MHz - CINCINNATI UNICOM
GND - 121.70 MHz - CINCINNATI GROUND	TWR - 118.30 MHz - CINCINNATI TOWER
APP - 123.87 MHz - CINCINNATI APPROACH	DEP - 128.70 MHz - CINCINNATI DEPARTURE

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	151 ft	8,014 ft	180.17	CONCRETE	0 ft	0 ft
	46 m	2,443 m	186.28		0 m	0 m
36L	151 ft	8,014 ft	0.17	CONCRETE	0 ft	0 ft
	46 m	2,443 m	6.28		0 m	0 m
18C	151 ft	11,022 ft	180.18	ASPHALT	0 ft	200 ft
	46 m	3,360 m	186.29		0 m	61 m
36C	151 ft	11,022 ft	0.18	ASPHALT	0 ft	200 ft
	46 m	3,360 m	6.29		0 m	61 m
18L	151 ft	10,019 ft	180.21	CONCRETE	0 ft	0 ft
	46 m	3,054 m	186.32		0 m	0 m
36R	151 ft	10,019 ft	0.21	CONCRETE	0 ft	0 ft
	46 m	3,054 m	6.32		0 m	0 m
09	151 ft	11,973 ft	90.16	ASPHALT	0 ft	197 ft
	46 m	3,650 m	96.26		0 m	60 m
27	151 ft	11,973 ft	270.18	ASPHALT	0 ft	151 ft
	46 m	3,650 m	276.29		0 m	46 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IURN	111.90 MHz	18 nm	-	-	872 ft
				33 km	-		872 m
18C	DME	ISIC	111.55 MHz	18 nm	-	-	845 ft
				33 km	-		845 m
18L	DME	ICIZ	110.15 MHz	18 nm	-	-	915 ft
				33 km	-		915 m
18R	DME	ICJN	110.75 MHz	18 nm	-	-	869 ft
				33 km	-		869 m
36C	DME	ICVG	109.90 MHz	18 nm	-	-	886 ft
				33 km	-		886 m
36L	DME	IVAC	110.75 MHz	18 nm	-	-	848 ft
				33 km	-		848 m
36R	DME	IEEI	110.35 MHz	18 nm	-	-	905 ft
				33 km	-		905 m
09	LOC-ILS	IURN	111.90 MHz	18 nm	90.17	-	895 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	96.28		895 m
18C	LOC-ILS	ISIC	111.55 MHz	18 nm	180.18	-	895 ft
				33 km	186.29		895 m
18L	LOC-ILS	ICIZ	110.15 MHz	18 nm	180.21	-	895 ft
				33 km	186.32		895 m
18R	LOC-ILS	ICJN	110.75 MHz	18 nm	180.17	-	895 ft
				33 km	186.28		895 m
27	LOC-ILS	IJDP	108.70 MHz	18 nm	270.17	-	895 ft
				33 km	276.28		895 m
36C	LOC-ILS	ICVG	109.90 MHz	18 nm	0.18	-	895 ft
				33 km	6.29		895 m
36L	LOC-ILS	IVAC	110.75 MHz	18 nm	0.21	-	895 ft
				33 km	6.32		895 m
36R	LOC-ILS	IEEI	110.35 MHz	18 nm	0.21	-	895 ft
				33 km	6.32		895 m
09	GS	IURN	111.90 MHz	10 nm	90.17	3.00	895 ft
				19 km	96.28		895 m
18C	GS	ISIC	111.55 MHz	10 nm	180.18	3.00	895 ft
				19 km	186.29		895 m
18L	GS	ICIZ	110.15 MHz	10 nm	180.21	3.00	895 ft
				19 km	186.32		895 m
18R	GS	ICJN	110.75 MHz	10 nm	180.17	3.00	895 ft
				19 km	186.28		895 m
27	GS	IJDP	108.70 MHz	10 nm	270.17	3.00	895 ft
				19 km	276.28		895 m
36C	GS	ICVG	109.90 MHz	10 nm	0.18	3.00	895 ft
				19 km	6.29		895 m
36L	GS	IVAC	110.75 MHz	10 nm	0.21	3.00	895 ft
				19 km	6.32		895 m
36R	GS	IEEI	110.35 MHz	10 nm	0.21	3.00	895 ft
				19 km	6.32		895 m